



Ref No.: HO/2025-26/53

Date: 23/05/2025

To

The Director (IA Division)

Ministry of Environment, Forest & Climate Change (MoEFCC)

Govt. of India, Indira Paryavaran Bhawan

Jor Bagh Road, New Delhi - 110003

Sub: Submission of Half-Yearly Compliance Report (October 2024- March 2025) for Expansion of Grain/Molasses based Distillery from 100 KLPD to 205 KLPD by new installment of 105 KLPD Grain Base Ethanol plant along with Co-generation power plant from 3.0 MW to 4.6 MW at village Chulkana, Tehsil Samalkha, District Panipat, Haryana by **M/s Haryana Organics (A Division of Globus Spirits Ltd.)**

Ref.: EC Letter No.: J-11011/714/2009 – IA II (I) dated 3rd April, 2023

Dear Sir

With reference to the aforesaid subject and above-cited reference matter, we are hereby submitting the **Half Yearly Compliance Report (October 2024- March 2025)** of the conditions stipulated in our Environment Clearance letter issued by MoEFCC, New Delhi.

This is for your kind consideration and records.

Thanking you and with regards,

Yours faithfully

M/s Haryana Organics

(A Division of Globus Spirits Ltd.)

(Authorized Signatory)

Enclosed: Half Yearly Compliance Report (October 2024- March 2025) in soft copy

Globus Spirits Limited

(Corporate Identity Number: L74899DL1993PLC052177)

Registered & Corporate Office:

F-0, Ground Floor, The Mira Corporate Suites, Plot No. 1 & 2, Ishwar Nagar, Mathura Road, New Delhi 110065 Tel.: +011-66424400

Works(1): Village: Shyampur, Tehsil: Behror 301701 Distt.: Alwar (Rajasthan) Tel.: +91-08003592097

Works(2): Haryana Organics (A Unit of Globus Spirits Limited) 4 KM., Chulkana Road, Samalkha 132101 Distt.: Panipat (Haryana) Telefax: +91-180-2570122

Works(3): Associated Distilleries (A Unit of Globus Spirits Limited) Hisar Bye-Pass, National Highway, Hisar 125044 (Haryana) Tel.: +91-09896398187

Works(4): Village: Dhandua, Tehsil: Jandaha, Hajipur 844505 Distt.: Vaishali (Bihar) Tel.: +91-9917437425

Works(5): Plot No. B-7, Panagarh Industrial Park, Panagarh 713420 Distt.: Burdwan (West Bengal) Tel.: +91-9800297777

Works(6): Village: Oida, Block Baharagora, Tehsil: Ghatshila, Post: Borsol, Distt.: East Singhbhum, Jharkhand Mob.: +91-9717844388

E-Mail: corpoffice@globusgroup.in Web: www.globusspirits.com

SIX MONTHLY COMPLIANCE REPORT

**AS PER THE CONDITIONS STIPULATED
IN THE ENVIRONMENTAL CLEARANCE**

EC Letter No. J-11011/714/2009-IA II (I) dated 03 April 2023

Six Monthly Compliance Report

October 2024 to March 2025

For

**Expansion of Grain based distillery from 100
KLPD to 205 KLPD by new installation of 105
KLPD Grain Based Ethanol plant along with Co-
generation power plant from 3.0 MW to 4.6 MW**

At

**Village Chulkana, Tehsil Samalkha,
District Panipat, Haryana**

SUBMITTED BY



M/s Haryana Organics

(A Division of Globus Spirits Ltd.)

**Village Chulkana, Tehsil Samalkha,
District Panipat, Haryana-132101**

CONTENTS

S. NO.	PARTICULARS	PAGE NO.
1.	Copy of EC Letter No. F. NO. J-11011/714/2009 – IA II (I) dated 28 th February, 2011	1-14
2.	Point wise reply to the EC Conditions	15-25
3.	List of Annexure:	
Annexure 1	Ambient Air Quality Monitoring Report	26-33
Annexure 2	Ground Water Abstract Application & NOC	34-41
Annexure 2A	Ground Water Abstraction Logbook	42
Annexure 3	Waste Water Monitoring Report	43-44
Annexure 4	Ground Water Monitoring Report	45-56
Annexure 5	Mee Condensate Photographs	57
Annexure 6	Stack Monitoring Report	58-60
Annexure 7	Copy of Fly Ash MoU	61-63
Annexure 8	Health Checkup Reports of Employees	64-75
Annexure 9	Health Checkup Photos	76
Annexure 9A	Workers are in PPEs	77-78
Annexure 10	Health safety Training Photographs and Training Records	79-82
Annexure 10A	Risk Assessment	83-105
Annexure 11	Photographs of Fire frightening Measure	106-
Annexure 12	Photographs of Fire frightening Training	107-109
Annexure 13	Training Attendance sheet	110
Annexure 14	Copy of Fire Noc	111
Annexure 15	Copy of PESO Certificate	112-114
Annexure 16	Photographs Showing Green Belt	115-116
Annexure 17	Photographs of Pollution Control Measure	117-121
Annexure 18	Fugitive Dust Emission Report	122-125
Annexure 19	PUC Certificates	126
Annexure 20	CEQMS Screen Shot & Camera Installed	127-128
Annexure 21	Photographs of Laboratory at Plant Site	129
Annexure 22	Hierarchy structure at EMC	130
Annexure-23	Ambient & Source Noise Monitoring Report	131-135
Annexure-24	Photographs showing CSR Activity	136-140
Annexure-25	Last Compliance Submission Receipt (April 2024 to September 2024)	141
Annexure-26	Last ESR Submission	142-143



Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

To,

The Executive Director
GLOBUS SPIRITS LIMITED
Globus Spirits Limited
F-0, Ground Floor, The Mira Corporate Suites,
Plot No. 1 & 2, Ishwar Nagar, Mathura Road,
New Delhi, Kheri, Uttar Pradesh-110065

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/HR/IND2/408610/2022 dated 10 Feb 2023. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|--|
| 1. EC Identification No. | EC23A022HR195384 |
| 2. File No. | J-11011/714/2009-IA II (I) |
| 3. Project Type | Expansion |
| 4. Category | A |
| 5. Project/Activity including Schedule No. | 5(g) Distilleries |
| 6. Name of Project | Expansion of Grain based distillery from 100 KLPD to 205 KLPD by new installation of 105 KLPD Grain based Ethanol plant along with Co-generation power plant from 3.0 MW to 4.6 MW at Village Chulkana, Tehsil Samalkha, District Panipat, Haryana by M/s Haryana Organics (A Division of Globus Spirits Ltd.) |
| 7. Name of Company/Organization | GLOBUS SPIRITS LIMITED |
| 8. Location of Project | Haryana |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 03/04/2023

(e-signed)
A N Singh
Scientist E
IA - (Industrial Projects - 2 sector)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.

This has reference to your online proposal no. IA/HR/IND2/408610/2022 dated 10th February, 2023 for environmental clearance to the above-mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the proposal seeking environmental clearance for expansion of Grain based distillery from 100 KLPD to 205 KLPD by new installation of 105 KLPD Grain based Ethanol plant alongwith Co-generation power plant from 3.0 MW to 4.6 MW at Village Chulkana, Tehsil Samalkha, District Panipat, Haryana by M/s. Haryana Organics (A Division of Globus Spirits Limited).

3. As per the MoEF&CC, Notification number S.O. 345(E), dated 17th January, 2019, notification number S.O. 750(E), dated 17th February, 2020, S.O. 980 (E) dated 02nd March, 2021 & S.O. 2339(E), dated 16th June, 2021 a special provision in the EIA Notification, 2006 (Schedule 5 (g)), a special provision in the EIA Notification, 2006-(Schedule 5(g)) "Expansion of sugar manufacturing units or distilleries for production of ethanol, having Prior Environment Clearance (EC) for existing unit, to be used completely for Ethanol Blended Petrol (EBP) Programme only, as per self-certification in form of an affidavit by the Project Proponent, shall be appraised as category 'B2' projects".

4. The details of products and capacity as under:

S. No.	Name of unit	Name of the product/by product	Existing Production capacity	Additional Production capacity	Total production capacity
1	Distillery (Grain - broken rice, maize, barley & sorghum based)	Existing: ENA/ RS/CL/IMFL Additional: Ethanol only	100 KLPD ENA/ RS/CL (12000 Cases/day) &IMFL (10000 Cases/day)	105 KLPD Ethanol only	205 KLPD (ENA/RS/CL & IMFL and Ethanol)
3.	Co-generation power plant for distillery	Power	3.0 MW	1.6 MW	4.6 MW
3	DWGS Dryer	DDGS	58 TPD	46 TPD	104 TPD
4	Fermentation unit	Carbon di-oxide	76 TPD	81 TPD	157 TPD

5. Ministry has issued Environmental Clearance to the existing industry for expansion of Grain/Molasses based distillery unit (25 KLPD) to Grain (100 KLPD) or Grain (75 KLPD) and Molasses (25 KLPD) with Cogeneration Power Plant (3 MW) vide File No. J-11011/714/2009-IA II (I) dated 28th February, 2011. Certified compliance report of existing EC has been obtained from Regional Office,

MoEFCC, Chandigarh vide File no. 4-954/2011/ENV/PART-II dated 10.08.2022. Closure Report has been obtained by IRO, MOEFCC, Chandigarh Vide File no. 4-954/2011-IRO dated 20.01.2023. EAC was satisfied with the response.

6. Standard ToR and Public Hearing is not applicable as the project falls under category B2 as per OM dated 16th June, 2021. It was informed that there is no litigation is pending against the project.

7. Total plant area after expansion will be 6.878 ha (17 acres) which is under possession of the company and converted to industrial use. No additional land is required for the expansion, as the same will be done within the existing plant premises. Out of the total plant area, 2.427 ha i.e., more than 33 % of total plant area already been developed and the same will be maintained. The estimated cost of the proposed Expansion project is Rs. 98 Crores. Capital cost of EMP would be Rs. 17.25 Crores and recurring cost for EMP would be Rs. 2.0 Crores per annum. Industry proposes to allocate additional Rs. 1.0 Crore towards Extended EMP (Social developmental activities). Total Employment after expansion will be 200 persons as direct.

8. There are no National Parks, Reserved Forests (RF) / Protected Forests (PF), Wildlife Sanctuaries, Biosphere Reserves, Tiger/ Elephant Reserves, Wildlife Corridors etc. within 10 km radius. Water bodies: Samalkha Drain adjacent to plant site in East direction, Samalkha Distributary is located at a distance of 0.5 km in WNW direction, Ganaur Distributary is located at a distance of 3.5 km in WSW direction, Western Distributary is located at a distance of 5 km in WNW direction, Narayana Distributary is located at a distance of 7.0 km in WNW direction & Rajpura Distributary is located at a distance of 8.5 km in SSW direction. NOC has been obtained for Samalkha drain from Sub Divisional officer, Samalkha W.S Sub Division, Panipat vide letter no. 16/NOC dated 27.01.2023 stating that there is no problem of flood in flood season since 25 years.

9. AAQ modelling study for point source emissions indicates that the maximum incremental GLCs after the proposed project would be 0.656 $\mu\text{g}/\text{m}^3$, 0.262 $\mu\text{g}/\text{m}^3$, 0.729 $\mu\text{g}/\text{m}^3$ and 0.84 $\mu\text{g}/\text{m}^3$ with respect to PM_{10} , $\text{PM}_{2.5}$, SO_2 and NO_x . The resultant concentrations are within the National Ambient Air Quality Standards (NAAQS).

10. Total fresh water requirement after expansion will be 952 CMD which will be met from ground water. Combined application has been submitted to HWRA for renewal of existing NOC and for additional abstraction of 400 KLPD groundwater vide Application No. HWRA/IND/R/2022/197 dated 19.06.2022 & is under process. Existing effluent generation is 548 CMD which is treated through Condensate Polishing Unit /Effluent Treatment Plant of capacity 600 CMD. Proposed effluent

generation (Process Condensate 436 CMD, CT blowdown 15 CMD, DM plant reject & washing 55 CMD, Boiler blow-down 13 CMD) will be 519 CMD will be treated through additional Condensate Polishing Unit /Effluent Treatment Plant of capacity 600 CMD. Raw stillage (1215 TPD) will be sent to decanter followed by MEE and dryer to produce DDGS. Domestic waste water is being/will be treated in STP of capacity 20 KLPD. The plant is being/will be based on Zero Effluent discharge system and treated effluent/ water will not be discharged outside factory premises.

11. Total power requirement after expansion will be 4.6 MW which will be sourced from 4.6 MW Co-generation power plant. 30TPH Biomass/Rice husk/Agro waste fired boiler will be installed by replacing 10 TPH boiler. APCE ESP with a stack height of 44.2 m & 42.67 m is installed with 25 TPH & 10 TPH Biomass/Rice husk/Agro waste fired boiler for controlling the particulate emission within the statutory limit of 50 mg/Nm³. APCE ESP with stack height of 50 m will be installed with proposed 30TPH Biomass/Rice husk/Agro waste fired boiler for controlling the particulate emissions within the statutory limit of 50 mg/Nm³. Industry has existing 1x380 KVA DG set & one proposed 1x750 KVA DG set will be used as power backup during power failure and stack height (5.5 m) will be provided as per CPCB norms to the proposed DG set.

12. Details of Process emissions generation and its management:

- APCE ESP with a stack height of 44.2 m & 42.67 m is installed with the existing 25 TPH & 10 TPH Biomass/Rice husk/Agro waste fired boiler respectively for controlling the particulate emissions within the statutory limit of 50 mg/Nm³. APCE ESP with a stack height of 50 m will be installed for controlling the particulate emissions within the statutory limit of 50 mg/Nm³ for the proposed 30 TPH Biomass/Rice husk/Agro waste fired boiler by replacing existing 10 TPH boiler.
- Online Continuous Emission Monitoring System is being/will be installed with the stack and data will be transmitted to CPCB/SPCB servers.
- CO₂ (157 TPD) generated during the fermentation process is being/will be collected and sold to authorized vendors as per local demand.

13. Details of solid waste/Hazardous waste generation and its management:

- DDGS (Distilled Dried Grains Stillage) (104 TPD) is being/will be sold as cattle feed.
- Boiler ash (57 TPD) generated from the boiler is being/will be supplied to brick manufacturers in covered vehicles and given to farmers also.

- Used oil & grease (0.5 Kilolitres per annum) is being/ will be sold to authorized recyclers.
- ETP/CPU sludge (1.2 TPD) and STP Sludge (0.01 TPD) is being/will be used as manure.

14. As per Notification S.O 2339(E), dated 16th June, 2021, PP has submitted self- certification in the form of notarized affidavit declaring that the proposed expansion capacity of 105 KLPD will be used for manufacturing fuel ethanol only.

15. During deliberations, EAC discussed following issues:

- EAC suggested that the company will increase provisions of solar power within plant and to the nearby areas from 10% to 15% of total power consumption of the unit in form of solar lights/solar panels/solar gadgets etc. as a part of socio economic developmental activities.
- Existing distillery has 25 TPH & 10 TPH Biomass/Rice husk/Agro waste fired boiler. The company will dismantle the existing 10 TPH boiler & install 30 TPH Biomass/Rice husk/Agro waste fired boiler. For this proposed 30 TPH boiler, 50 meters stack height & ESP as APCE will be installed & designed for the statutory limit of 50 mg/Nm³ for controlling the particulate emissions.
- EAC suggested to revise EMP details considering the modification/up gradation in ESP along with allied utilities. Accordingly, PP has increased the EMP Capital cost from Rs. 12.0 Crores to Rs. 17.25 Crores and EMP recurring cost from Rs. 1.5 Crores per annum to Rs. 2.0 Crores per annum.
- EAC suggested that existing greenbelt in 33% of total project area, i.e., 2.427 ha will be densified@2500 trees/ha & the same will be achieved within December, 2023.

The committee was satisfied with the response provided by PP on above information.

16. The proposal was considered by the EAC meeting ID: IA/IND2/13448/23/02/2023) held on 23rd February, 2023 in the Ministry, wherein the project proponent and the accredited Consultant namely M/s. J.M. EnviroNet Pvt. Ltd. (NABET certificate no. NABET/EIA/2023/SA 0172 and validity till 7th August, 2023), presented the case. The Committee **recommended** the project for grant of environmental clearance.

17. The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with the EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent. The EAC noted that the Project

Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

18. The Committee noted that the EMP report is in compliance of the PFR. The Committee deliberated on the CER plan and found to be addressing the issues in the study area. The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have **recommended** for grant of environmental clearance.

19. The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

20. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for expansion of Grain based distillery from 100 KLPD to 205 KLPD by new installation of 105 KLPD Grain based Ethanol plant along with Co-generation power plant from 3.0 MW to 4.6 MW at Village Chulkana, Tehsil Samalkha, District Panipat, Haryana by M/s. Haryana Organics (A Division of Globus Spirits Limited), under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

A. Specific Condition:

- (i). As per the Notification S.O. 2339(E), dated 16th June, 2021, project falls in category B2 and the proposed expansion capacity of 105 KLPD shall only be used for fuel ethanol manufacturing as per self-certification in form of a notarized affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if

ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.

- (ii). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented as per proposed in Annexure-I.
- (iii). EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of project. Conversion of land use (CLU) certificate shall be obtained before start of construction activities.
- (iv). NOC from the Central Ground Water Authority (CGWA)/ Concerned Local authority shall be obtained before start of the construction of plant and drawing of the ground water for the project activities. State Pollution Control Board / Pollution Control Committees shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission. No ground water shall be used for the plant operations.
- (v). Total fresh water requirement after expansion shall not exceed 952 m³/day, which will be sourced from ground water. No ground water recharge shall be permitted within the premises. Industry shall construct a rain water storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.
- (vi). Spent Wash/stillage shall be sent to the decanter followed by the Multiple Effect Evaporator and dryer to form DDGS. DDGS to be used as cattle feed. The MEE & Drier condensate, spent lees, WTP Rejects, Boiler & Cooling tower blowdowns, washings etc., is shall be treated in the 'Condensate Polishing Unit' (CPU). STP shall be installed to treat domestic wastewater. The plant shall be based on 'Zero Liquid Discharge' system and no effluent/treated water shall be discharged outside factory premises.
- (vii). ESP with a stack height of 44.2 m is already installed with the existing 25 TPH Rice husk/Agro waste fired boiler for controlling the particulate emissions within the statutory limit of 50 mg/Nm³. ESP (five fields) with a

stack height of 50 meters will be installed with the 30 TPH Biomass/Rice husk/Agro waste fired boiler for controlling the particulate emissions within the statutory limit of 50 mg/Nm³. Coal shall not be used as fuel. At no time, the emission levels shall exceed the prescribed standards. In the event of failure of any pollution control system installed by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Performance assessment of pollution control devices/ systems will be conducted annually. As proposed existing 10 TPH boiler shall be dismantled and disposed in an environmentally sound manner.

- (viii). Boiler ash (57 TPD) will be used for brick manufacturing and supplied to brick manufacturers. PP shall use biomass like rice husk/agro waste as fuel for the proposed boiler. PP shall meet 15% of the total power requirement from solar power by generating power inside plant premises/adjacent/nearby areas. Approach to the project site to the nearest highway will be maintained by the Industry.
- (ix). CO₂ (157 TPD) generated during the fermentation process will be collected by utilizing CO₂ scrubbers and shall be sold to authorized vendors.
- (x). PP shall allocate at least Rs. 50 Lakhs/annum for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- (xi). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- (xii). The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms. PESO certificate shall be obtained.
- (xiii). Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.
- (xiv). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste;

(b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.

- (xv). The green belt of at least 5-10 m width has been developed in 2.427 hectares i.e., 35.28 % of total project area with tree density @ 2500 trees per hectares, mainly along the plant periphery and same will be maintained. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. Records of tree canopy shall be monitored through remote sensing map.
- (xvi). PP proposed to allocate Rs. 1.00 Crores towards Extended EMP (CER) which shall be spent as submitted in CER plan (Annexure-II) for monitorable activities like up-gradation of schools with provision of facilities e.g. Class rooms, playground, Laboratory, Library, Computer class, toilets, potable drinking water facilities, solar light/solar power support for uninterrupted power supply, soil nutrient management etc. Further, all the proposed activities under CER shall be completed before the commissioning of the plant in consultation with District Administration.
- (xvii). There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. Out of the total project area, 15% shall be allotted solely for parking purposes with facilities like rest rooms etc.
- (xviii). Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Biomass shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. Industrial vacuum cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.
- (xix). Continuous online (24x7) system for monitoring of stack emissions/effluent quality shall be installed for flue gas emissions and the pollutants

concentration, and the data shall be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.

- (xx). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. EMC head shall report directly to Head of Organization/ Director/CEO as per company hierarchy.
- (xxi). PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.

B. General Condition:

- (i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- (ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
- (iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures

including community welfare measures in the project area for the overall improvement of the environment.

- (v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- (vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- (vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (viii) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- (ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- (x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

21. The Ministry reserves the right to stipulate additional conditions, if found

necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

22. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

23. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

24. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

25. This issues with the approval of the competent authority.

(A. N. Singh)
Scientist-'E'

Copy to: -

1. The Principal Secretary, Department of Environment, Government of Haryana, SCO 1-2-3, Sector 17 (D), 2nd Floor, Chandigarh, Haryana
2. The Regional Officer, Ministry of Env., Forest and Climate Change, Integrated Regional Office, Bays No.24-25, Sector 31-A, Dakshin Marg, Chandigarh - 160030
3. The Member Secretary, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, Delhi - 32
4. The Member Secretary, Haryana State Pollution Control Board, C-11, Sector-6, Panchkula, Haryana - 134109.
5. The Member Secretary, Central Ground Water Authority, 18/11, Jamnagar House, Mansingh Road, New Delhi - 11
6. Monitoring Cell, MoEF&CC, Indira Paryavaran Bhawan, Jor Bagh Road, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi
7. District Collector, Kalaburagi, Haryana
8. Guard File /Monitoring File /Parivesh Portal / Record File

(A. N. Singh)
Scientist-'E'

E-mail: aditya.narayan@nic.in
Tel. No. 11-24642176

Annexure -I**Capital cost and recurring cost of EMP are given below:**

S. No.	Description		Capital Cost (Crores)	Recurring Cost/annum (Crores)
1	Air Pollution Management	ESP + Stack+ up gradation in existing ESP, online monitoring system	8.6	0.55
2	Effluent Treatment	Condensate polishing unit/ ETP and STP	5.5	0.8
3	Environment Monitoring	Lab instrument, Online Monitoring System, Third party monitoring, audit	0.5	0.10
4	Solid waste Management	Ash Handling & Management, Others	2.4	0.45
5	Greenbelt & Plantation Development	Plantation for Greenbelt	0.25	0.10
	Total		17.25	2.0

Annexure - II**Details of extended EMP (CER) with proposed activities and budgetary allocation:**

Proposed Activities	Proposed budget in 1st Year	Proposed budget in 2nd Year	Total Expenditure (lakhs)
Health facilities- Distribution of medical instruments, oxygen cylinders to nearby health centre and hospitals	Rs. 10 Lakhs (PHC in Village-Chulkana)	Rs. 10 Lakhs (PHC in Village-Kiwana)	Rs. 20.0
Education - Infrastructure Renovation of Govt schools & classroom development, Provision of digital education in school & laptop distribution, sanitation facilities, safe drinking water etc.	Rs. 20 Lakhs (Govt school in Village-Kiwana)	Rs. 10 Lakhs (Govt school in Village-Chulkana)	Rs. 30.0 Lakhs
Skill Development - Establishment of Skill Development centre for Youth & organising Training	Rs. 7.5 Lakhs (Village-	Rs. 7.5 Lakhs (Village-	Rs. 15.0 Lakhs

programmes for youth/residents.	Kiwana)	Chulkana)	
Infrastructure Construction/Renovation- Solar power installation in schools &Panchayat bhavan, rainwater harvesting system, development of community halls & nearby plantations etc	Rs. 20 Lakhs (Village- Chulkana)	Rs. 15 Lakhs (Village- Kiwana)	Rs. 35.0 Lakhs
TOTAL			Rs.100 Lakhs

Expansion of Grain/Molasses based Distillery from 100 KLPD to 205 KLPD by new installment of 105 KLPD Grain Base Ethanol plant along with Co-generation power plant from 3.0 MW to 4.6 MW at village Chulkana, Tehsil Samalkha, District Panipat, Haryana

Name of Project: Expansion of Grain/Molasses based Distillery from 100 KLPD to 205 KLPD by new installment of 105 KLPD Grain Base Ethanol plant along with Co-generation power plant from 3.0 MW to 4.6 MW at village Chulkana, Tehsil Samalkha, District Panipat, Haryana by **M/s Haryana Organics (A Division of Globus Spirits Ltd.)**

Ref: EC Identification No.: EC23A022HR195384

File No.: F. NO. J-11011/714/2009 – IA II (I)

Date of Issue: 03/04/2023

Period of Compliance: October 2024- March 2025

Point wise compliance of conditions stipulated in Environmental Clearance is given as under:

S.No.	EC CONDITION	COMPLIANCE STATUS
A.	Specific Condition	
i)	As per the Notification S.O. 2339(E), dated 16 June, 2021, project falls in category B2 and the proposed expansion capacity of 105 KLPD shall only be used for fuel ethanol manufacturing as per self-certification in form of a notarized affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.	Duly noted. The unit will be used for fuel ethanol manufacturing with a capacity of 105 KLPD and will continue to be utilized for the EBP programme in the future as well.
ii)	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented as per proposed in Annexure-I.	The company diligently complies with all environmental protection measures and safeguards as outlined in the documents submitted to the Ministry. Every recommendation in the EIA/EMP report regarding environmental management and risk mitigation measures for the project has been and will continue to be effectively implemented. Specifically, the unit ensures comprehensive monitoring of ambient air quality and stack emissions, supported by the installation of Electrostatic Precipitators (ESP), green belt development, and efficient effluent management systems to maintain strict compliance with the prescribed norms. The ambient air quality monitoring report is attached as Annexure-I .
iii)	EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of project.	Duly noted. The unit will procure the CLU certificate before commencing construction activities, should the actual land for the project site differ from the initially considered land.

Expansion of Grain/Molasses based Distillery from 100 KLPD to 205 KLPD by new installment of 105 KLPD Grain Base Ethanol plant along with Co-generation power plant from 3.0 MW to 4.6 MW at village Chulkana, Tehsil Samalkha, District Panipat, Haryana

	Conversion of land use (CLU) certificate shall be obtained before start of construction activities.	
iv)	NOC from the Central Ground Water Authority (HWRA)/ Concerned Local authority shall be obtained before start of the construction of plant and drawing of the ground water for the project activities. State Pollution Control Board / Pollution Control Committees shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission. No ground water shall be used for the plant operations.	NOC From Haryana Water Resources Authority (HWRA) has been obtained for the capacity of 952 m ³ /day Vide NOC No. HWRA/NOC/IND/R/2025/1725 is valid up to 18.06.2023. Renewal for existing NOC for the capacity of 952 m ³ /day application No. HWRA/IND/R/2025/3993 is under process. Application for Renewal and NOC is Attached as Annexure-2
v)	Total Fresh water requirement after expansion shall not exceed 952 m ³ /day, which will be sourced from ground water. No Ground water recharge shall be permitted within the premises. Industry shall construct a rain water storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.	The Project authority acknowledges that the total fresh water requirement after expansion does not exceed 952 m ³ /day, sourced from groundwater. We assure that no groundwater recharge will be conducted within the premises. Rainwater is being collected in storage tanks totalling 2,50,000 Litres installed in the plant, with the accumulated water utilized as fresh water, effectively reducing fresh water consumption.
vi)	Spent Wash/stillage shall be sent to the decanter followed by the Multiple Effect Evaporator and dryer to form DDGS. DDGS to be used as cattle feed. The MEE & Drier condensate, spent lees, WTP Rejects, Boiler & Cooling tower blow downs, washings etc., is shall be treated in the 'Condensate Polishing Unit' (CPU). STP shall be installed to treat domestic wastewater. The plant shall be based on 'Zero Liquid Discharge' system and no effluent/treated water shall be discharged outside factory premises.	The industry is / will run on "Zero Liquid Discharge". Following measures have been adopted for water conservation to reduce or minimize water consumption & usage: Spent Wash: Grain Slops (Spent Wash) is being/will be taken through Centrifuge Decanters for separation of Suspended Solids separated as Wet Cake. Thin Slops from the Decanter Centrifuge is being/will be partially recycled back to process and partially taken to Thins Slops Evaporation Plant for concentration of remaining solids to form Syrup. This Syrup is being/will be fed to bio-digester for recovery of bio-gas followed by anaerobic or aerobic sludge separator, final out let after this process is then taken to MEE system for water recovery, the concentrate from MEE is recycled to decanter for solid recovery. DWGS is being/ will be taken to a dryer and is dried to make it DDGS for animal feed – Distillers Dried Grain Soluble. ⊗ Spent Lees: The spent lees from primary distillation column (pre-rectifier) will be recycled into liquefaction process and are utilized as dilution water for incoming flour to make slurry.

		⌘ Process condensate from Multi – Effect Evaporator (MEE) is being/will be cooled and collected into a neutralization tank with sufficient residence time. After neutralization and filtration this process condensate is being/will be recycled back to the process. ⌘ For effective recycling of waste, 3-stage MEE along with dryer has already been installed. MEE condensate is treated in CPU and recycled back in the process. Other waste is treated in the state of art ETP and completely reused. ⌘ Boiler blow down: Waste water generated from boiler blow down is being/ will be completely recycled into cooling towers and ash quenching. ⌘ Cooling Tower Blow down: Cooling tower blow down is being/ will be utilized completely internally. ⌘ The industry on regular basis carries out waste water analysis to conform to the standards prescribed under Environment (Protection) Rules, 1986. The waste water monitoring results for the compliance period “October 2024 to March 2025” has been attached as Annexure -3 The groundwater quality monitoring results for the compliance period “ October 2024 to March 2025” has been attached as Annexure -4 Photographs showing Bio-Digester, Condensate Refinement Polishing Unit and Multi Effect evaporator have been attached as Annexure -5
vii)	ESP with a stack height of 44.2 m is already installed with the existing 25 TPH Rice husk/Agro waste fired boiler for controlling the particulate emissions within the statutory limit of 50 mg/Nm³. ESP (Five field) with a stack height of 50 meter will be installed with the 30 TPH Biomass/Rice husk/Agro waste fire boiler for the particulate emission within the statutory of 50 mg/Nm³. Coal shall not be used as fuel. At no time, the emission levels shall exceed the prescribed standards. In the event of failure of any pollution control system installed by the unit, the respective unit shall not be	Exclusively relying on biomass, rice husk, and agro waste as fuel for the boiler, we are currently in alignment with the organization's current requisites. Nevertheless, we are strategically poised to embrace and seamlessly integrate any forthcoming updates or advancements into our operational framework. Regular monitoring of emission levels is conducted to ensure compliance with prescribed standards. The latest monitoring report is attached herewith as Annexure-6

Expansion of Grain/Molasses based Distillery from 100 KLPD to 205 KLPD by new installment of 105 KLPD Grain Base Ethanol plant along with Co-generation power plant from 3.0 MW to 4.6 MW at village Chulkana, Tehsil Samalkha, District Panipat, Haryana

	restarted until the control measures are rectified to achieve the desired efficiency. Performance assessment of pollution control devices/ systems will be conducted annually. As proposed existing 10 TPH boiler shall be dismantled and disposed in an environmentally sound manner.	The unit assures that coal will not be utilized as fuel under any circumstances. In the event of any failure of the pollution control systems installed by the unit, restarting operations will only occur once the control measures are rectified to achieve the desired efficiency.
viii)	Boiler ash (57 TPD) will be used for brick manufacturing and supplied to brick manufacturers. PP shall use biomass like rice husk/agro waste as fuel for the proposed boiler. PP shall meet 15% of the total power requirement from solar power by generating power inside plant premises/adjacent/nearby areas. Approach to the project site to the nearest highway will be maintained by the industry.	The company has entered into an agreement with the Banwala Co-operative L/C Society Ltd. for the management of fly ash generated from its existing boilers. The copy of the Memorandum of Understanding (MoU) for the supply of fly ash is attached as Annexure- 7 . The unit exclusively utilizes biomass such as rice husk and agro waste as fuel for the proposed boiler. The Project Proponent (PP) is actively exploring the possibilities of solar power generation within the plant premises and nearby areas.
ix)	CO ₂ (157 TPD) generated during the fermentation process will be collected by utilizing CO ₂ scrubbers and shall be sold to authorized vendors.	The CO ₂ generated during the fermentation process is being/will be collected by CO ₂ scrubbers and sold to authorized vendors.
x)	PP shall allocate at least Rs. 50 Lakhs/annum for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Occupational health surveillance programme is taken as regular exercise for all the employees. Regular medical check-up of employees is conducted in its medical centre. The last medical health reports are attached as Annexure -8 . The photographs showing regular occupational health surveillance programme is attached as Annexure -9 . All workers and employees are provided with personal protective equipment (PPE). Photographs is provided in Annexure -9A .
xi)	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Training is imparted to all employees regarding their health and safety aspects in chemical handling. Photographs of the training and Training record are attached as Annexure 10 .
xii)	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in	The company has made arrangements for protection of fire hazards which are as follows:

	material handling. Firefighting system shall be as per norms. PESO certificate shall be obtained.	⌘ Fire extinguishers are readily accessible for immediate use in all parts of the occupancy. ⌘ Adequate dust suppression measures are provided to prevent fugitive emission and also risk of fire. Similar measures are also adopted for loading/unloading operations. ⌘ All necessary medical facilities for first aid are already there in the factory premises. ⌘ Emergency escape route is marked at all places in the industry towards designated assembly point. ⌘ Firefighting measures are already available at the alcohol storage area. Photograph showing firefighting measures adopted within plant premises have been attached as Annexure 11. The photographs showing Fire Safety Training is attached as Annexure 12. Last safety training attendance sheet is attached as Annexure 13. The company has also obtained Fire NOC and copy of the same is attached as Annexure 14. The company has obtained PESO certificate from the authority and strictly complies the same. The copy of PESO certificate is attached as Annexure 15.
xiii)	Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & Evaporation salt shall be disposed of to the TSDF.	In this project, no processed organic residue, spent carbon, processed inorganic & evaporation salts are produced.
xiv)	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.	Following steps have been taken by the Unit: • System for metering and controlling the quantities of active ingredients are already in place, system is designed to optimize the use of these ingredients, thereby reducing waste and promoting efficient use. Unit is

	(c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high-pressure hoses for equipment clearing to reduce waste water generation.	also having centrifugal Decanters Followed by MEE and Dryer to minimize the waste. • The CO₂ generated from the fermentation process is being collected and stored in the tanks and sold to authorized vendors. • Unit is having automated filling to minimize spillage and closed feed system. • The fly ash generated from the boiler is being/will be sold to nearby brick manufacturers. • Unit is having the Dryers to convert the DWGS to DDGS and by utilizing its vapors heat in vapours integrated system, unit could reduce the steam consumption in Multi Effect Evaporator plant (MEE). • Biogas generated from Bio-methanation is being/will be used as fuel in boiler. • Unit is having high pressure hoses to reduce waste water generation.
xv)	The green belt of at least 5-10 m width has been developed in 2.427 hectares i.e., 35.28 % of total project area with tree density @ 2500 trees per hectares, mainly along the plant periphery and same will be maintained. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. Records of tree canopy shall be monitored through remote sensing map.	More than 35% of the total area of the project area has been developed as greenbelt and plantation, which encompasses 6.0 acres and will continue to be maintained in the future. Additionally, around 4000 trees have already been planted within the plant premises, as per CPCB guidelines including a variety of species such as Neem, Polyalthia, Sheesham, Banyan, Date palm, Coconut tree, Conifer/cone, Bamboo, Peepal tree, Mango, and Guava. Photographs showing greenbelt developed in the plant premises is shown in Annexure 16.
xvi)	PP proposed to allocate Rs. 1.00 Crores towards Extended EMP (CER) which shall be spent as submitted in CER plan (Annexure-II) for monitorable activities like up-gradation of schools with provision of facilities e.g. Class rooms, playground, Laboratory, Library,	The proposed allocation of Rs. 1.00 Crores towards Extended EMP (CER) is aligned with our ongoing project's Environmental Management Plan (EMP). We will execute all planned activities outlined in Annexure-II, including the up-gradation of schools with provisions such as classrooms, playgrounds, laboratories, libraries, computer classes, toilets,

Expansion of Grain/Molasses based Distillery from 100 KLPD to 205 KLPD by new installment of 105 KLPD Grain Base Ethanol plant along with Co-generation power plant from 3.0 MW to 4.6 MW at village Chulkana, Tehsil Samalkha, District Panipat, Haryana

	Computer class, toilets, potable drinking water facilities, solar light/solar power support for uninterrupted power supply, soil nutrient management etc. Further, all the proposed activities under CER shall be completed before the commissioning of the plant in consultation with District administration.	potable drinking water facilities, solar light/power support for uninterrupted power supply, and soil nutrient management.
xvii)	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. Out of the total project area, 15% shall be allotted solely for parking purposes with facilities like rest rooms etc.	Adequate parking area has been provided with in the plant premises for loading and unloading of the raw materials, finished products and by products. Along with this a management team in place to oversee traffic management for incoming and outgoing vehicles.15 % out of total project area has been allotted for parking and rest rooms.
		
xviii)	Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Biomass shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. Industrial vacuum cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plant/machinery for	Dust pollution & Fugitive emissions are controlled by providing raw material covered storage area, closed handling & Conveyance of chemicals/ Materials, and water sprinkling system. All stockpiles are being/will constructed over impervious soil and garland drains to avoid the mixing of accidental spillages with domestic wastewater. Domestic wastewater directly goes into STP for its treatment through different routes. Covered sheds and wind breaking walls/curtains is provided around the biomass storage area. Roads within the premises are concreted/paved to avoid vehicular emission.

	shutdown in case of operational failure of Air Pollution Control Equipment.	In the event of failure of any pollution control system, the respective unit will not be restarted until the control measures are rectified to achieve the desired efficiency. Photographs showing dust emission measures taken by the company are attached as Annexure 17 . Fugitive emission monitoring result for half yearly October 2024- March 2025 is attached as Annexure 18 The copy of latest and valid PUC Certificates of the vehicles being used in the plant premises are shown in Annexure 19 .
xix)	Continuous online (24x7) system for monitoring of stack emissions/effluent quality shall be installed for flue gas emissions and the pollutants concentration, and the data shall be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Online monitoring system has been installed at the site and the data on real-time basis is being transferred to servers of CPCB and SPCB. Latest screenshot of continuous online monitoring report is attached as Annexure 20 .
xx)	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. EMC head shall report directly to Head of Organization/ Director/CEO as per company hierarchy.	A separate environmental management cell equipped with full fledged laboratory facilities is set up to carry out the environment management and monitoring functions. EMC head directly report to Director of Organization. Photographs showing laboratory at the plant site is shown in Annexure 21 The hierarchy structure being followed in EMC is Shown in Annexure 22
xxi)	PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12th August, 2021. A report along with photographs on the measures taken shall	PP shall Advocate for awareness responsible for raising awareness and promoting understanding among individuals within and around the project area regarding the prohibition of Single Use Plastic. This effort aims to ensure adherence to the Notification released by MOEFCC on August 12, 2021. The six-monthly compliance report to the relevant authority must include a detailed account, supported by photographs, of the initiatives taken in this regard.


	also be included in the six-monthly compliance report being submitted to concern authority.	
B.	General Condition	
i)	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Haryana Organics (A Division of Globus Spirits Ltd.) ensures that no further expansion or modification in the plant will be undertaken without prior approval from the Ministry of Environment, Forest & Climate Change (MoEFCC)/SEIAA. Prior approval will be sought from the concerned authority if required. In the event of any deviations or alterations in the project proposal from those originally submitted to this Ministry for clearance, the unit guarantees that a fresh reference will be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to incorporate any additional environmental protection measures deemed necessary.
ii)	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	For Lighting purposes, we are primarily prioritizing towards LED lights for ensuring Energy Conservation and Environment Betterment
iii)	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	The overall noise levels in and around the plant area are maintained well within prescribed standards through the adoption of adequate mitigation measures such as good maintenance practices, installation of acoustic hoods and enclosures at noise sources, and the use of personal protective equipment. Regular noise surveys are conducted at strategic locations to monitor the noise levels. Ambient noise level monitoring is conducted regularly to ensure compliance with prescribed limits. The ambient noise level monitoring results for the duration of October 2024 to March 2025 have been obtained and are attached as Annexure 23 .
iv)	The company shall undertake all relevant measures for improving the socio- economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	The company has already taken various measures to improve the socio-economic conditions of the area. The details showing the corporate social responsibility undertaken by the company have been attached as Annexure 24 . The company is involved in various society welfare programmes and ensures to work efficiently in future as well.
v)	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement	The company is obligated to allocate an adequate budget for capital cost and recurring cost per

Expansion of Grain/Molasses based Distillery from 100 KLPD to 205 KLPD by new installment of 105 KLPD Grain Base Ethanol plant along with Co-generation power plant from 3.0 MW to 4.6 MW at village Chulkana, Tehsil Samalkha, District Panipat, Haryana

	the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	annual expenses to effectuate the requirements outlined by the Ministry of Environment, Forest and Climate Change, as well as the State Government. This includes adhering to the specified implementation schedule for all conditions mentioned herein. It is expressly prohibited to redirect the allocated funds for environmental management or pollution control measures to any other purpose.
vi)	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	The copy of clearance letter was sent to local authorities after it was obtained and no Objections/suggestions were received from them.
vii)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six-monthly compliance status report shall be posted on the website of the company.	The six-monthly compliance reports are consistently submitted to the concerned authorities both via email, and they are also uploaded to the Parivesh portal 2.0. The company ensures the timely submission of six-monthly compliance reports, including results of monitored data, to the respective Regional Office of MoEF&CC and the respective Zonal office of CPCB. Last Submission receipt of six-monthly compliance report is Annexure-25 .
viii)	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail	The environmental statement (Form V) for each financial year is regularly submitted to the Regional Office of the MoEF & CC. The last copy of the submitted Environmental Statement Report (ESR) has been attached herewith as Annexure-26 .
ix)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	It was publicly informed that environmental clearance letter has been obtained from MoEF&CC, Delhi, via public notices in local newspapers namely, 'The Tribune' and 'Dainik Bhaskar' on 02.03.2013 & 27.03.2013 respectively.

Expansion of Grain/Molasses based Distillery from 100 KLPD to 205 KLPD by new installment of 105 KLPD Grain Base Ethanol plant along with Co-generation power plant from 3.0 MW to 4.6 MW at village Chulkana, Tehsil Samalkha, District Panipat, Haryana

x)	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Agreed and complied. The unit informs both the Regional Office and the Ministry regarding the date of financial closure, final approval of the project by the concerned authorities, and the date of the project's commencement.
xi)	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project	The unit understands and acknowledges that Environmental clearance is granted subject to the final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT, and any other Court of Law.



30 years of success

J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/GSL/A/01

Name & Address of Unit
M/s. Haryana Organics (A Division of Globus Spirits Ltd.)
at Village- Chulkana, Teh- Samalkha,
District- Panipat, Haryana-132101

Report No.: JME/A/250317005

Format No.: 7.5 F-02

Party Reference No. Nil

Reporting Date: 21/03/2025

Analysis Completion Date: 21/03/2025

Analysis Start Date: 17/03/2025

Receipt Date: 17/03/2025

Sample Description: AMBIENT AIR QUALITY MONITORING

General Information

Client Representative (Name & Designation)

Sample collected by

Sampling Location

Latitude

Longitude

Instrument used

Instrument code

Instrument calibration status

Scope of Monitoring

Meteorological condition during monitoring

Date of Monitoring

Time of Monitoring

Actual duration of Monitoring, (minutes)

Ambient Temperature (°C)

Surrounding activity

Control measure if Any

Sampling & Analysis Protocol

Parameter Required

Mr. Akhil Kumar (GM.HR & ADMIN)

JMELPL Team

Near Main Gate

29° 13' 10.92" N

76° 59' 46.05" E

RDS, FPS & BS

JME/RDS/01/24, JME/FPS/01/22 & JME/BS/01/01

Calibrated

Regulatory Requirement

Clear Sky

13/03/2025 to 14/03/2025

09:45 to 09:45 Hrs.

1422.0

Max 32°C, Min 20°C

Human & Vehicular Activities

--

IS-5182

As per work order

TEST RESULTS

S. No.	Test Parameters	Test Method	Results	Units	NAAQS
1.	PM 2.5	IS:5182, (Part-24)	50.61	µg/m ³	60
2.	PM 10	IS:5182, (Part -23)	85.28	µg/m ³	100
3.	Nitrogen Dioxides	IS:5182, (Part -6)	23.77	µg/m ³	80
4.	Sulphur Dioxide	IS:5182, (Part -2)	9.53	µg/m ³	80
5.	Ozone	IS:5182, (Part-9)	26.48	µg/m ³	180
6.	Lead	IS: 5182, (Part-22)	BDL (DL 0.02)	µg/m ³	1
7.	Carbon Monoxide	IS: 5182, (Part -10)	0.65	mg/m ³	4

Ritika Saini
Ritika Saini
Tested by

Deepak Singh
Deepak Singh
Checked by

Sita Ram Yadav
Sita Ram Yadav
Authorized Signatory

Page No. 1 of 2

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. :U74220HR2011PTC085756



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/GSL/A/01**


Report No.: **JME/A/250317005**

8.	Ammonia	IS:5182, (Part 25)	27.52	µg/m ³	400
9.	Benzene	IS:5182, (Part -11)	BDL (DL 1.0)	µg/m ³	5
10.	Benzo (a) pyrene	IS:5182, (Part -12)	BDL (DL 0.5)	ng/m ³	1
11.	Arsenic	JMPLPL/STOP/03 (Issue Date-21/09/2022)	BDL (DL 0.5)	ng/m ³	6
12.	Nickel	IS:5182, (Part-26)	BDL (DL 1.0)	ng/m ³	20

*NAAQS-National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)] [Part-II sec.-3(i)] 18.11.2009

BDL- Below Detection Limit, DL- Detection Limit

****End of Report****



Page No. 2 of 2

Ritika Saini
Ritika Saini
Tested by

Deepak Singh
Deepak Singh
Checked by

Sita Ram Yadav
Sita Ram Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. :U74220HR2011PTC085756



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/GSL/A/02**
 Name & Address of Unit: **M/s. Haryana Organics (A Division of Globus Spirits Ltd.)
 at Village- Chulkana, Teh- Samalkha,
 District- Panipat, Haryana-132101**

Report No.: **JME/A/250317006**
 Format No.: **7.5 F-02**
 Party Reference No.: **Nil**
 Reporting Date: **21/03/2025**
 Analysis Completion Date: **21/03/2025**
 Analysis Start Date: **17/03/2025**
 Receipt Date: **17/03/2025**

Sample Description: **AMBIENT AIR QUALITY MONITORING****General Information**

Client Representative (Name & Designation)

Mr. Akhil Kumar (GM.HR & ADMIN)

Sample collected by

JMELPL Team

Sampling Location

Near IMFL Bottling

Latitude

29° 13' 06.93" N

Longitude

76° 59' 49.70" E

Instrument used

RDS, FPS & BS

Instrument code

JME/RDS/01/18, JME/FPS/01/18 & JME/BS/01/02

Instrument calibration status

Calibrated

Scope of Monitoring

Regulatory Requirement

Meteorological condition during monitoring

Clear Sky

Date of Monitoring

13/03/2025 to 14/03/2025

Time of Monitoring

10:20 to 10:20 Hrs.

Actual duration of Monitoring, (minutes)

1403.0

Ambient Temperature (°C)

Max 32°C, Min 20°C

...

Plant Operation and Vehicular Activities

Control measure if Any

--

Sampling & Analysis Protocol

IS-5182

Parameter Required

As per work order**TEST RESULTS**

S. No.	Test Parameters	Test Method	Results	Units	NAAQS
1.	PM 2.5	IS:5182, (Part-24)	45.61	µg/m ³	60
2.	PM 10	IS:5182, (Part -23)	83.52	µg/m ³	100
3.	Nitrogen Dioxides	IS:5182, (Part -6)	22.76	µg/m ³	80
4.	Sulphur Dioxide	IS:5182, (Part -2)	8.67	µg/m ³	80
5.	Ozone	IS:5182, (Part-9)	23.19	µg/m ³	180
6.	Lead	IS: 5182, (Part-22)	BDL (DL 0.02)	µg/m ³	1
7.	Carbon Monoxide	IS: 5182, (Part -10)	0.67	mg/m ³	4

Ritika Saini
Ritika Saini
 Tested by

Deepak Singh
Deepak Singh
 Checked by

Sita Ram Yadav
Sita Ram Yadav
 Authorized Signatory

Page No. 1 of 2

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

TEST REPORT

Sample Number: JME/GSL/A/02


Report No.: JME/A/250317006

8.	Ammonia	IS:5182, (Part 25)	28.65	$\mu\text{g}/\text{m}^3$	400
9.	Benzene	IS:5182, (Part -11)	BDL (DL 1.0)	$\mu\text{g}/\text{m}^3$	5
10.	Benzo (a) pyrene	IS:5182, (Part -12)	BDL (DL 0.5)	ng/m^3	1
11.	Arsenic	JMPLPL/STOP/03 (Issue Date-21/09/2022)	BDL (DL 0.5)	ng/m^3	6
12.	Nickel	IS:5182, (Part-26)	BDL (DL 1.0)	ng/m^3	20

*NAAQS-National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)] [Part-II sec.-3(i)] 18.11.2009

BDL- Below Detection Limit, DL- Detection Limit

End of Report



Page No. 2 of 2

Ritika Saini
Ritika Saini
Tested by

Deepak Singh
Deepak Singh
Checked by

Sita Ram Yadav
Sita Ram Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

CIN No. :U74220HR2011PTC085756



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/GSL/A/03**
 Name & Address of Unit: **M/s. Haryana Organics (A Division of Globus Spirits Ltd.)
 at Village- Chulkana, Teh- Samalkha,
 District- Panipat, Haryana-132101**

Report No.: **JME/A/250317007**
 Format No.: **7.5 F-02**
 Party Reference No.: **Nil**
 Reporting Date: **21/03/2025**
 Analysis Completion Date: **21/03/2025**
 Analysis Start Date: **17/03/2025**
 Receipt Date: **17/03/2025**

Sample Description: **AMBIENT AIR QUALITY MONITORING****General Information**

Client Representative (Name & Designation)
 Sample collected by
 Sampling Location
 Latitude
 Longitude
 Instrument used
 Instrument code
 Instrument calibration status
 Scope of Monitoring
 Meteorological condition during monitoring
 Date of Monitoring
 Time of Monitoring
 Actual duration of Monitoring, (minutes)
 Ambient Temperature (°C)
 Surrounding activity
 Control measure if Any
 Sampling & Analysis Protocol
 Parameter Required

Mr. Akhil Kumar (GM.HR & ADMIN)
JMELPL Team
Near Admin Office
29° 13' 06.93" N
76° 59' 48.48" E
RDS, FPS & BS
JME/RDS/01/24, JME/FPS/01/22 & JME/BS/01/01
Calibrated
Regulatory Requirement
Clear Sky
14/03/2025 to 15/03/2025
10:35 to 10:35 Hrs
1403.0
Max 34°C, Min 18°C
Plant Operation
--
IS-5182
As per work order

TEST RESULTS

S. No.	Test Parameters	Test Method	Results	Units	NAAQS
1.	PM 2.5	IS:5182, (Part-24)	41.29	µg/m ³	60
2.	PM 10	IS:5182, (Part -23)	79.67	µg/m ³	100
3.	Nitrogen Dioxides	IS:5182, (Part -6)	19.52	µg/m ³	80
4.	Sulphur Dioxide	IS:5182, (Part -2)	8.64	µg/m ³	80
5.	Ozone	IS:5182, (Part-9)	22.67	µg/m ³	180
6.	Lead	IS: 5182, (Part-22)	BDL (DL 0.02)	µg/m ³	1
7.	Carbon Monoxide	IS: 5182, (Part -10)	0.64	mg/m ³	4

Ritika Saini
Ritika Saini
 Tested by

Deepak Singh
Deepak Singh
 Checked by

Sita Ram Yadav
Sita Ram Yadav
 Authorized Signatory

Page No. 1 of 2

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/GSL/A/03


Report No.: JME/A/250317007

8.	Ammonia	IS:5182, (Part 25)	28.66	$\mu\text{g}/\text{m}^3$	400
9.	Benzene	IS:5182, (Part -11)	BDL (DL 1.0)	$\mu\text{g}/\text{m}^3$	5
10.	Benzo (a) pyrene	IS:5182, (Part -12)	BDL (DL 0.5)	ng/m^3	1
11.	Arsenic	JMPLPL/STOP/03 (Issue Date-21/09/2022)	BDL (DL 0.5)	ng/m^3	6
12.	Nickel	IS:5182, (Part-26)	BDL (DL 1.0)	ng/m^3	20

*NAAQS-National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)] [Part-II sec.-3(i)] 18.11.2009

BDL- Below Detection Limit, DL- Detection Limit

End of Report



Page No. 2 of 2

Ritika Saini
Ritika Saini
Tested by

Deepak Singh
Deepak Singh
Checked by

Sita Ram Yadav
Sita Ram Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: **JME/GSL/A/04**
 Name & Address of Unit: **M/s. Haryana Organics (A Division of Globus Spirits Ltd.)
 at Village- Chulkana, Teh- Samalkha,
 District- Panipat, Haryana-132101**

Report No.: **JME/A/250317008**
 Format No.: **7.5 F-02**
 Party Reference No.: **Nil**
 Reporting Date: **21/03/2025**
 Analysis Completion Date: **21/03/2025**
 Analysis Start Date: **17/03/2025**
 Receipt Date: **17/03/2025**

Sample Description: **AMBIENT AIR QUALITY MONITORING**

General Information

Client Representative (Name & Designation)

Mr. Akhil Kumar (GM.HR & ADMIN)

Sample collected by

JME/PL Team

Sampling Location

Plant Area

Latitude

29° 13' 04.30" N

Longitude

76° 59' 51.21" E

Instrument used

RDS, FPS & BS

Instrument code

JME/RDS/01/18, JME/FPS/01/18 & JME/BS/01/02

Instrument calibration status

Calibrated

Scope of Monitoring

Regulatory Requirement

Meteorological condition during monitoring

Clear Sky

Date of Monitoring

14/03/2025 to 15/03/2025

Time of Monitoring

11:00 to 11:00 Hrs

Actual duration of Monitoring, (minutes)

1409.0

Ambient Temperature (°C)

Max 34°C, Min 18°C

Surrounding activity

Near Boiler Area & Vehicular Activities

Control measure if Any

--

Sampling & Analysis Protocol

IS-5182

Parameter Required

As per work order

TEST RESULTS

S. No.	Test Parameters	Test Method	Results	Units	NAAQS
1.	PM 2.5	IS:5182, (Part-24)	48.29	µg/m ³	60
2.	PM 10	IS:5182, (Part -23)	84.82	µg/m ³	100
3.	Nitrogen Dioxides	IS:5182, (Part -6)	27.56	µg/m ³	80
4.	Sulphur Dioxide	IS:5182, (Part -2)	10.62	µg/m ³	80
5.	Ozone	IS:5182, (Part-9)	25.79	µg/m ³	180
6.	Lead	IS: 5182, (Part-22)	BDL (DL 0.02)	µg/m ³	1
7.	Carbon Monoxide	IS: 5182, (Part -10)	0.75	mg/m ³	4

Ritika Saini
 Ritika Saini
 Tested by

Deepak Singh
 Deepak Singh
 Checked by

Sita Ram Yadav
 Sita Ram Yadav
 Authorized Signatory

Page No. 1 of 2

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udayog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/GSL/A/04


Report No.: JME/A/250317008

8.	Ammonia	IS:5182, (Part 25)	31.52	µg/m ³	400
9.	Benzene	IS:5182, (Part -11)	BDL (DL 1.0)	µg/m ³	5
10.	Benzo (a) pyrene	IS:5182, (Part -12)	BDL (DL 0.5)	ng/m ³	1
11.	Arsenic	JMPLPL/STOP/03 (Issue Date-21/09/2022)	BDL (DL 0.5)	ng/m ³	6
12.	Nickel	IS:5182, (Part-26)	BDL (DL 1.0)	ng/m ³	20

*NAAQS-National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)] [Part-II sec.-3(i)] 18s.11.2009

BDL- Below Detection Limit, DL- Detection Limit

End of Report



Page No. 2 of 2

Ritika Saini
Ritika Saini
Tested by

Deepak Singh
Deepak Singh
Checked by

Sunil Ram Yadav
Sunil Ram Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvirolab.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)

Government of Haryana
Haryana Water Resources Authority
Applications for Renewal of Permission to Extract Ground Water for Industrial use

Application No: HWRA/IND/R/2025/3993 (Application Fee Pending hence Not Valid Application)

HWRA Previous NOC No: HWRA/NOC/IND/R/2025/1725 [Download](#)
18/06/2023

valid upto :

HWRA Previous Application No: HWRA/IND/R/2022/197 [Download](#)

I. General Information:		
Application Type Category/ Type of Application:		
(i)	Name of Applicant:	Mahendra Pratap Singh
	ID Proof Type	Aadhaar
	ID Proof no	XXXXXXXX1418
	Id Proof Document	Download
(ii)	Designation of Applicant:	Unit head
	Authorization Letter in the name of Mahendra Pratap Singh (applicant)	Download
(iii)	Name of Industry:	HARYANA ORGANICS A UNIT OF GLOBUS SPIRITS LTD
(iv)	Registration number of Industry:	6414
(v)	Location Details of the Industrial Unit	
	Industrial Unit Address	HARYANA ORGANICS A UNIT OF GLOBUS SPIRITS LTD 4 KM CHULKANA, SAMALKHA, PANIPA
	State:	Haryana
	District:	PANIPAT
	Tehsil:	Samalkha
	Block:	SAMALKHA
	Village/MC:	Chulkana
	Region:	over-exploited over-exploited
(vi)	Correspondence Address	
	Complete Postal Address	HARYANA ORGANICS A UNIT OF GLOBUS SPIRITS LTD 4 KM CHULKANA, SAMALKHA, PANIPAT
	Mobile Number:	7765011035
	E-Mail of Industry:	mpsingh@globusgroup.in
(vii)	Salient Features of the Industrial Activity:	
	Type of Industry	Beverages
	Industry fall under	Previous: Large New : Large
	Is Water Intensive	No
	Purpose of Abstraction	Other Use - For Industrial and domestic use only. Washing of readymade garments
	Groundwater utilization for	Existing Industry
	Whether present industrial activity commenced after 23.12.2020	No
	Whether there is expansion of this industry Unit after 23.12.2020 involving increase in water requirement	Yes
	Consent to Operate	Download

			CTO/CTE Number : 313106523PITCTO398849 47	Issue Date : 20/09/2023
		Validity Period of Consent to Operate	From : 13 Sep 2023	To : 30 Sep 2027
		Large industry/ MSME certificate/ proof	Download	
		Description : MANUFACTURING OF EXTRA NEUTRAL ALCOHOL, ENA FROM DISCARDED GRAINS, BOTTLING OF COUNTRY LIQUOR AND INDIAN MADE FOREIGN LIQUOR, IMFL, ETHANOL		
		(viii) Land use details of the existing/proposed Industrial unit premises		
		Ownership of the land(Enclose documents of ownership)	Download	
		Latitude	Longitude	
			29.2197325	76.9938826
		Location Map	Download	
		Total Land area(in sq m)	72216.32	
		Rooftop area of buildings/sheds(in sq m)	2850.00	
		Road/paved area(in sq m)	33394.32	
		Green belt area(in sq m)	16000.00	
		Open Land (in sq m)	19972.00	
		Source of availability of surface water for Industrial use, if any	No	
		Townships/villages within 2 km radius of the Industrial unit	Yes	CHULKANA
2)	Detail of water requirement/ recycled water usage : (Please enclose flow chart of activities and requirement of water at each stage)			
		Flow Chart of activities and requirement of water	Download	
		Water Balance Chart with water requirement at each Stage.	Download	
		Affidavit for Non/Partial supply of water from local government water supply agency (in case of ground water requirement less than 10 KLD)		
		NOC/Certificate for non/ partial supply of fresh water/ treated waste from the local government water supply agency	Download Download	
		Quality of groundwater	Fresh Water	Fresh Water
		Name of NABL(Under Valid Certificate)	ENVIRON TECH LABORATORIES	
		Upload test report of groundwater quality from NABL accredited lab	Pre-monsoon	Post-monsoon
			Download	Download
		Whether any change in Groundwater Requirement	No	
		If yes, then reason & justification for change in ground water requirement along with supporting documents, if any.	Download	
			Existing	Revised
(i)	Total water required(in m3/day)		1302.00	1302.00 Download
a.	Ground Water required(in m3/day)		952.00	952.00
b.	Recycled Water usage(in m3/day)		350.00	350.00

c.	Proposed/existing water supply from any agency(in m3/day)	0.00	0.00
----	---	------	------

	(ii)	Breakup of Water Requirement and Usage:				
		Activity	Existing Requirement (m3/day)	Revised Requirement (m3/day)	No. of Operational Days in a Year	Annual Requirement (m3/year)
	a.	Industrial Activity	1232.00	1232.00	330	406560.00
	b.	Residential / Domestic	25.00	25.00	330	8250.00
	c.	Greenbelt Development / Environment Maintenance	45.00	45.00	330	14850.00
	d.	Other Use	0.00	0.00	0	0.00
	e.	Grand Total	1302.00	1302.00		429660.00

		Source of recycled water	ETP
--	--	--------------------------	-----

	(iii)	Breakup of Recycled Water Usage:			
			(m3/day)	(Days)	(m3/year)
		(a) Total Waste Water Generated:	350.00	330	115500.00
		(b) Quantity of Treated Water Available	350.00	330	115500.00
		i). Reuse in Industrial Activity:	305.00	330	100650.00
		ii). Reuse in Green Belt Development:	45.00	330	14850.00
		iii). Any other use	0.00	0	0.00
		(c) Total Treated Water Utilized:	350.00		115500.00
		(d) Quantity and mode of disposal of unutilised effluent:	0.00		

3.	Details of existing and/ or proposed groundwater abstraction structures				
----	--	--	--	--	--

(a) Groundwater Abstraction Structure-Existing								
SNo.	Type/ Year of construction	Depth (meter)/ Diameter (mm)	Depth to water level (meters below ground level)	Discharge (m3 per hour)	Operational hours/ (day)/ days/year	Mode of lift	Horse Power of pump	Whether fitted with water meter or not
1	bore well/ 1994	130.00/ 250.00	34.00	24.00	6.00/ 330	4	15	Yes
2	bore well/ 1994	130.00/ 230.00	35.00	24.00	6.00/ 330	4	15	Yes
3	bore well/ 1994	130.00/ 300.00	35.00	30.00	6.00/ 330	4	30	Yes
4	bore well/ 1994	130.00/ 250.00	34.00	24.00	6.00/ 330	4	20	Yes
Source of fresh water requirement being met uptill now								
Affidavit duly attested by the Applicant regarding non-existence of tubewell								
4. Likely date of operation of proposed tubewell								
5. Quantum of ground water recharge(m3/year)								0.00
6. Water Efficient Technology will be adopted								Download
7. Valid Consent of operate issued by HSPCB(CTO)								Download
8. Compliance Report as per format (In case of NOC issued by HWRA, fill the compliance status against the link on the portal. Take the print out of Compliance Report so generated and attach here duly signed by the applicant)								Download View Online compliance Report
9. Self-water audit report as per format for 100-500 KLD. Water audit report from accredited consultant for water requirement more than 500 KLD.								Download
10. Affidavit for compliance, as per format.								Download
11. Impact Assessment Report prepared by the accredited consultant : Submit IAR of existing / proposed groundwater withdrawal on the groundwater regime and socio-economic impacts report. Pro-forma for the report is given in Annexure IV of HWRA Guidelines dated 10.9.21. On top of the IAR, provide the Check List + Salient features of IAR, in the prescribed formats.								Download
12 i. Any Other Document/Information								Download
ii. Any Other Document/Information								Download
iii. Any Other Document/Information								Download
13. I shall comply with all the terms and conditions of the Permission for renewal.								Yes

Self Declaration:-

1. I hereby declare that all the documents prescribed in the application form have been uploaded and no blank / another / irrelevant documents have been uploaded against specified documents. I am also aware that any false/ wrong submission /uploading of document will lead to rejection of my application without any notice.
2. I hereby certify that the contents of the above Application are true to the best of my knowledge and belief and that it conceals nothing and that no part of it is false. I understand that if any information furnished by me is found to be false, Haryana Ground Water Authority can take punitive action against me as per the extant rules. Further, I shall comply with all the terms and conditions of the permission/NOC to be granted by HWRA.

Date:

Place:

Signature of Applicant with Office Seal

(Mahendra Pratap Singh)

(Unit head)

a) Information of payment for Application Fee

	Total Amount			
	Mode of Payment			

b) Information of payment for Tarrif Fee

	Total Amount			
	Mode of Payment			



हरियाणा सरकार
हरियाणा जल संसाधन प्राधिकरण
Government of Haryana
Haryana Water Resources Authority

PERMISSION CERTIFICATE FOR GROUND WATER EXTRACTION

Project Name:	HARYANA ORGANICS A UNIT OF GLOBUS SPIRITS LTD			
Project Address:	HARYANA ORGANICS A UNIT OF GLOBUS SPIRITS LTD 4 KM CHULKANA, SAMALKHA, PANIPAT			
Village/MC:	Chulkana	Tehsil:	Samalkha	
District:	PANIPAT	State:	Haryana	
Pin Code:	--			
Communication Address:	HARYANA ORGANICS A UNIT OF GLOBUS SPIRITS LTD 4 KM CHULKANA, SAMALKHA, PANIPAT			
Address Regional Office:	Rear Building, 3rd Floor, HSVP, Sector-6, Panchkula			
1. NOC No.:	HWRA/NOC/IND/R/2025/1725			
2. Application No.:	HWRA/IND/R/2022/197	3. Category:	Industry	
4. Project Status:	Renew	5. NOC Type:	Renew	
6. Ground Water Extraction Permitted:				
Ground Water For	m3/day	m3/year	Valid From	Valid Upto
Fresh Water	952.00	314160.00	19/06/2022	18/06/2023
Total	952.00	314160.00	--	--
7. Details of Ground Water Extraction: Total Existing No.:	4		Total Proposed No.:0	
	DW	DCB	BW	TW
Abstraction Structure*	--	--	4	--
*DW - Dug Well;DCB - Dug cum Bore Well;BW - Bore Well;TW - Tube Well;DWLR - Digital Water Level Recorder				
8. Quantum of ground water recharge(m3/year)	--			
9. Number of Piezometers (Observation wells) to be constructed/ monitored & Monitoring mechanism	No. of Piezometers		Monitoring Mechanism	
			Manual	DWLR
	1	0	1	1

* Terms & conditions are at the back of this page.



Note: This is computer generated certificate, it can be validated by scanning QR code.

Validity of this NOC shall be subject to compliance of the following mandatory conditions

This NOC for abstraction of ground water, shall be subject to the following terms and conditions

1. NOC is granted to the applicant on the condition that local government water supply agencies are not able to supply the desired quantity of water. In case of supply of water from local agency the applicant shall immediately inform HWRA and reduce the abstraction of ground water accordingly.
2. The applicant shall adopt latest water efficient technologies to reduce dependence on ground water resources by 20% in three years. Compliance report in this regard shall be submitted yearly. The proof of reduction of dependence on ground water shall also be submitted half yearly i.e., at the time of deposit of water abstraction charges of the second quarter.
3. The applicant abstracting ground water between 100-500 kld shall undertake self-annual water audit and those abstracting ground water more than 500 kld shall undertake water audit through organisations authorised by Government of India or HWRA and submit audit reports at the time of renewal of the NOC.
4. Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism shall be mandatory for industries drawing or proposing to draw more than 500 kld of ground water and Monitoring of water level shall be done by project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 25 m from the production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well wells Detailed guidelines for design and construction of piezometer is given on the portal. Monthly water level data shall be submitted to the HWRA through the web portal on quarterly basis.
5. The applicant with red category industries as per Haryana State Pollution Control Board shall store the harvested rainwater in surface storage tanks for use in the industry and shall not use the harvested rainwater to recharge ground water, further the applicants under this category shall ensure wellhead protection measures to prevent ground water pollution and will inform the compliance within 3 months.
6. Injection of treated/untreated wastewater/effluents into aquifer system is strictly prohibited.
7. The applicant drawing ground water in safe, semi-critical and critical assessment units shall be required to pay ground water abstraction charges on quarterly basis, applicable as per Tables 5.3A.
8. The applicant drawing ground water in over-exploited assessment units shall be liable to pay ground water restoration charges on quarterly basis, applicable as per Tables 5.3 B.
9. All the tube wells/ground water abstraction structures permitted shall be fixed with digital electromagnetic/ultrasonic water meters, by the industry at its own cost with telemetry system and monthly ground water abstraction data shall be recorded in a logbook. Compliance to this condition shall be reported within one month from the date of issue of this letter. Daily water meter readings to be recorded in a dedicated register and shall be submitted on the web portal to HWRA on quarterly basis or through centralized mechanism evolved by HWRA. The geotag photos of all the flow meters/water meters showing date and coordinates be uploaded on the portal for calculation of quarterly tariff. Without geotagged photos not showing date and coordinates will not be entertained.
10. The applicant, as per approved proposal, shall implement rainwater harvesting and ground water recharge measures within three months from the date of issuance of this NOC and undertake periodic maintenance of recharge structures. Photographs (with geo tag only) of the recharge structures etc. and compliance of completion of construction of the same along with copy of NOC shall be furnished immediately to the Haryana Water Resources Authority for verification, on the Email ID of the Authority (compliance - hwra@hry.gov.in)
11. The ground water chemical quality shall be monitored twice in a year during pre & post- monsoon period.
12. The monthly ground water level monitoring data in respect of piezometer shall be submitted quarterly to the Haryana Water Resources Authority on regular basis.
13. The applicant shall ensure proper recycling and reuse, including use for green belt, of wastewater after adequate treatment.
14. In case of renewal, application shall be submitted online within 90 days before the expiry of this NOC and abstraction of ground water, after expiry of NOC shall be illegal and liable for legal action as per law.
15. The applicant shall seek prior permissions from HWRA for any increase in daily quantum of groundwater abstraction (i.e. more than the permitted limit in the NOC).
16. Where the applicant granted NOC for abstraction of saline water and the existing well(s) is/are yielding fresh water, the same shall be sealed and new tube well(s) tapping saline water shall be constructed within 3 months of the issuance of NOC or from the date of seal of the fresh water tube well, as the case may be. The applicant shall be also ensuring safe disposal of saline residue, if any.
17. The applicant shall comply with the provisions of the Haryana Water Resources (Conservation, Regulation and Management) Authority Act, 2020, Rules, regulations, guidelines and directions issued thereunder. Non-compliance of these provisions shall be liable for the penalty as per the provisions of the Act, rules and regulations, guidelines and directions issued thereunder.
18. The applicant shall ensure the 100% reuse for non potable usage of self generated waste water after due treatment. He shall also ensure to reuse for non potable usage the Treated Waste Water (other than self generated) as per application and NOC terms & conditions
19. Since, this NOC has been issued on the basis of self-assessment by the applicant and without any site inspection, hence the Authority may inspect the site/unit and documents at any time. In case any material difference is found in the information submitted and the site conditions or documents, the Authority may suspend the NOC granted immediately and may revoke or modify the NOC after giving a notice to the applicant.
20. This NOC is subject to prevailing State Government rules/law of Courts orders related to construction of tube well, ground water withdrawal, construction of recharge or conservation structure/discharge of effluents or any such matters as applicable.
21. The applicant shall comply with the directions/conditions/instructions issued by any Court of law related to the matters concerned with the Authority.
22. The applicant shall report self-compliance duly signed by authorized person along with authorization letter by e-mail to Haryana Water Resources Authority quarterly as well as yearly basis after the issuance of NOC.
23. This NOC does not absolve the applicant of his obligation/requirement to obtain the necessary approvals from the statutory and administrative Authorities/Departments.
24. The issuance of this NOC does not imply that other statutory or administrative clearances shall necessarily be granted to the applicant by the concerned authorities. The concerned Authorities shall act as per their own procedure.
25. The applicant shall immediately inform the HWRA, if any change in the information provided by the applicant in the application form for seeking NOC.
26. This NOC shall not absolve the applicant from any penalty/punishment/environment compensation, which may have been imposed or may be imposed, for abstraction of groundwater during such period, before the issuance of this NOC.
27. In case of non-payment or delayed payment of ground water abstraction/restoration charges, a penal interest @ 18% shall be charged.
28. The necessary compliance shall be submitted to the Authority on the web portal of the Authority i.e. www.hwra.org.in or on the email id compliance-hwra@hry.gov.in.
29. In case validity period of the CTE/CTO expires during currency period of the NOC, then it will be responsibility of the project proponent to get it renewed well in time & submit renewed CTE/CTO within month after renewal of CTE/CTO by HSPCB, to HWRA. If the CTE/CTO has been suspended or rejected, project proponent is required to intimate the same to HWRA within a week of such rejection or suspension.

Note: This is computer generated certificate, it can be validated by scanning QR code.

30. Applicant to comply IS:10500:2012 standards before use of abstracted ground water for drinking & domestic purposes.
31. **NOC/Permission is be subject to the condition that (1) The applicant will ensure zero liquid discharge (ZLD) (2) The industry shall recharge groundwater through rain water harvesting by double the amount of water consumed by them. The units shall adopt nearby Government Schools/ Colleges/Institutions, Village Ponds etc. for rain water harvesting (3) The industry shall take measures to reduce their water consumption by 30% in 3 years time.**



MONTH OF APRIL 2025

apsara

Bore No 01

Bore No 02

Bore

MONTH OF APRIL 2025

apsara

Bore No 04

Date	Open Hourly	Closing Hourly	Water	Open Hourly	Closing Hourly	Water	Open Hourly	Closing Hourly	Water	Open Hourly	Closing Hourly	Water	Open Hourly	Closing Hourly	Water
01.04.25	30358	30358	0.00	69553	69558	135	26235	26542	307	64707	64716	89	531		
02.04.25	30359	30359	0.00	69558	69636	129	26502	26860	313	64796	64900	104	550		
03.04.25	30358	30358	0.00	69636	69770	134	26860	27182	322	64900	64990	90	546		
04.04.25	30358	30358	0.00	69770	69816	91	27182	27502	330	64990	64990	0.00	411		
05.04.25	30358	30358	0.00	69816	69816	0.00	27502	27810	308	64990	65092	102	410		
06.04.25	30358	30358	0.00	69816	69920	104	27810	28130	320	65092	65092	0.00	424		
07.04.25	30358	30358	0.00	69920	70022	102	28130	28348	218	65092	65092	0.00	320		
08.04.25	30358	30358	0.00	70022	70130	108	28348	28589	241	65092	65092	0.00	349		
09.04.25	30358	30358	0.00	70130	70202	72	28589	28866	277	65092	65092	0.00	349		
10.04.25	30358	30358	0.00	70202	70218	16	28866	28916	50	65092	65244	152	318		
11.04.25	30358	30358	0.00	70218	70236	18	28916	28926	10	65244	65244	0.00	28		
12.04.25	30358	30358	0.00	70236	70260	24	28926	28926	0.00	65244	65244	0.00	24		
13.04.25	30358	30358	0.00	70260	70299	39	28926	28926	0.00	65244	65244	0.00	38		
14.04.25	30358	30358	0.00	70299	70330	32	28926	28926	0.00	65244	65244	0.00	38		
15.04.25	30358	30358	0.00	70330	70330	0.00	28926	28956	30	65244	65244	0.00	30		
16.04.25	30358	30358	0.00	70330	70330	0.00	28956	28999	43	65244	65244	0.00	43		
17.04.25	30358	30358	0.00	70330	70498	168	28999	29151	152	65244	65244	0.00	320		
18.04.25	30358	30358	0.00	70498	70701	203	29151	29289	138	65244	65244	0.00	341		
19.04.25	30358	30358	0.00	70701	70913	212	29289	29521	232	65244	65244	0.00	444		
20.04.25	30358	30358	0.00	70913	71140	227	29521	29749	228	65244	65244	0.00	455		
21.04.25	30358	30358	0.00	71140	71356	216	29749	30075	226	65244	65244	0.00	542		
22.04.25	30358	30518	160	71356	71548	192	30075	30275	200	65244	65244	0.00	552		
23.04.25	30518	30518	0.00	71548	71698	150	30275	30617	342	65244	65299	54	546		
24.04.25	30518	30518	0.00	71698	71780	82	30617	30919	302	65299	65464	166	550		
25.04.25	30518	30518	0.00	71780	71984	204	30919	31199	280	65464	65529	65	549		
26.04.25	30518	30518	0.00	71984	72202	218	31199	31457	258	65529	65603	74	550		
27.04.25	30518	30518	0.00	72202	72410	208	31457	31767	312	65603	65632	29	549		
28.04.25	30518	30518	0.00	72410	72591	181	31767	32107	338	65632	65652	20	539		
29.04.25	30518	30518	0.00	72591	72639	48	32107	32454	347	65652	65807	155	550		
30.04.25	30518	30518	0.00	72639	72711	72	32454	32688	234	65807	66050	243	549		

11.04.25
Have not seen

Have not seen right
Shut down all 2/2



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

TEST REPORT

Sample Number: JME/GSL/WW/01
 Name & Address of Unit: M/s. Haryana Organics
 (A Division of Globus Spirits Ltd.)
 Grain/Molasses based Distillery Unit (25 KLD) to Grain
 (100 KLPD) or [Grain (75 KLPD) and Molasses (25
 KLPD)] at vill- Chulkana, Teh- Samalkha,
 Dist- Panipat, Haryana

Report No.: JME/WW/250317002
 Format No.: 7.5 F-01
 Party Reference No.: Nil

Sample Description: Waste Water
 Sampling Location: STP Inlet
 Client Representative (Name & Designation): Mr. Akhil Kumar (GM.HR & ADMIN)
 Sample collected by: JMELPL Team
 Latitude: ----
 Longitude: ----
 Packing status: Temporary sealed
 Sampling & Analysis Protocol: IS 3025 (P-I) & APHA 23rd Edition 2017

Reporting Date: 21/03/2025
 Analysis Completion Date: 21/03/2025
 Analysis Start Date: 17/03/2025
 Receipt Date: 17/03/2025
 Sampling Date: 15/03/2025
 Sampling Type: Grab
 Preservation: Refrigerated
 Sample Quantity: 2.0 Litre
 Parameter Required: As per work order

TEST RESULTS

S. No.	Parameters	Testing protocol	Result	Unit
1.	pH (at 25°C)	IS:3025 (Part-11)	7.76	-
2.	Chemical Oxygen Demand	IS:3025 (Part-58)	204.0	mg/l
3.	Biochemical Oxygen Demand	IS:3025 (Part-44)	59.0	mg/l
4.	Total Suspended Solids	IS:3025 (Part-17)	25.0	mg/l
5.	Oil & Grease	IS:3025 (Part 39)	BDL(DL 1.0)	mg/l

End of Report

Page 1 of 1

Srishti Mehta
 Srishti Mehta
 Tested by

Abhishek Tiwari
 Abhishek Tiwari
 Checked by

Rakumar Yadav
 Rakumar Yadav
 Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

TEST REPORT

Sample Number: JME/GSL/WW/02
 Name & Address of Unit: M/s. Haryana Organics
 (A Division of Globus Spirits Ltd.)
 Grain/Molasses based Distillery Unit (25 KLD) to Grain
 (100 KLPD) or [Grain (75 KLPD) and Molasses (25
 KLPD)] at vill- Chulkana, Teh- Samalkha,
 Dist- Panipat, Haryana

Report No.: JME/WW/250317003
 Format No.: 7.5 F-01
 Party Reference No.: Nil

Sample Description: Waste Water
 Sampling Location: STP Outlet
 Client Representative (Name & Designation): Mr. Akhil Kumar (GM.HR & ADMIN)

Reporting Date: 21/03/2025
 Analysis Completion Date: 21/03/2025
 Analysis Start Date: 17/03/2025

Sample collected by: JMELPL Team
 Latitude: ----
 Longitude: ----
 Packing status: Temporary sealed
 Sampling & Analysis Protocol: IS 3025 (P-I) & APHA 23rd Edition 2017

Receipt Date: 17/03/2025
 Sampling Date: 15/03/2025
 Sampling Type: Grab
 Preservation: Refrigerated
 Sample Quantity: 2.0 Litre
 Parameter Required: As per work order

TEST RESULTS

S. No.	Parameters	Testing protocol	Result	Unit	Limits as per CPCB
1.	pH (at 25°C)	IS:3025 (Part-11)	7.76	-	6.5-9.0
2.	Chemical Oxygen Demand	IS:3025 (Part-58)	32.0	mg/l	250
3.	Biochemical Oxygen Demand	IS:3025 (Part-44)	9.0	mg/l	30
4.	Total Suspended Solids	IS:3025 (Part-17)	5.8	mg/l	100
5.	Oil & Grease	IS:3025 (Part 39)	BDL (DL 1.0)	mg/l	10

End of Report

Page 1 of 1

Srishti Mehta
 Srishti Mehta
 Tested by

Abhishek Tiwari
 Abhishek Tiwari
 Checked by

Rakumar Yadav
 Rakumar Yadav
 Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

TEST REPORT

Sample Number: JME/GSL/W/01 Report No.: JME/W/250317001

Name & Address of Unit: M/s. Haryana Organics (A Division of Globus Spirits Ltd.)
Grain/Molasses based Distillery Unit (25 KLD) to Grain (100 KLPD) or [Grain (75 KLPD) and Molasses (25 KLPD)]
at Vill- Chulkana, Teh- Samalkha, Dist- Panipat, Haryana

Format No.: 7.5 F-01

Party Reference: NIL

Sample Description: WATER (Ground)

Reporting Date: 21/03/2025

Analysis Completion Date: 21/03/2025

Analysis Start Date: 17/03/2025

Receipt Date: 17/03/2025

Sampling Date: 15/03/2025

Sample Location: Borewell No. 1

Client Representative (Name & Designation): Mr. Akhil Kumar (GM.HR & Admin)

Preservation: Refrigerated

Sampling Type: Grab

Sample Quantity: Approx 2.0 litre

Packing Status: Temporary Sealed

Sample collected by: JMEPL Team

Latitude: 29° 13' 05.76" N

Longitude: 76° 59' 47.18" E

Protocol Used: IS:3025 & APHA 23rd Edition 2017

Parameter Required: As per work order

TEST RESULTS

S. No.	Test Parameters	Test Method	Results	Units	Specification as per IS 10500-2012	
					Requirement Acceptable Limit	Permissible Limit in the Absence of Alternate Source
1.	pH (at 25 °C)	IS:3025 (Part-11)	7.52	-	6.5 to 8.5	No Relaxation
2.	Colour	IS:3025 (Part 4)	BDL (DL 1.0)	Hazen Unit	5	15
3.	Turbidity	IS:3025 (Part-10)	BDL (DL 1.0)	NTU	1	5
4.	Odour	IS:3025 (Part-5)	Agreeable	-	Agreeable	Agreeable
5.	Taste	IS:3025 (Part-8)	Agreeable	-	Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	IS:3025 (Part-21)	360.0	mg/l	200	600
7.	Calcium as Ca	IS:3025 (Part-40)	76.29	mg/l	75	200
8.	Alkalinity as CaCO ₃	IS:3025 (Part-23)	180.0	mg/l	200	600
9.	Chloride as Cl	IS:3025 (Part-32)	205.0	mg/l	250	1000
10.	Residual free Chlorine	IS:3025 (Part-26)	BDL (DL 0.02)	mg/l	0.2	1.0
11.	Cyanide as CN	IS:3025 (Part-27)	BDL (DL 0.02)	mg/l	0.05	No Relaxation
12.	Magnesium as Mg	IS:3025 (Part-46)	41.26	mg/l	30	100
13.	Total Dissolved Solids	IS:3025 (Part-16)	905.0	mg/l	500	2000
14.	Sulphate as SO ₄	APHA 23rd Edition, 4500-SO ₄ -C/D/E	26.64	mg/l	200	400
15.	Fluoride as F	APHA 23rd Edition, 4500-F- D	0.93	mg/l	1	1.5
16.	Nitrate as NO ₃ -N	IS:3025 (Part-34)	1.95	mg/l	45	No Relaxation
17.	Iron as Fe	IS:3025 (Part-53)	0.49	mg/l	1	No Relaxation
18.	Aluminium as Al	IS:3025 (Part-55)	BDL (DL 0.03)	mg/l	0.03	0.2
19.	Boron	IS:3025 (Part-57)	BDL (DL 0.20)	mg/l	0.5	2.4

Page 1 of 2

Tested by
Sushil Mehta

Checked by
Abhishek Tiwari

Authorized Signatory
Raj Kumar Yadav

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

CIN No. :U74220HR2011PTC085756



TC-6821

Sample Number: **JME/GSL/W/01**Report No.: **JME/W/250317001**

S. No.	Test Parameters	Test Method	Results	Units	Specification as per IS 10500-2012	
					Requirement Acceptable Limit	Permissible Limit in the Absence of Alternate Source
20.	Phenolic Compounds	APHA 23rd Edition, 5530-Phenols-C/D	BDL(DL 0.001)	mg/l	0.001	0.002
21.	Anionic Detergents as MBAS	APHA 23rd Edition, 5540-C	BDL(DL 0.02)	mg/l	0.2	1
22.	Hexa Chromium as Cr+6	IS:3025 (Part-52)	BDL(DL 0.03)	mg/l	--	--
23.	Zinc as Zn	IS:3025 (Part-49)	BDL (DL 0.0005)	mg/l	5	15
24.	Copper as Cu	IS:3025 (Part-42)	BDL (DL 0.02)	mg/l	0.05	1.5
25.	Manganese as Mn	IS:3025 (Part-59)	BDL (DL 0.01)	mg/l	0.1	0.3
26.	Cadmium as Cd	IS:3025 (Part-41)	BDL (DL 0.002)	mg/l	0.003	No Relaxation
27.	Lead as Pb	IS:3025 (Part-47)	BDL (DL 0.008)	mg/l	0.01	No Relaxation
28.	Selenium as Se	IS:3025 (Part-56)	BDL(DL 0.005)	mg/l	0.01	No Relaxation
29.	Arsenic as As	IS:3025 (Part-37)	BDL (DL 0.002)	mg/l	0.01	No Relaxation
30.	Mercury as Hg	IS:3025 (Part-48)	BDL (DL 0.001)	mg/l	0.001	No Relaxation

Note: BDL – Below Detection Limit, DL - Detection Limit

****End of Report****

Page 2 of 2

Srishti Mehta
Srishti Mehta
 Tested by

Abhishek Tiwari
Abhishek Tiwari
 Checked by

Rajkumar Yadav
Rajkumar Yadav
 Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/GSL/W/01
 Name & Address of Unit: M/s. Haryana Organics
 (A Division of Globus Spirits Ltd.)
 Grain/Molasses based Distillery Unit (25 KLD) to Grain
 (100 KLPD) or [Grain (75 KLPD) and Molasses (25 KLPD)]
 at Vill- Chulkana, Teh- Samalkha, Dist- Panipat, Haryana

Report No.: JME/W/250317001/N
 Format No.: 7.5 F-01
 Party Reference: NIL

Sample Description: WATER (Ground)
 Sample Location: Borewell No. 1
 Client Representative (Name & Designation): Mr. Akhil Kumar (GM.HR & Admin)
 Sample collected by: JMEPL Team
 Latitude: 29° 13' 05.76" N
 Longitude: 76° 59' 47.18" E
 Protocol Used: IS:3025 & APHA 23rd Edition 2017

Reporting Date: 21/03/2025
 Analysis Completion Date: 21/03/2025
 Analysis Start Date: 17/03/2025
 Receipt Date: 17/03/2025
 Sampling Date: 15/03/2025
 Preservation: Refrigerated
 Sampling Type: Grab
 Sample Quantity: Approx 2.0 litre
 Packing Status: Temporary Sealed
 Parameter Required: As per work order

TEST RESULTS

S. No.	Test Parameters	Test Method	Results	Units	Specification as per IS 10500-2012	
					Requirement Acceptable Limit	Permissible Limit in the Absence of Alternate Source
1.	Total Coliform	IS 15185:2016	Absent	Per 100 ml	Absent	-
2.	E-coli	IS 15185:2016	Absent	Per 100 ml	Absent	-

End of Report

Bhumika
Kumari Bhumika
 Tested by

Vineet Kumar
Vineet Kumar
 Checked by

Rajkumar Yadav
Rajkumar Yadav
 Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

TEST REPORT

Sample Number: JME/GSL/W/02
 Name & Address of Unit: M/s. Haryana Organics
 (A Division of Globus Spirits Ltd.)
 Grain/Molasses based Distillery Unit (25 KLD) to Grain
 (100 KLPD) or [Grain (75 KLPD) and Molasses (25 KLPD)]
 at Vill- Chulkana, Teh- Samalkha, Dist- Panipat, Haryana

Report No.: JME/W/250317002
 Format No.: 7.5 F-01
 Party Reference: NIL

Sample Description: WATER (Ground)

Reporting Date: 21/03/2025
 Analysis Completion Date: 21/03/2025
 Analysis Start Date: 17/03/2025
 Receipt Date: 17/03/2025
 Sampling Date: 15/03/2025

Sample Location: Borewell No. 2
 Client Representative (Name & Designation): Mr. Akhil Kumar (GM.HR & Admin)

Preservation: Refrigerated
 Sampling Type: Grab
 Sample Quantity: Approx 2.0 litre
 Packing Status: Temporary Sealed
 Parameter Required: As per work order

Sample collected by: JMEPL Team
 Latitude: 29° 13' 03.60" N
 Longitude: 76° 59' 49.47" E
 Protocol Used: IS:3025 & APHA 23rd Edition 2017

TEST RESULTS

S. No.	Test Parameters	Test Method	Results	Units	Specification as per IS 10500-2012	
					Requirement Acceptable Limit	Permissible Limit in the Absence of Alternate Source
1.	pH (at 25 °C)	IS:3025 (Part-11)	7.52	-	6.5 to 8.5	No Relaxation
2.	Colour	IS:3025 (Part 4)	BDL (DL 1.0)	Hazen Unit	5	15
3.	Turbidity	IS:3025 (Part-10)	BDL (DL 1.0)	NTU	1	5
4.	Odour	IS:3025 (Part-5)	Agreeable	-	Agreeable	Agreeable
5.	Taste	IS:3025 (Part-8)	Agreeable	-	Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	IS:3025 (Part-21)	332.0	mg/l	200	600
7.	Calcium as Ca	IS:3025 (Part-40)	62.54	mg/l	75	200
8.	Alkalinity as CaCO ₃	IS:3025 (Part-23)	294.0	mg/l	200	600
9.	Chloride as Cl	IS:3025 (Part-32)	301.0	mg/l	250	1000
10.	Residual free Chlorine	IS:3025 (Part-26)	BDL (DL 0.02)	mg/l	0.2	1.0
11.	Cyanide as CN	IS:3025 (Part-27)	BDL (DL 0.02)	mg/l	0.05	No Relaxation
12.	Magnesium as Mg	IS:3025 (Part-46)	42.79	mg/l	30	100
13.	Total Dissolved Solids	IS:3025 (Part-16)	1011.0	mg/l	500	2000
14.	Sulphate as SO ₄	APHA 23rd Edition, 4500-SO ₄ -C/D/E	30.19	mg/l	200	400
15.	Fluoride as F	APHA 23rd Edition, 4500-F- D	1.11	mg/l	1	1.5
16.	Nitrate as NO ₃ -N	IS:3025 (Part-34)	4.88	mg/l	45	No Relaxation
17.	Iron as Fe	IS:3025 (Part-53)	0.72	mg/l	1	No Relaxation
18.	Aluminium as Al	IS:3025 (Part-55)	BDL (DL 0.03)	mg/l	0.03	0.2
19.	Boron	IS:3025 (Part-57)	BDL (DL 0.20)	mg/l	0.5	2.4

Page 1 of 2

Srishti Mehta
 Tested by

Abhishek Tiwari
 Checked by

Authorised Signatory
 Rajkumar Yadav
 Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This report is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduced except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

30 years of success

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

TEST REPORT

Sample Number: JME/GSL/W/02

Report No.: JME/W/250317002

S. No.	Test Parameters	Test Method	Results	Units	Specification as per IS 10500-2012	
					Requirement Acceptable Limit	Permissible Limit in the Absence of Alternate Source
20.	Phenolic Compounds	APHA 23rd Edition, 5530-Phenols-C/D	BDL(DL 0.001)	mg/l	0.001	0.002
21.	Anionic Detergents as MBAS	APHA 23rd Edition, 5540-C	BDL(DL 0.02)	mg/l	0.2	1
22.	Hexa Chromium as Cr+6	IS:3025 (Part-52)	BDL(DL 0.03)	mg/l	--	--
23.	Zinc as Zn	IS:3025 (Part-49)	BDL (DL 0.0005)	mg/l	5	15
24.	Copper as Cu	IS:3025 (Part-42)	BDL (DL 0.02)	mg/l	0.05	1.5
25.	Manganese as Mn	IS:3025 (Part-59)	BDL (DL 0.01)	mg/l	0.1	0.3
26.	Cadmium as Cd	IS:3025 (Part-41)	BDL (DL 0.002)	mg/l	0.003	No Relaxation
27.	Lead as Pb	IS:3025 (Part-47)	BDL (DL 0.008)	mg/l	0.01	No Relaxation
28.	Selenium as Se	IS:3025 (Part-56)	BDL(DL 0.005)	mg/l	0.01	No Relaxation
29.	Arsenic as As	IS:3025 (Part-37)	BDL (DL 0.002)	mg/l	0.01	No Relaxation
30.	Mercury as Hg	IS:3025 (Part-48)	BDL (DL 0.001)	mg/l	0.001	No Relaxation

Note: BDL – Below Detection Limit, DL - Detection Limit

End of Report

Page 2 of 2

Srishti Mehta
Tested by

Abhishek Tiwari
Checked by

Rajkumar Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB Pvt. Ltd.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number: JME/GSL/W/02 Report No.: JME/W/250317002/N

Name & Address of Unit: M/s. Haryana Organics (A Division of Globus Spirits Ltd.)
Grain/Molasses based Distillery Unit (25 KLD) to Grain (100 KLPD) or [Grain (75 KLPD) and Molasses (25 KLPD)]
at Vill- Chulkana, Teh- Samalkha, Dist- Panipat, Haryana

Sample Description: WATER (Ground) Reporting Date: 21/03/2025
Analysis Completion Date: 21/03/2025
Analysis Start Date: 17/03/2025
Receipt Date: 17/03/2025
Sampling Date: 15/03/2025

Sample Location: Borewell No. 2 Preservation: Refrigerated
Sampling Type: Grab
Sample Quantity: Approx 2.0 litre
Packing Status: Temporary Sealed

Client Representative (Name & Designation): Mr. Akhil Kumar (GM.HR & Admin) Parameter Required: As per work order

Sample collected by: JMEPL Team

Latitude: 29° 13' 03.60" N

Longitude: 76° 59' 49.47" E

Protocol Used: IS:3025 & APHA 23rd Edition 2017

TEST RESULTS

S. No.	Test Parameters	Test Method	Results	Units	Specification as per IS 10500-2012	
					Requirement Acceptable Limit	Permissible Limit in the Absence of Alternate Source
1.	Total Coliform	IS 15185:2016	Absent	Per 100 ml	Absent	-
2.	E-coli	IS 15185:2016	Absent	Per 100 ml	Absent	-

End of Report

Bhumika
Kumari Bhumika
Tested by

Vineet
Vineet Kumar
Checked by

Rakumar Yadav
Rakumar Yadav
Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

TEST REPORT

Sample Number: **JME/GSL/W/03**
 Name & Address of Unit: **M/s. Haryana Organics**
(A Division of Globus Spirits Ltd.)
Grain/Molasses based Distillery Unit (25 KLD) to Grain
(100 KLPD) or [Grain (75 KLPD) and Molasses (25 KLPD)]
at Vill- Chulkana, Teh- Samalkha, Dist- Panipat, Haryana
WATER (Ground)

Sample Description:

Sample Location: **Borewell No. 3**
 Client Representative (Name & Designation): **Mr. Akhil Kumar (GM.HR & Admin)**

Sample collected by: **JMEPL Team**

Latitude: **29° 13' 06.23" N**
 Longitude: **76° 59' 49.00" E**
 Protocol Used: **IS:3025 & APHA 23rd Edition 2017**

Report No.: **JME/W/250317003**
 Format No.: **7.5 F-01**

Party Reference: **NIL**

Reporting Date: **21/03/2025**
 Analysis Completion Date: **21/03/2025**
 Analysis Start Date: **17/03/2025**
 Receipt Date: **17/03/2025**
 Sampling Date: **15/03/2025**

Preservation: **Refrigerated**
 Sampling Type: **Grab**
 Sample Quantity: **Approx 2.0 litre**
 Packing Status: **Temporary Sealed**
 Parameter Required: **As per work order**

TEST RESULTS

S. No.	Test Parameters	Test Method	Results	Units	Specification as per IS 10500-2012	
					Requirement Acceptable Limit	Permissible Limit in the Absence of Alternate Source
1.	pH (at 25 °C)	IS:3025 (Part-11)	7.68	-	6.5 to 8.5	No Relaxation
2.	Colour	IS:3025 (Part 4)	BDL (DL 1.0)	Hazen Unit	5	15
3.	Turbidity	IS:3025 (Part-10)	BDL (DL 1.0)	NTU	1	5
4.	Odour	IS:3025 (Part-5)	Agreeable	-	Agreeable	Agreeable
5.	Taste	IS:3025 (Part-8)	Agreeable	-	Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	IS:3025 (Part-21)	341.0	mg/l	200	600
7.	Calcium as Ca	IS:3025 (Part-40)	59.82	mg/l	75	200
8.	Alkalinity as CaCO ₃	IS:3025 (Part-23)	305.0	mg/l	200	600
9.	Chloride as Cl	IS:3025 (Part-32)	312.0	mg/l	250	1000
10.	Residual free Chlorine	IS:3025 (Part-26)	BDL (DL 0.02)	mg/l	0.2	1.0
11.	Cyanide as CN	IS:3025 (Part-27)	BDL (DL 0.02)	mg/l	0.05	No Relaxation
12.	Magnesium as Mg	IS:3025 (Part-46)	46.63	mg/l	30	100
13.	Total Dissolved Solids	IS:3025 (Part-16)	1052.0	mg/l	500	2000
14.	Sulphate as SO ₄	APHA 23rd Edition, 4500-SO ₄ -C/D/E	70.61	mg/l	200	400
15.	Fluoride as F	APHA 23rd Edition, 4500-F- D	1.02	mg/l	1	1.5
16.	Nitrate as NO ₃ -N	IS:3025 (Part-34)	4.02	mg/l	45	No Relaxation
17.	Iron as Fe	IS:3025 (Part-53)	0.73	mg/l	1	No Relaxation
18.	Aluminium as Al	IS:3025 (Part-55)	BDL (DL 0.03)	mg/l	0.03	0.2
19.	Boron	IS:3025 (Part-57)	BDL (DL 0.20)	mg/l	0.5	2.4

Page 1 of 2

Srishti Mehta
Srishti Mehta
 Tested by

Abhishek Tiwari
Abhishek Tiwari
 Checked by

Rajkumar Yadav
Rajkumar Yadav
 Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

TEST REPORTSample Number: **JME/GSL/W/03**Report No.: **JME/W/250317003**

S. No.	Test Parameters	Test Method	Results	Units	Specification as per IS 10500-2012	
					Requirement Acceptable Limit	Permissible Limit in the Absence of Alternate Source
20.	Phenolic Compounds	APHA 23rd Edition, 5530-Phenols-C/D	BDL(DL 0.001)	mg/l	0.001	0.002
21.	Anionic Detergents as MBAS	APHA 23rd Edition, 5540-C	BDL(DL 0.02)	mg/l	0.2	1
22.	Hexa Chromium as Cr+6	IS:3025 (Part-52)	BDL(DL 0.03)	mg/l	--	--
23.	Zinc as Zn	IS:3025 (Part-49)	BDL (DL 0.0005)	mg/l	5	15
24.	Copper as Cu	IS:3025 (Part-42)	BDL (DL 0.02)	mg/l	0.05	1.5
25.	Manganese as Mn	IS:3025 (Part-59)	BDL (DL 0.01)	mg/l	0.1	0.3
26.	Cadmium as Cd	IS:3025 (Part-41)	BDL (DL 0.002)	mg/l	0.003	No Relaxation
27.	Lead as Pb	IS:3025 (Part-47)	BDL (DL 0.008)	mg/l	0.01	No Relaxation
28.	Selenium as Se	IS:3025 (Part-56)	BDL(DL 0.005)	mg/l	0.01	No Relaxation
29.	Arsenic as As	IS:3025 (Part-37)	BDL (DL 0.002)	mg/l	0.01	No Relaxation
30.	Mercury as Hg	IS:3025 (Part-48)	BDL (DL 0.001)	mg/l	0.001	No Relaxation

Note: BDL – Below Detection Limit, DL - Detection Limit

End of Report

Page 2 of 2

Srishti
Srishti Mehta
Tested by

Abhishek
Abhishek Tiwari
Checked by

Rajkumar Yadav
Rajkumar Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number:	JME/GSL/W/03	Report No.:	JME/W/250317003/N
Name & Address of Unit:	M/s. Haryana Organics (A Division of Globus Spirits Ltd.) Grain/Molasses based Distillery Unit (25 KLD) to Grain (100 KLPD) or [Grain (75 KLPD) and Molasses (25 KLPD)] at Vill- Chulkana, Teh- Samalkha, Dist- Panipat, Haryana	Format No.:	7.5 F-01
Sample Description:	WATER (Ground)	Party Reference:	NIL
Sample Location:	Borewell No. 3	Reporting Date:	21/03/2025
Client Representative (Name & Designation):	Mr. Akhil Kumar (GM.HR & Admin)	Analysis Completion Date:	21/03/2025
Sample collected by:	JMEPL Team	Analysis Start Date:	17/03/2025
Latitude:	29° 13' 06.23" N	Receipt Date:	17/03/2025
Longitude:	76° 59' 49.00" E	Sampling Date:	15/03/2025
Protocol Used:	IS:3025 & APHA 23rd Edition 2017	Preservation:	Refrigerated
		Sampling Type:	Grab
		Sample Quantity:	Approx 2.0 litre
		Packing Status:	Temporary Sealed
		Parameter Required:	As per work order

TEST RESULTS

S. No.	Test Parameters	Test Method	Results	Units	Specification as per IS 10500-2012	
					Requirement Acceptable Limit	Permissible Limit in the Absence of Alternate Source
1.	Total Coliform	IS 15185:2016	Absent	Per 100 ml	Absent	-
2.	E-coli	IS 15185:2016	Absent	Per 100 ml	Absent	-

End of Report

Bhumika
Bhumika
Tested by

Vineet Kumar
Vineet Kumar
Checked by

Raj Kumar Yadav
Raj Kumar Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)

TEST REPORT

Sample Number: **JME/GSL/W/04**
 Name & Address of Unit: **M/s. Haryana Organics**
(A Division of Globus Spirits Ltd.)
Grain/Molasses based Distillery Unit (25 KLD) to Grain (100 KLPD) or [Grain (75 KLPD) and Molasses (25 KLPD)]
at Vill- Chulkana, Teh- Samalkha, Dist- Panipat, Haryana
 Sample Description: **WATER (Ground)**
 Sample Location: **Borewell No. 4**
 Client Representative (Name & Designation): **Mr. Akhil Kumar (GM.HR & Admin)**
 Sample collected by: **JMEPL Team**
 Latitude: **29° 13' 04.51" N**
 Longitude: **76° 59' 47.06" E**
 Protocol Used: **IS:3025 & APHA 23rd Edition 2017**

Report No.: **JME/W/250317004**
 Format No.: **7.5 F-01**
 Party Reference: **NIL**
 Reporting Date: **21/03/2025**
 Analysis Completion Date: **21/03/2025**
 Analysis Start Date: **17/03/2025**
 Receipt Date: **17/03/2025**
 Sampling Date: **15/03/2025**
 Preservation: **Refrigerated**
 Sampling Type: **Grab**
 Sample Quantity: **Approx 2.0 litre**
 Packing Status: **Temporary Sealed**
 Parameter Required: **As per work order**

TEST RESULTS

S. No.	Test Parameters	Test Method	Results	Units	Specification as per IS 10500-2012	
					Requirement Acceptable Limit	Permissible Limit in the Absence of Alternate Source
1.	pH (at 25 °C)	IS:3025 (Part-11)	7.56	-	6.5 to 8.5	No Relaxation
2.	Colour	IS:3025 (Part 4)	BDL (DL 1.0)	Hazen Unit	5	15
3.	Turbidity	IS:3025 (Part-10)	BDL (DL 1.0)	NTU	1	5
4.	Odour	IS:3025 (Part-5)	Agreeable	-	Agreeable	Agreeable
5.	Taste	IS:3025 (Part-8)	Agreeable	-	Agreeable	Agreeable
6.	Total Hardness as CaCO ₃	IS:3025 (Part-21)	334.0	mg/l	200	600
7.	Calcium as Ca	IS:3025 (Part-40)	32.64	mg/l	75	200
8.	Alkalinity as CaCO ₃	IS:3025 (Part-23)	231.0	mg/l	200	600
9.	Chloride as Cl	IS:3025 (Part-32)	282.0	mg/l	250	1000
10.	Residual free Chlorine	IS:3025 (Part-26)	BDL (DL 0.02)	mg/l	0.2	1.0
11.	Cyanide as CN	IS:3025 (Part-27)	BDL (DL 0.02)	mg/l	0.05	No Relaxation
12.	Magnesium as Mg	IS:3025 (Part-46)	61.42	mg/l	30	100
13.	Total Dissolved Solids	IS:3025 (Part-16)	1095.0	mg/l	500	2000
14.	Sulphate as SO ₄	APHA 23rd Edition, 4500-SO ₄ -C/D/E	35.64	mg/l	200	400
15.	Fluoride as F	APHA 23rd Edition, 4500-F- D	0.95	mg/l	1	1.5
16.	Nitrate as NO ₃ -N	IS:3025 (Part-34)	4.76	mg/l	45	No Relaxation
17.	Iron as Fe	IS:3025 (Part-53)	0.68	mg/l	1	No Relaxation
18.	Aluminium as Al	IS:3025 (Part-55)	BDL (DL 0.03)	mg/l	0.03	0.2
19.	Boron	IS:3025 (Part-57)	BDL (DL 0.20)	mg/l	0.5	2.4

Page 1 of 2

Srishti Mehta
 Tested by

Abhishek Tiwari
 Checked by

Rajkumar Yadav
 Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

TEST REPORT

Sample Number: JME/GSL/W/04

Report No.: JME/W/250317004

S. No.	Test Parameters	Test Method	Results	Units	Specification as per IS 10500-2012	
					Requirement Acceptable Limit	Permissible Limit in the Absence of Alternate Source
20.	Phenolic Compounds	APHA 23rd Edition, 5530-Phenols-C/D	BDL(DL 0.001)	mg/l	0.001	0.002
21.	Anionic Detergents as MBAS	APHA 23rd Edition, 5540-C	BDL(DL 0.02)	mg/l	0.2	1
22.	Hexa Chromium as Cr+6	IS:3025 (Part-52)	BDL(DL 0.03)	mg/l	--	--
23.	Zinc as Zn	IS:3025 (Part-49)	BDL (DL 0.0005)	mg/l	5	15
24.	Copper as Cu	IS:3025 (Part-42)	BDL (DL 0.02)	mg/l	0.05	1.5
25.	Manganese as Mn	IS:3025 (Part-59)	BDL (DL 0.01)	mg/l	0.1	0.3
26.	Cadmium as Cd	IS:3025 (Part-41)	BDL (DL 0.002)	mg/l	0.003	No Relaxation
27.	Lead as Pb	IS:3025 (Part-47)	BDL (DL 0.008)	mg/l	0.01	No Relaxation
28.	Selenium as Se	IS:3025 (Part-56)	BDL(DL 0.005)	mg/l	0.01	No Relaxation
29.	Arsenic as As	IS:3025 (Part-37)	BDL (DL 0.002)	mg/l	0.01	No Relaxation
30.	Mercury as Hg	IS:3025 (Part-48)	BDL (DL 0.001)	mg/l	0.001	No Relaxation

Note: BDL – Below Detection Limit, DL - Detection Limit

End of Report

Page 2 of 2

Srishti
Srishti Mehta
Tested by

Abhishek
Abhishek Tiwari
Checked by

Rakul
Rakul Yadav
Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



J.M. ENVIROLAB PVT. LTD.

30 years of success

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number:	JME/GSL/W/04	Report No.:	JME/W/250317004/N
Name & Address of Unit:	M/s. Haryana Organics (A Division of Globus Spirits Ltd.) Grain/Molasses based Distillery Unit (25 KLD) to Grain (100 KLPD) or [Grain (75 KLPD) and Molasses (25 KLPD)] at Vill- Chulkana, Teh- Samalkha, Dist- Panipat, Haryana	Format No.:	7.5 F-01
Sample Description:	WATER (Ground)	Party Reference:	NIL
Sample Location:	Borewell No. 4	Reporting Date:	21/03/2025
Client Representative (Name & Designation):	Mr. Akhil Kumar (GM.HR & Admin)	Analysis Completion Date:	21/03/2025
Sample collected by:	JMEPL Team	Analysis Start Date:	17/03/2025
Latitude:	29° 13' 04.51" N	Receipt Date:	17/03/2025
Longitude:	76° 59' 47.06" E	Sampling Date:	15/03/2025
Protocol Used:	IS:3025 & APHA 23rd Edition 2017	Preservation:	Refrigerated
		Sampling Type:	Grab
		Sample Quantity:	Approx 2.0 litre
		Packing Status:	Temporary Sealed
		Parameter Required:	As per work order

TEST RESULTS

S. No.	Test Parameters	Test Method	Results	Units	Specification as per IS 10500-2012	
					Requirement Acceptable Limit	Permissible Limit in the Absence of Alternate Source
1.	Total Coliform	IS 15185:2016	Absent	Per 100 ml	Absent	-
2.	E-coli	IS 15185:2016	Absent	Per 100 ml	Absent	-

End of Report

Bhumika
Kumari Bhumika
Tested by

Vineet Kumar
Vineet Kumar
Checked by

Rajkumar Yadav
Rajkumar Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)

Annexure-5 Mee Condensate photographs





30 years of success

J.M. ENVIROLAB PVT. LTD.



TC-6821

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number **JME/GSL/ST/02** Report No. **JME/ST/250317002**
 Name & Address of Unit **M/s. Haryana Organics (A Division of Globus Spirits Ltd.)** Format No. **7.5 F-03**
at Village- Chulkana, Teh- Samalkha, Party Reference No. **Nil**
District- Panipat, Haryana-132101 Reporting Date: **21/03/2025**
 Analysis Completion Date: **21/03/2025**
 Analysis Start Date: **17/03/2025**

Sample Description **STACK EMISSION MONITORING** Receipt Date: **17/03/2025**

Client Representative (Name & Designation) : **Mr. Akhil Kumar (GM.HR & ADMIN)**
 Sample collected by : **JMELPL Team**
 Date of Sampling & Time : **14/09/2025 (11:45 to 12:29 Hrs.)**
 Sampling Location & Code : **DG Set 380 KVA**
 Sampling duration (Minutes) : **44.0**
 Stack attached to : **DG Set**
 Make of stack : **Iron**
 Diameter of stack : **0.15 meter**
 Height of stack :
 (i) From the source of emission : **--**
 (ii) From roof level : **--**
 (iii) From Ground Level : **4.8 meter (height of port hole form ground)**
 Operating Schedule (Hrs./day) : **As per Requirement**
 Purpose of Monitoring : **Regulatory Requirement**
 Control measure if Any : **--**
 Operating condition at the time of Sampling : **On Load**
 Type of fuel used : **Diesel**
 Meteorological Condition : **Clear Sky**
 Instrument code : **JME/SMK/02/02**
 Instrument calibration status : **Calibrated**
 Ambient Temperature – Ta (°C) : **33.0**
 Temperature of Stack Gases - Ts (°C) : **134.0**
 Velocity of Stack Gases (m/sec.) : **11.13**
 Flow rate of PM (LPM) : **34.0**
 Flow rate of Gas (LPM) : **2.0**
 Volumetric Flow (NM³/Hr.) : **504.0**
 Sampling condition : **Isokinetic**
 Protocol used : **IS-11255 & CPCB Guideline**
 Parameter Required : **As per work order**

TEST RESULTS

S. No.	Parameters	Protocol	Result	Unit	Limit
1.	Particulate Matter	IS:11255, (Part-1)	0.06	g/kW-hr	0.2
2.	Oxides of Nitrogen	IS:11255, (Part-7)	0.54	g/kW-hr	*
3.	Sulphur Dioxide	IS:11255, (Part-2)	0.25	g/kW-hr	--
4.	Carbon monoxide	JMELPL/STOP/03 (Issue Date- 21.09.2022)	0.39	g/kW-hr	3.5
5.	Hydro Carbon as Methane	IS:11255, (Part-13)	0.08	g/Kw-hr	*

*Emission limit of NOx+HC is 4.0

Note: Limit as per Environment (Protection) Rules, 1986

Ritika Saini
Ritika Saini
 Tested by

End of Report
Deepak Singh
Deepak Singh
 Checked by

Sita Ram Yadav
Sita Ram Yadav
 Authorized Signatory

- Note:
1. This test report has been at your request and test results pertain to the tested sample received.
 2. This reports is for your reference only and not to be used for any legal purpose.
 3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
 4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
 5. The sample will be destroyed after retention time unless otherwise specified specially.
 6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
 7. Report shall not be reproduce except in full without approval of the laboratory.
 8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT



Sample Number	JME/GSL/ST/03	Report No.	JME/ST/250317003
Name & Address of Unit	M/s. Haryana Organics (A Division of Globus Spirits Ltd.) at Village- Chulkana, Teh- Samalkha, District- Panipat, Haryana-132101	Format No.	7.5 F-03
		Party Reference No.	Nil
		Reporting Date:	21/03/2025
		Analysis Completion Date:	21/03/2025
		Analysis Start Date:	17/03/2025
Sample Description	STACK EMISSION MONITORING	Receipt Date:	17/03/2025

Client Representative (Name & Designation)	: Mr. Akhil Kumar (GM.HR & ADMIN)
Sample collected by	: JMELPL Team
Date of Sampling & Time	: 15/03/2025 (09:25 to 10:22 Hrs.)
Sampling Location & Code	: Boiler Stack (10 TON)
Sampling duration (Minutes)	: 57.0
Stack attached to	: Boiler
Make of stack	: RBC
Diameter of stack	: 2.6 meter
Height of stack	: 42.67 meter (height of port hole form ground)
(i) From the source of emission	: --
(ii) From roof level	: --
(iii) From Ground Level	: 42.67 meter (height of port hole form ground)
Operating Schedule (Hrs./day)	: 24 Hrs
Purpose of Monitoring	: Regulatory Requirement
Control measure if Any	: ESP
Operating condition at the time of Sampling	: 9.2 TPH
Type of fuel used	: Rice Husk
Meteorological Condition	: Clear Sky
Instrument code	: JME/SMK/02/02
Instrument calibration status	: Calibrated
Ambient Temperature – Ta (°C)	: 25.0
Temperature of Stack Gases - Ts (°C)	: 109.0
Velocity of Stack Gases (m/sec.)	: 8.24
Flow rate of PM (LPM)	: 26.0
Flow rate of Gas (LPM)	: 2.0
Volumetric Flow (NM ³ /Hr.)	: 119407.0
Sampling condition	: Isokinetic
Protocol used	: IS-11255 & CPCB Guideline
Parameter Required	: As per work order

TEST RESULTS

S. No.	Parameters	Protocol	Result	Unit	Limit
1.	Particulate Matter (PM)	IS:11255, (Part-1)	165.26	mg/Nm3	600
2.	Mercury	USEPA (Method- 29)	BDL (DL 0.02)	mg/Nm3	-
3.	Oxides of Nitrogen	IS:11255, (Part-7)	89.64	mg/Nm3	-
4.	Sulphur Dioxide	IS:11255, (Part-2)	192.48	mg/Nm3	-

Note: Limit as per Environment (Protection) Rules, 1986

End of Report

Ritika Saini
Ritika Saini
Tested by

Deepak Singh
Deepak Singh
Checked by

Sir Ram Yadav
S.M. ENVIROLAB PVT. LTD.
Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduce except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.



Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

Sample Number **JME/GSL/ST/01** Report No. **JME/ST/250317004**
 Name & Address of Unit **M/s. Haryana Organics (A Division of Globus Spirits Ltd.)** Format No. **7.5 F-03**
at Village- Chulkana, Teh- Samalkha, Party Reference No. **Nil**
District- Panipat, Haryana-132101 Reporting Date: **21/03/2025**
 Analysis Completion Date: **21/03/2025**
 Analysis Start Date: **17/03/2025**

Sample Description **STACK EMISSION MONITORING** Receipt Date: **17/03/2025**

Client Representative (Name & Designation) : **Mr. Akhil Kumar (GM.HR & ADMIN)**
 Sample collected by : **JMELPL Team**
 Date of Sampling & Time : **15/03/2025 (13:15 to 14:10 Hrs.)**
 Sampling Location & Code : **Boiler Stack (25 TON)**
 Sampling duration (Minutes) : **50.0**
 Stack attached to : **Boiler**
 Make of stack : **RBC**
 Diameter of stack : **2.5 meter**
 Height of stack :
 (i) From the source of emission : **--**
 (ii) From roof level : **--**
 (iii) From Ground Level : **44.2 meter (height of port hole form ground)**
 Operating Schedule (Hrs./day) : **24 Hrs**
 Purpose of Monitoring : **Regulatory Requirement**
 Control measure if Any : **ESP**
 Operating condition at the time of Sampling : **22 TPH**
 Type of fuel used : **Rice Husk**
 Meteorological Condition : **Clear Sky**
 Instrument code : **JME/SMK/02/02**
 Instrument calibration status : **Calibrated**
 Ambient Temperature – Ta (°C) : **30.0**
 Temperature of Stack Gases - Ts (°C) : **152.0**
 Velocity of Stack Gases (m/sec.) : **10.36**
 Flow rate of PM (LPM) : **30.0**
 Flow rate of Gas (LPM) : **2.0**
 Volumetric Flow (NM³/Hr.) : **124758.0**
 Sampling condition : **Isokinetic**
 Protocol used : **IS-11255 & CPCB Guideline**
 Parameter Required : **As per work order**

TEST RESULTS

S. No.	Parameters	Protocol	Result	Unit	Limit
1.	Particulate Matter (PM)	IS:11255, (Part-1)	78.16	mg/Nm3	150
2.	Mercury	USEPA (Method- 29)	BDL (DL 0.02)	mg/Nm3	-
3.	Oxides of Nitrogen	IS:11255, (Part-7)	130.88	mg/Nm3	-
4.	Sulphur Dioxide	IS:11255, (Part-2)	204.77	mg/Nm3	-

Note: Limit as per Environment (Protection) Rules, 1986

End of Report

Ritika Saini
Ritika Saini
 Tested by

Deepak Singh
Deepak Singh
 Checked by

Sita Ram Yadav
Sita Ram Yadav
 Authorized Signatory

Note:

- This test report has been at your request and test results pertain to the tested sample received.
- This reports is for your reference only and not to be used for any legal purpose.
- Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
- Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
- The sample will be destroyed after retention time unless otherwise specified specially.
- Endorsement of the product tested by the laboratory is neither inferred nor implied.
- Report shall not be reproduce except in full without approval of the laboratory.
- All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)

HARYANA ORGANICS
(A UNIT OF GLOBUS SPIRITS LTD.)
4 K.M CHULKANA ROAD, SAMALKHA,
PANIPAT, HARYANA

REF:HO/SMK/ /2025-26

DATED: 01/04/2025

To,

THE BHANWALA CO-OPERATIVE LABOUR & CONSTRUCTION SOCIETY LTD.

1024/30, Malviya Nagar, Sonipat,

HARYANA-131001

GST NO- 06AAHAT0306QZA

Subject: Work order for Ash Removal from 25 & 17 TPH Boiler

Dear Sir

With reference to you Quotation and subsequent negotiations, we are pleased to award you a work order for the subject work as per the terms and conditions mentioned below:

1. Scope of Work:

- A. Ash Removal from 25 & 17 TPH Boiler on day to day basis without any accumulation in our premises.
- B. Deployment of sufficient Dumper with Driver and a Tractor type loader in Unit for Ash Disposal outside factory premises.

2. Rate:

- A. **91.00 Per MT** – Ash Removal from 25 & 17 TPH Boiler.
- B. Ash quantity will calculate as per fuel consumption in both boiler.

3. Payment:

The Bill of complete month will be produced by you upto 2nd day of every month and the payment will be made by the company through A/c. Payee Cheque / Online payment.

4. Terms & Condition:

1. Above given rates are inclusive of all Contractual Costs.
2. Submit Agreement with Land owner for disposal/dumping of Ash for sole purpose of land filling.
3. Contractor will be responsible for Removal of ash on designated area solely for the purpose of landfill and shall ensure no any complaint from nearby villages, Persons and any authority. Agreement with land owner for unloading
4. Dumpers/Loaders/Tractors being used for purpose of Ash disposal must be ensured having complied all statutory requirements.
5. Maintenance of your all equipment will be under your scope.
6. Commercial Vehicle used for Ash disposal will be covered by Tarpaulin before moving out from factory.
7. Income Tax (TDS/TCS) will be deducted as per applicable rule of Govt.
8. GST Tax Exclusive in above rate.

9. This Contract is valid from 01/04/2025 to 31/03/2026.
10. Rate would be Reviewed after every 3 Months on the basis of prevailing Diesel rates in Market..
11. It would be required maintain the ash generation point in our boilers always in neat and tidy condition. In case we shall notice any accumulation of Ash any day, we shall be imposing a penalty of Rs. 5000/- Per Day on contractor.
12. All the labour problems, if any will be handled by Contractor. In case of accident /miss-happening, you will fully responsible and all expenses/cost will be borne by Contractor.
13. You have to complete all the legal formalities and have to obtain all necessary license from all relevant Govt. Departments related to this contract.
14. No Child labour (Below 18 Years) will be allowed in factory Premises.
15. The Distillery management will in no way be responsible for the violation of any rules and/or infringement of any other laws from the time being in force, either by the employee or by the Service Provider. The employees as well as the Service Provider shall comply with the relevant rules and regulations applicable at present and as may be enforced from time to time, for which the Buyer's department would not be liable or responsible in any manner. The onus of compliance to all the applicable laws/acts/rules shall only rest with the Service Provider.
16. The labour deployed at boiler shall be the employees of the service provider (contractor) and all statutory liabilities such as EPF (including Employer's/Employee's share of contribution/ subscription for Employees Provident Fund, Pension Fund, EDLI, Admn. Charges etc.), ESI, Workmen's Compensation as per relevant statutory Act, etc. shall be paid by the service provider (contractor) being employer of the working labour.
17. The Service Provider (contractor) shall also deposit EPF and ESI of both employer and employee share within 10th day of the month of payment for the labour engaged from their account and prefer the bill to the distillery accounts Department for reimbursement of employer share only.
18. Employer's share of EPF & ESI actually deposited to the respective authorities with proof of deposit of both employee and employer share by the end of the second week of the succeeding month, next bill clear on the basis of submission of documentary proofs.
19. The Service Provider (Contractor) shall furnish statement of amount paid for the month to the labour deployed along with cheque number and date and Bank account from which the payment has been made. Service provider (Contractor) is to furnish copy of bank statement in support of amount paid as and when required by Distillery accounts Departments.
20. The Service Provider (Contractor) shall be responsible for timely payment of take home remuneration to the labour and deposit of EPF,WF and ESI (both employee and employer share), failing which a penalty will be deducted @ 100/- per day per default.
21. The Service Provider (Contractor) shall submit before the Distillery accounts Department, one copy of the return within 7 days from the date of filing of monthly / quarterly / half yearly / annual return if any before the EPF and ESI authorities.
22. You will ensure that all your employees maintain peace and discipline in the factory premises and the company will have the right to check and search you and your employees any time.
23. In cases contractor leave the job without completion & the job shall be done by company through other contractor/persons, then cost of such work done is recovered from contractor Bill/ Invoice.
24. You will fully responsible for the safety and behavior of manpower at our site.
25. This Contract can be terminated by giving one month notice by either side.
26. In cases of violation of any of the terms and condition of this contract, the management will reserved the right to be terminating the contract with immediate effect without giving the notice & compensation.
27. You will not allow for any strike of work or stoppage without any prior notice of one month to the company. If any loss comes due to any strike or work stoppage by contractor loss amount will be debited to you.

28. All Disputes arising out of this order shall be subject to the jurisdiction of Panipat Court Only.

DECLARATION - I hereby by confirming that I have been understood all the terms & conditions of above mentioned and agreed

Signature of Contractor.....Ashish



For Haryana Organics

(A Unit of Globus Spirits Ltd.)

PERFORMA FOR MEDICAL FITNESS CERTIFICATE FOR FOOD HANDLERS

(FOR THE YEAR 2024-25)

(See Para No.10.01.2, Part II, Schedule -4 of FSS regulation,2011)

It is certified that Shri/Smt./Miss.....Shruti.....
employed with M/S Haranya Organics Pvt..... coming in direct
Contact with food items has been carefully examined *by me on date 30/8/24.....
based on the medical examination conducted , he/she is found free from any infectious
or communicable diseases and the person is fit to work in the above mentioned food
established.

*Medical Examination to be conducted:

- ~~1. Physical Examination~~
- ~~2. Eye Test~~
- ~~3. Skin Examination~~
- ~~4. Compliance with schedule of vaccine to be inoculated against enteric group diseases~~
- ~~5. Any test required to confirm any communicable or infectious disease which the person
Suspected to be suffering from on clinical examination.~~

MEDICAL REPORT			
EXAMINATION DATE :	30-8-24		
NAME:	Satish		
AGE:	60 y	SEX:	M
HEIGHT:		WEIGHT:	63 kg
MEDICAL EXAMINATION			
TYPE OF MEDICAL EXAMINATION	RESULTS		
EYE:			
R-eye:	+0.50 / +0.05 x 96		
L-eye:	+0.50 / +0.50 x 05		
Vaccination:			
Typhoid:	✓		
Tetanus:	✓		
Hepatitis-B :	✓		
Cholera vaccine :	✓		
Skin:			
Colour:	Normal		
Shape:			

Remark



PERFORMA FOR MEDICAL FITNESS CERTIFICATE FOR FOOD HANDLERS

(FOR THE YEAR 2024-25)

(See Para No.10.01.2, Part II, Schedule -4 of FSS regulation,2011)

It is certified that Shri/Smt./Miss Vikash Kumar
employed with M/S Harjane Organics Pvt. Ltd. coming in direct
Contact with food items has been carefully examined *by me on date 30/8/24
based on the medical examination conducted, he/she is found free from any infectious
or communicable diseases and the person is fit to work in the above mentioned food
established.

*Medical Examination to be conducted:

- ~~1. Physical Examination~~
- ~~2. Eye Test~~
- ~~3. Skin Examination~~
- ~~4. Compliance with schedule of vaccine to be inoculated against enteric group diseases~~
- ~~5. Any test required to confirm any communicable or infectious disease which the person
Suspected to be suffering from on clinical examination.~~

MEDICAL REPORT			
EXAMINATION DATE :	30-8-24		
NAME:	Vikash Kumar		
AGE:	45y	SEX: M	
HEIGHT:		WEIGHT:	
MEDICAL EXAMINATION			
TYPE OF MEDICAL EXAMINATION	RESULTS		
EYE:			
R-eye:	+0.50/-0.50 X 65		
L-eye:	+5.00/+1.50 X 61		
Vaccination:			
Typhoid:	✓		
Tetanus:	✓		
Hepatitis-B :	✓		
Cholera vaccine :	✓		
Skin:			
Colour:	Normal		
Shape:			

Remark



PERFORMA FOR MEDICAL FITNESS CERTIFICATE FOR FOOD HANDLERS

(FOR THE YEAR 2024-25)

(See Para No.10.01.2, Part II, Schedule -4 of FSS regulation,2011)

It is certified that Shri/Smt./Miss. Gaurav
employed with M/S Haryana Organics Pvt. Ltd. coming in direct
Contact with food items has been carefully examined *by me on date 30/8/24
based on the medical examination conducted, he/she is found free from any infectious
or communicable diseases and the person is fit to work in the above mentioned food
established.

*Medical Examination to be conducted:

1 Physical Examination

2 Eye Test

3 Skin Examination

4 Compliance with schedule of vaccine to be inoculated against enteric group diseases

5 Any test required to confirm any communicable or infectious disease which the person

Suspected to be suffering from on clinical examination.

1

PTD

MEDICAL REPORT			
EXAMINATION DATE :	30-8-24		
NAME:	Gaurav		
AGE:	36y	SEX:	M
HEIGHT:	5'7"	WEIGHT:	83kg
MEDICAL EXAMINATION			
TYPE OF MEDICAL EXAMINATION	RESULTS		
EYE:			
R-eye:	NA		
L-eye:			
Vaccination:			
Typhoid:	✓		
Tetanus:	✓		
Hepatitis-B :	✓		
Cholera vaccine :	✓		
Skin:			
Colour:	normal		
Shape:			

Remark



PERFORMA FOR MEDICAL FITNESS CERTIFICATE FOR FOOD HANDLERS

(FOR THE YEAR 2024-25)

(See Para No.10.01.2, Part II, Schedule -4 of FSS regulation,2011)

It is certified that Shri/Smt./Miss.....Pawan.....
employed with M/S.....Haryama Organics Ltd......coming in direct
Contact with food items has been carefully examined *by me on date.....30-8-24.....
based on the medical examination conducted , he/she is found free from any infectious
or communicable diseases and the person is fit to work in the above mentioned food
established.

*Medical Examination to be conducted:

1. Physical Examination

2. Eye Test

3. Skin Examination

4. Compliance with schedule of vaccine to be inoculated against enteric group diseases

5. Any test required to confirm any communicable or infectious disease which the person

Suspected to be suffering from on clinical examination.

f

PTD

MEDICAL REPORT

EXAMINATION DATE :	30-8-2024		
NAME:	Raman		
AGE:	30y	SEX: m	
HEIGHT:	5'4"	WEIGHT:	46kg.

MEDICAL EXAMINATION

TYPE OF MEDICAL EXAMINATION	RESULTS
EYE:	N/A
R-eye:	N/A
L-eye:	N/A
Vaccination:	
Typhoid:	✓
Tetanus:	✓
Hepatitis-B :	✓
Cholera vaccine :	✓
Skin:	
Colour:	Normal
Shape:	

Remark



PERFORMA FOR MEDICAL FITNESS CERTIFICATE FOR FOOD HANDLERS

(FOR THE YEAR 2024-25)

(See Para No.10.01.2, Part II, Schedule -4 of FSS regulation,2011)

It is certified that Shri/Smt./Miss.....Sahdev.....
employed with M/S Haryana Organics Ltd......coming in direct
Contact with food items has been carefully examined *by me on date 30/8/24.....
based on the medical examination conducted , he/she is found free from any infectious
or communicable diseases and the person is fit to work in the above mentioned food
established.

*Medical Examination to be conducted:

- ☒ 1. Physical Examination
- ☒ 2. Eye Test
- ☒ 3. Skin Examination
- ☒ 4. Compliance with schedule of vaccine to be inoculated against enteric group diseases
- ☒ 5. Any test required to confirm any communicable or infectious disease which the person
Suspected to be suffering from on clinical examination.

MEDICAL REPORT			
EXAMINATION DATE :			
NAME:	Sahluwa		
AGE:	194/P	SEX: F	
HEIGHT:	4'4"	WEIGHT: 54	
MEDICAL EXAMINATION			
TYPE OF MEDICAL EXAMINATION	RESULTS		
EYE:			
R-eye:	NA		
L-eye:	NA		
Vaccination:	NA		
Typhoid:			
Tetanus:	✓		
Hepatitis-B :	✓		
Cholera vaccine :	✓		
Skin:			
Colour:			
Shape:	Normal		

Remark



PERFORMA FOR MEDICAL FITNESS CERTIFICATE FOR FOOD HANDLERS

(FOR THE YEAR 2024-25)

(See Para No.10.01.2, Part II, Schedule -4 of FSS regulation,2011)

It is certified that Shri/Smt./Miss.....Vijay.....
employed with M/S Haryana Organics Pvt.....coming in direct
Contact with food items has been carefully examined *by me on date 30/8/24.....
based on the medical examination conducted , he/she is found free from any infectious
or communicable diseases and the person is fit to work in the above mentioned food
established.

*Medical Examination to be conducted:

1. Physical Examination
2. Eye Test
3. Skin Examination
4. Compliance with schedule of vaccine to be inoculated against enteric group diseases
5. Any test required to confirm any communicable or infectious disease which the person
Suspected to be suffering from on clinical examination.

MEDICAL REPORT

EXAMINATION DATE :	30-8-24		
NAME:	Vijay		
AGE:	19	SEX:	m
HEIGHT:	5'5"	WEIGHT:	48

MEDICAL EXAMINATION

TYPE OF MEDICAL EXAMINATION	RESULTS
EYE:	NA
R-eye:	NA
L-eye:	NA
Vaccination:	
Typhoid:	✓
Tetanus:	✓
Hepatitis-B :	✓
Cholera vaccine :	✓
Skin:	
Colour:	Normal
Shape:	

Remark



M/s. Haryana Organics (A Unit of Globus Spirit)

The photographs showing regular occupational health surveillance programme:



M/s. Haryana Organics (A Unit of Globus Spirit)





The photographs showing Health & Safety Training:







 HARYANA ORGANICS SAMALKHA Form	TRAINING RECORD	Document No.	HOS/COM/F/18
		Date of Issue	20/03/2024
		Rev. No.	01
		Page No.	1 of 1

Name of the program:	Training of health and safety		
Trainers name:	Raveen Kumar / Akhil Kumar		
Venue:	HOS Samalkha		
Target Group:	All employee and worker's		
Date :	7-4-25	10:30 AM	Monday

S.No.	Employee code	Participant Name	Function	Signature
		Ankit		Ankit
		Anrit		Anrit
		Pardeep		Pardeep
		Devdeep		Devdeep
		N. Khil		N. Khil
		K. H. Goel		K. H. Goel
		Sumat		Sumat
		Suraj		Suraj
		Abhimaneh		Abhimaneh
		Dewi Sriji		Dewi Sriji
		Ravinder		Ravinder
		Manoj		Manoj
		Sandeep		Sandeep

Signature of Training Manager/HR Head

 CLASS I
 Signature of Trainer



Haryana Organics
(Unit Of Globus Spirit Ltd.)
Generic Procedure

Risk Assessment Form

Document No.	GSL/EHS/2021/01
Date of Issue	16/01/2021
Rev. No.	01
Page No.	1 of 9

1.0.Purpose

To perform Risk assessment for site activities and processes in Environment, Health& safety and Security .

2.0. Scope

2.1. Perform and Review Risk assessment of various activities and processes.

3.0. Roles &Responsibility

3.1. Site Head

3.1.1. Overall Responsible for implementation of this procedure.

4.0. Abbreviations, Acronyms &Definitions:

4.1. RAF Risk Assessment Form

5.0. Procedure

5.1 Competency requirements for Risk Assessors

5.1.1. A competent person for Risk Assessment is someone who has knowledge of

1. Risk assessment process through adequate training.
2. Work involved through personal experience
3. Specific subject under assessment.

5.2. Nomination of Risk Assessment Team .

5.2.1. Site Head to nominate the Risk Assessment Team with competencies as defined in .

5.2.2. If employees within the site do not have defined competencies, Site Head to outsource Risk assessment of that particular activity or process to competent external agencies.

5.3. Hazard identification

 Globus Spirits Haryana Organics Unit Of Globus Spirit Ltd.) Generic Procedure	Risk Assessment Form		Document No.	GSL/EHS/2021/01
			Date of Issue	16/01/2021
			Rev. No.	01
			Page No.	2 of 9

5.3.1. Risk Assessment to be performed for ;

1. All work activities (both routine and non-routine),
2. Detailed Risk assessment for activities specified in Annexure -1.

5.3.2. Risk Assessment team to determine hazards for each activity and document it in Risk Assessment Form (

5.3.3. Risk assessment shall identify or take account of;

- Hazards to Environment, health, safety and security.
- Any Physical, Chemical, biological, ergonomic or Psychosocial hazards.
- Infrastructure, equipment and materials at the workplace, whether provided by the Organization or others.
- Human behavior, capabilities and other human factors.
- External hazards that may have an impact.
- Changes in the organization, its activities, processes or materials.
- Risk of injury to non-USL personnel to be considered are contractors, visitors, neighbor's, members of the public etc.
- Any legal implications.

5.4. Determine the Risk

5.4.1. Risk Assessment team to

1. Determine the severity of hazard and likelihood that the hazard would occur as per Annexure 3.
2. If the hazard for any activity has legal implications, it shall be classified as High Risk.
3. Determine the control measures that are currently in place for each of the hazards.
4. Document the above severity and likelihood of the hazard in RAF.

5.5. Control Measures



Haryana Organics
(Unit Of Globus Spirit Ltd.)
Generic Procedure

Risk Assessment Form

Document No.	GSL/EHS/2021/01
Date of Issue	16/01/2021
Rev. No.	01
Page No.	3 of 9

5.5.1. Risk Assessment team to recommend necessary control measures as per Hierarchy of control measures in Annexure 2 and document it in RAF and forward it to site head

5.5.2. Site head to determine responsibilities and Target dates for implementation of each additional Control Measure and document it in RAF.

5.5.3. Site head to consider the following while implementing Control Measures

1. All risks to be brought to acceptable risk levels.
2. Where basic risk rating is "High (risk rating of 6, 9).control measures shall be implemented at the earliest to reduce the risk to lower level. if the risk is unacceptable, consideration to be given for activity to be suspended or carried out in a controlled manner until necessary control measures are implemented.
3. Where basic risk rating is "medium (risk rating of 3, 4),necessary. control measures shall be implemented within a reasonable time to 3. reduce the risk to lower level.

5.6 Implementation of Control Measures

- 5.6.1. Functional head to verify implementation and effectiveness of the Control measures.
- 5.6.2. If Control Measures are not effectively implemented, functional head to escalate it to Site Head.

5.7. Training and Communication

5.7.1. Site Head to facilitate Risk Assessment Training and refresher training to members of the Risk Assessment Team.

 Globus Spirits Haryana Organics (Unit Of Globus Spirit Ltd.) Generic Procedure	Risk Assessment Form	Document No.	GSL/EHS/2021/01
		Date of Issue	16/01/2021
		Rev. No.	01
		Page No.	4 of 9

5.7.2. Site Head to ensure that all Hazards, risks and control measures are communicated to all affected persons of that specific activity through documents, procedures, signage or by formal training/communication.

5.8. Review

5.8.1. Site to review and update each risk assessment at least annually or in case of but not limited to;

1. Change in any process or activity.
2. Change in number of people.
3. Change in machinery,
4. After any accident in that activity.

6.0. Reference Documents

S. NO.	DOCUMENT NAME	DOCUMENT NUMBER	REVISION NUMBER

7.0. List of Records:



Haryana Organics
(Unit Of Globus Spirit Ltd.)

Generic Procedure

Risk Assessment Form

Document No. GSL/EHS/2021/01

Date of Issue 16/01/2021

Rev. No. 01

Page No. 5 of 9

S. NO.	RECORD NAME	RECORD NUMBER	REVISION NUMBER	DATE OF ISSUE
1.				

8.0. Appendix


8.1. Annexure 1 – Activities which required more detailed Risk assessment.

8.2. Annexure 2- Hierarchy of Control Measures

8.3 Annexure 3- Determination of Severity and Likelihood

9.0. Document Amendment History

S.NO.	REV.	Date DD/MM/YY	Description of changes	Originated/ Revised by Name & Title	Approved by



Provide risk control measures:

All intolerable and high risk levels should be brought down to low risk levels, by providing necessary controls measures. When determining controls or considering changes to existing controls, consideration shall be given to reducing the risk according to the following hierarchy:

- Elimination of risk-** Elimination of Process/ dangerous operation, reorientation of work place, machines etc. so as to eliminate the hazards.
- Substitution -** Alteration/ Modification/ replacement of machine, tools, substances etc, so as to change the type of hazard and minimize/ reduce the risk.

Risk Assessment Form

Document No.	GSL/EHS/2021/01
Date of Issue	16/01/2021
Rev. No.	01
Page No.	7 of 9

c. Engineering controls -Automation, remote operations, safety guards, limit switches etc. Controls here are inbuilt with machine (mostly mechanical / alert/ emergency indicators) to avoid contact of hazard and human.

d. Administrative controls- Signage's, Work instruction's, Motivational prong, Trg. Etc.

e. Personal Protective Equipment-Helmet, Nose mask, Aprons, Ear muffs / plugs, Welding lad Gloves, Goggles, Gumboot, Safety shoes, Safety belts etc. (PPEs are layer of protection between Hazard and Human. But this can't eliminate the chances of occurrence of hazard.)

Annexure 3- Examples for determination of severity and likelihood

SEVERITY			
	1	2	3
	Negligible	Major	Critical
Accident/physical injury Potential	1. potential for a near miss accident 2. could result in minor injuries, bruises etc. requiring first aid.	Could result in injury to body parts requiring medical intervention beyond first aid treatment.(Fractures etc.)	1. Could lead to permanent disability. 2. Could result in fatality, multiple deaths.
Exposure to noise	Exposure (<85db)	Exposure (90-115db)	(>115db) or where monitoring is not yet carried out
Exposure to Chemical, Dust, fumes Vapor, germs Resulting in health issues	0%-95% of limits specified in factories act.	95% -105%of limits specified in factories act.	Continuous exposure to 10% above the limits specified in factories act.



Risk Assessment Form

Document No. GSL/EHS/2021/01

Date of Issue 16/01/2021

Rev. No. 01

Page No. 8 of 9

Haryana Organics
(Unit Of Globus Spirit Ltd.)
Generic Procedure

Illumination levels	Illumination is adequate as per defined standards for the given activity	-	Illumination is not assessed/ very low lux level/ working area are darker/ Activity can cause eye strain or can cause injuries.
Pollution Potential environmental damages etc.,	Minimal impact. The damage is restricted at the source itself Eg. Minor Spillage of oil on the floor	Impact is contained within the plant/Dept./ section. No interaction with outside env. Eg. Spillage sprouted to adjacent area of work area. (ENA LEAKAGE)	interactions with env. Outside the boundary of the USL site. Eg. A) ETP discharge. B) Air emission causing inconvenience to neighbored. C) Major ENA Spillage Outside the building
Fire	1. Minor fire/ smoke which can be extinguished by a portable extinguisher. 2. No loss of material	1. Fire can spread to adjacent area and disrupted for a short period not exceeding a day. 2) Operation can be resumed immediately on extinguisher the fire. 3) fire can result in substantial loss of material/ FG/RM/PM	1. Major fire which can stop unit operational for substantial period 2) Fire can spread to substantial neighborhoods



Haryana Organics
(Unit Of Globus Spirit Ltd.)
Generic Procedure

Risk Assessment Form

Document No.	GSL/EHS/2021/01
Date of Issue	16/01/2021
Rev. No.	01
Page No.	9 of 9

Security	Minor theft of pilferage, minimal non sensitive data disclosed etc.	Unauthorized entry, minimal critical data disclosed	Counterfeiting, terrorism, All/ extensive critical data disclosed etc.
----------	---	---	--



LIKELIHOOD RATING		
1	2	3
Possible but is unlikely to happen	Possible and could happen	Likely to happen

Risk Assessment Form

Occur ant No.	GS/EHS/2021/01
Date of Issue	16/01/2021
Rev. No.	01
Page No.	1 of 1

S.No	ACTIVITY	HAZARD	IMPACT	PRESENT CONTROLS AVAILABLE	LEGAL REQUIREMENT (Y/N)	SEVERITY (S)	LIKELIHOOD (P)	RISK RATING (S) X (P)	RISK LEVEL	ADDITIONAL CONTROL MEASURES	RESPONSIBILITY	TARGET DATE
1.	Blending	ENA	It is Harmful for human being and environment	Use PPE during the handling	No	High	Low	High	4	No	Blending Head	
2.	Blending	Fire	It is Harmful for human being and environment	Use PPE during the handling and fire extinguisher	Yes	Low	Low	Low	2	No	Blending Head	
3.	Blending	Confined Space	It is Harmful for human being	Such Space are labeled and enter are only after permit	No	High	Low	Medium	4	No	Blending Head	
4.	Blending	Contractual Activity	Untrained worker may lead to hazards like fire	Contractor is allowed to work in factory only after permit	Yes	High	Low	Medium	4	Administrative control in unit	Blending Head	
5.	Blending	Spillage	Risk of slip trip injury	Regular cleaning activity	No	High	Low	Low	2	Administrative control in unit	Blending Head	

RISK CALCULATOR				
LEVEL	PROBABILITY (P)	SEVERITY (S)	RISK CATEGORY	RISK RATING
1	Unlikely / Remote	Negligible/ minor injury/ minimal env. impact/ minor theft	LOW RISK	1, 2
2	Likely / Occasional	Major/ injuries beyond first aid/ major spillage contained within unit/ forced entry/ mineral loss of critical info	MEDIUM RISK	3, 4
3	Certain	Serious accidents/ fatality / major spills spread outside unit/ counterfeiting	HIGH RISK	6,9

RISK ASSESSED BY	NAME	SIGNATURE
	Parveen Kumar	
	Rajesh Rai	
Date of assessment		16.01.2021



Haryana Organics (A Unit Of Globus Spirit Ltd.)

Form

Risk Assessment Form

Document No.

GSU/EHS/2021/01

Date of Issue

16/01/2021

Rev. No.

01

Page No.

1 of 1

S.No	ACTIVITY	HAZARD	IMPACT	PRESENT CONTROLS AVAILABLE	LEGAL REQUIREMENT (Y/N)	SEVERITY (S)	LIKELIHOOD (P)	RISK RATING (S) X (P)	RISK LEVEL	ADDITIONAL CONTROL MEASURES	RESPONSIBILITY	TARGET DATE
1.	Bottle washing	Glass Handling	Cut and wounds due to glass handling	PPEs provided	No	High	Low	High	4	Administrative control by supervision to ensure people are using PPEs	Bottling Head	
2.	Filling Of Liquor	Glass bottle handling	Cut and wounds due to glass handling	PPEs provided	No	High	Low	Low	4	Administrative control by supervision to ensure people are using PPEs	Bottling Head	
3.	Bottling	Leakage and spillage of blend	Risk to fall and head injury	Regular Cleaning and use of spill kit	No	High	Low	Low	2	Administrative control by ensuring proper cleaning at regular intervals	Bottling Head	
4.	Sealing of Bottling	Bottle breakage	Risk of injury	PPEs provided	Yes	High	Low	Low	2	Administrative control by supervision to ensure people are using PPEs	Bottling Head	
5.	Bottling	Moving Part	Risk of injury	Guarding provide	No	High	Low	Low	2	Proper PMS to ensure guarding of moving prt is proper	Bottling Head	
6.	Bottling	Oil Spillage	Risk of injury	Regular Cleaning and use of spill kit	No	High	Low	Low	2	Administrative control by ensuring proper cleaning at regular intervals	Bottling Head	
7.	Bottling	Noise	Hearing Problem	PPEs Provided to people working in high noise area	No	High	Low	Low	2	Administrative control by supervision to ensure people are using PPEs	Bottling Head	
8.	Bottling	Alcohol fumes	Breathing problem	Proper ventilation and exhaust system in bottling area	No	High	Low	Low	2	PMS of Exhaust system to ensure it working fine	Bottling Head	
9.	Bottling	Proper lux level	Problem in eye sigh	Proper Lux level in bottling area	No	High	Low	Low	2	Regular lux audit to ensure adequate lux level	Bottling Head	

RISK CALCULATOR

LEVEL	PROBABILITY (P)	SEVERITY (S)	RISK CATEGORY	RISK RATING
1	Unlikely / Remote	Negligible/ minor injury/ minimal env. Impat/ minor theft	LOW RISK	1, 2
2	Likely / Occasional	Major/ injuries beyond first aid/ major spillage contained within unit/ forced entry/ mineral loss of critical info	MEDIUM RISK	3, 4
3	Certain	Serious accidents/ fatality / major spills spread outside unit/ counterfeiting	HIGH RISK	6,9

RISK ASSESSED BY	NAME	SIGNATURE
	Parveen Kumar	
	Rajesh Rai	
Date of assessment		16.01.2021



Haryana Organics (A Unit Of Globus Spirits Ltd.)

Form

Risk Assessment Form

Document No. GS/IEHS/2021/01

Date of Issue 16/01/2021

Rev. No. 01

Page No. 1 of 1

S.No	ACTIVITY	HAZARD	IMPACT	PRESENT CONTROLS AVAILABLE	LEGAL REQUIREMENT (Y/N)	SEVERITY (S)	LIKELIHOOD (P)	RISK RATING (S) X (P)	RISK LEVEL	ADDITIONAL CONTROL MEASURES	RESPONSIBILITY	TARGET DATE
1.	DG House and Diesel Storage	Diesel	It is Harmful for human being and environment	Use PPE during the handling	No	High	Low	High	4	No	Power House Head	
2.	DG House and Diesel Storage	Fire	It is Harmful for human being and environment	Use PPE during the handling and fire extinguisher	Yes	Low	Low	Low	2	No	Power House Head	
3.	DG House and Diesel Storage	Confined Space	It is Harmful for human being	Such Space are labeled and enter are only after permit	No	High	Low	Medium	4	No	Power House Head	
4.	DG House and Diesel Storage	Contractual Activity	Untrained worker may lead to hazards like fire	Contractor is allowed to work in factory only after permit	Yes	High	Low	Medium	4	Administrative control in unit	Power House Head	
5.	DG House and Diesel Storage	Spillage	Risk of slip trip injury	Regular cleaning activity	No	High	Low	Low	2	Administrative control in unit	Power House Head	

RISK CALCULATOR				
LEVEL	PROBABILITY (P)	SEVERITY (S)	RISK CATEGORY	RISK RATING
1	Unlikely / Remote	Negligible/ minor injury/ minimal env. impact/ minor theft	LOW RISK	1, 2
2	Likely / Occasional	Major/ injuries beyond first aid/ major spillage contained within unit/ forced entry/ mineral loss of critical info	MEDIUM RISK	3, 4
3	Certain	Serious accidents/ fatality / major spills spread outside unit/ counterfeiting	HIGH RISK	6, 9

RISK ASSESSED BY	NAME	SIGNATURE
	Parveen Kumar	
	Rajesh Rai	
Date of assessment		16.01.2021

Risk Assessment Form

Document No.	GSL/EHS/2021/01
Date of Issue	16/01/2021
Rev. No.	01
Page No.	1 of 1

S.No	ACTIVITY	HAZARD	IMPACT	PRESENT CONTROLS AVAILABLE	LEGAL REQUIREMENT (Y/N)	SEVERITY (S)	LIKELIHOOD (P)	RISK RATING (S) X (P)	RISK LEVEL	ADDITIONAL CONTROL MEASURES	RESPONSIBILITY	TARGET DATE
1.	Distillation Plant	Benzene (C6H6)	It is Harmful for human being and environment	Use PPE during the handling	No	High	Low	High	4	No	Distillation Head	
2.	Distillation Plant	Fire Due to flammable material	It is Harmful for human being and environment	Use PPE during the handling and fire extinguisher	Yes	Low	Low	Low	2	No	Distillation Head	
3.	Distillation Plant	Confined Space entry during repair and maintains of distillation column	It is Harmful for human being	Such Space are labeled and enter are only after permit	No	High	Low	Medium	4	No	Distillation Head	
4.	Distillation Plant	Contractual Activity	Untrained worker may lead to hazards like fire	Contractor is allowed to work in factory only after permit	Yes	High	Low	Medium	4	Administrative control in unit	Distillation Head	
5.	Distillation Plant	Spillage	Risk of slip trip injury	Regular cleaning activity	No	High	Low	Low	2	Administrative control in unit	Distillation Head	
6.	Distillation Plant	Electrical hazard due to improper handling of electrical equipment	Fire may lead to loss of life as well as infrastructure	Regular maintenance of electrical installation	Yes	High	Low	Low	4	Engineering Control in unit	Distillation Head	
7.	Distillation Plant	Health Hazard to worker as it may bite workers	Health hazard, risk of injury	Implementation of building maintenance and cleaning schedule	No	High	Low	Low	4	Administrative control in unit	Distillation Head	
8.	Distillation Plant	Use of temporary fixture	Health hazard, risk of injury	Implementation of building maintenance and cleaning schedule	No	High	Low	Low	4	Engineering Control in unit	Distillation Head	
9.	Distillation Plant	Use of loose wiring	Health hazard, risk of injury	Regular maintenance of electrical installation	No	High	Low	Low	4	Engineering Control in unit	Distillation Head	

RISK CALCULATOR				
LEVEL	PROBABILITY (P)	SEVERITY (S)	RISK CATEGORY	RISK RATING
1	Unlikely / Remote	Negligible/ minor injury/ minimal env. impact/ minor theft	LOW RISK	1, 2
2	Likely / Occasional	Major/ injuries beyond first aid/ major spillage contained within unit/ forced entry/ mineral loss of critical info	MEDIUM RISK	3, 4
3	Certain	Serious accidents/ fatality / major spills spread outside unit/ counterfeiting	HIGH RISK	6, 9

RISK ASSESSED BY	NAME	SIGNATURE
	Parveen Kumar	
	Rajesh Rai	
Date of assessment		16.01.2021

Risk Assessment Form

Document No.	GSU/EHS/2021/01
Date of Issue	16/01/2021
Rev. No.	01
Page No.	1 of 1

S.No	ACTIVITY	HAZARD	IMPACT	PRESENT CONTROLS AVAILABLE	LEGAL REQUIREMENT (Y/N)	SEVERITY (\$)	LIKELIHOOD (P)	RISK RATING (S) X (P)	RISK LEVEL	ADDITIONAL CONTROL MEASURES	RESPONSIBILITY	TARGET DATE
1.	ENA Storage House	ENA	It is Harmful for human being and environment	Use PPE during the handling	No	High	Low	High	4	No	QC Head	
2.	ENA Storage House	Fire	It is Harmful for human being and environment	Use PPE during the handling and fire extinguisher	Yes	Low	Low	Low	2	No	QC Head	
3.	ENA Storage House	Confined Space	It is Harmful for human being	Such Space are labeled and enter are only after permit	No	High	Low	Medium	4	No	QC Head	
4.	ENA Storage House	Contractual Activity	Untrained worker may lead to hazards like fire	Contractor is allowed to work in factory only after permit	Yes	High	Low	Medium	4	Administrative control in unit	QC Head	
5.	ENA Storage House	Spillage	Risk of slip trip injury	Regular cleaning activity	No	High	Low	Low	2	Administrative control in unit	QC Head	
6.	ENA Storage House											

RISK CALCULATOR				
LEVEL	PROBABILITY (P)	SEVERITY (\$)	RISK CATEGORY	RISK RATING
1	Unlikely / Remote	Negligible/ minor injury/ minimal env. impact/ minor theft	LOW RISK	1, 2
2	Likely / Occasional	Major/ injuries beyond first aid/ major spillage contained within unit/ forced entry/ mineral loss of critical info	MEDIUM RISK	3, 4
3	Certain	Serious accidents/ fatality / major spills spread outside unit/ counterfeiting	HIGH RISK	6, 9

RISK ASSESSED BY	NAME	SIGNATURE
	Parveen Kumar	
	Rajesh Rai	
Date of assessment		16.01.2021



Haryana Organics (A Unit Of Globus Spirit Ltd.)

Form

Risk Assessment Form

Document No.	GCL/EHS/2021/01
Date of Issue	16/01/2021
Rev. No.	01
Page No.	1 of 1

S.No	ACTIVITY	HAZARD	IMPACT	PRESENT CONTROLS AVAILABLE	LEGAL REQUIREMENT (Y/N)	SEVERITY (S)	LIKELIHOOD (P)	RISK RATING (S) X (P)	RISK LEVEL	ADDITIONAL CONTROL MEASURES	RESPONSIBILITY	TARGET DATE
1.	Power House And Turbine	Electric Shock	It is Harmful for human being and environment	All equipment proper earthing is done and same also checked and use PPE during the handling	No	High	Low	High	4	No	Power House Head	
2.	Power House And Turbine	Fire	It is Harmful for human being and environment	Use PPE during the handling and fire extinguisher	Yes	Low	Low	Low	2	No	Power House Head	
3.	Power House And Turbine	Confined Space	It is Harmful for human being	Such Space are labeled and enter are only after permit	No	High	Low	Medium	4	No	Power House Head	
4.	Power House And Turbine	Contractual Activity	Untrained worker may lead to hazards like fire	Contractor is allowed to work in factory only after permit	Yes	High	Low	Medium	4	Administrative control in unit	Power House Head	
5.	Power House And Turbine	Spillage	Risk of slip trip injury	Regular cleaning activity	No	High	Low	Low	2	Administrative control in unit	Power House Head	
6.												

RISK CALCULATOR				
LEVEL	PROBABILITY (P)	SEVERITY (S)	RISK CATEGORY	RISK RATING
1	Unlikely / Remote	Negligible/ minor injury/ minimal env. Impat/ minor theft	LOW RISK	1, 2
2	Likely / Occasional	Major/ injuries beyond first aid/ major spillage contained within unit/ forced entry/ mineral loss of critical info	MEDIUM RISK	3, 4
3	Certain	Serious accidents/ fatality / major spills spread outside unit/ counterfeiting	HIGH RISK	6,9

RISK ASSESSED BY	NAME	SIGNATURE
	Parveen Kumar	
	Rajesh Rai	
Date of assessment	16.01.2021	



Haryana Organics (A Unit Of Globus Spirit Ltd.)

Form

Risk Assessment Form

Document No. GSL/EHS/2021/01

Date of Issue 16/01/2021

Rev. No. 01

Page No. 1 of 1

S.No	ACTIVITY	HAZARD	IMPACT	PRESENT CONTROLS AVAILABLE	LEGAL REQUIREMENT (Y/N)	SEVERITY (S)	LIKELIHOOD (P)	RISK RATING (S) X (P)	RISK LEVEL	ADDITIONAL CONTROL MEASURES	RESPONSIBILITY	TARGET DATE
1.	Softener and Cooling tower	H2So4 And antitline chemical	It is Harmful for human being and environment	Use PPE during the handling	No	High	Low	High	4	No	Plant Head	
2.	Softener and Cooling tower	Fire	It is Harmful for human being and environment	Use PPE during the handling and fire extinguisher	Yes	Low	Low	Low	2	No	Plant Head	
3.	Softener and Cooling tower	Confined Space	It is Harmful for human being	Such Space are labeled and enter are only after permit	No	High	Low	Medium	4	No	Plant Head	
4.	Softener and Cooling tower	Contractual Activity	Untrained worker may lead to hazards like fire	Contractor is allowed to work in factory only after permit	Yes	High	Low	Medium	4	Administrative control in unit	Plant Head	
5.	Softener and Cooling tower	Spillage	Risk of slip trip injury	Regular cleaning activity	No	High	Low	Low	2	Administrative control in unit	Plant Head	
6.												

RISK CALCULATOR				
LEVEL	PROBABILITY (P)	SEVERITY (S)	RISK CATEGORY	RISK RATING
1	Unlikely / Remote	Negligible/ minor injury/ minimal env. impact/ minor theft	LOW RISK	1, 2
2	Likely / Occasional	Major/ injuries beyond first aid/ major spillage contained within unit/ forced entry/ mineral loss of critical info	MEDIUM RISK	3, 4
3	Certain	Serious accidents/ fatality / major spills spread outside unit/ counterfeiting	HIGH RISK	6, 9

RISK ASSESSED BY	NAME	SIGNATURE
	Parveen Kumar	
	Rajesh Rai	
Date of assessment	16.01.2021	



Haryana Organics (A Unit Of Globus Spirit Ltd.)

Form

Risk Assessment Form

Document No. GSU/EHC/2021/01

Date of Issue 16/01/2021

Rev. No. 01

Page No. 1 of 1

S.No	ACTIVITY	HAZARD	IMPACT	PRESENT CONTROLS AVAILABLE	LEGAL REQUIREMENT (Y/N)	SEVERITY (S)	LIKELIHOOD (P)	RISK RATING (S) X (P)	RISK LEVEL	ADDITIONAL CONTROL MEASURES	RESPONSIBILITY	TARGET DATE
1.	Water Treatment Plant	HCL and NaOH	It is Harmful for human being and environment	Use PPE during the handling	No	High	Low	High 4	4	No	Water Treatment Head	
2.	Water Treatment Plant	Fire	It is Harmful for human being and environment	Use PPE during the handling and fire extinguisher	Yes	Low	Low	Low 2	2	No	Water Treatment Head	
3.	Water Treatment Plant	Confined Space	It is Harmful for human being	Such Space are labeled and enter are only after permit	No	High	Low	Medium 4	4	No	Water Treatment Head	
4.	Water Treatment Plant	Contractual Activity	Untrained worker may lead to hazards like fire	Contractor is allowed to work in factory only after permit	Yes	High	Low	Medium 4	4	Administrative control in unit	Water Treatment Head	
5.	Water Treatment Plant	Spillage	Risk of slip trip injury	Regular cleaning activity	No	High	Low	Low 2	2	Administrative control in unit	Water Treatment Head	
6.	Water Treatment Plant											

RISK CALCULATOR				
LEVEL	PROBABILITY (P)	SEVERITY (S)	RISK CATEGORY	RISK RATING
1	Unlikely / Remote	Negligible/ minor injury/ minimal env. impact/ minor theft	LOW RISK	1, 2
2	Likely / Occasional	Major/ injuries beyond first aid/ major spillage contained within unit/ forced entry/ mineral loss of critical info	MEDIUM RISK	3, 4
3	Certain	Serious accidents/ fatality / major spills spread outside unit/ counterfeiting	HIGH RISK	6,9

RISK ASSESSED BY	NAME	SIGNATURE
	Parveen Kumar	
	Rajesh Rai	
Date of assessment	16.01.2021	

Aspect and Impact (Manufacturing Process & Maintenance)

Document No.

GSL/EHS/2021/01

Date of Issue

16/01/2021

Rev. No.

01

Page No.

1 of 1

Sl. No.	Sub Operations	Activities	Interacts with Env. Y/N	Direct (D)/Indirect (I)	Conditions N/A/E	Environmental Aspects	Environmental Impacts	A	B	C	D	E	F	Total G	S/NS	Remarks
1.	Manufacturing and utility/ machine maintenance	All machine operation	Y	D	A	Generation of noise	Noise pollution	3	4	2	1	1	3	72	NS	Major to be taken and ear plugged to be used
		All machine maintenance	Y	D	N	Generation of cotton waste soaked in oils & lubricants	waste management	3	4	2	1	1	3	72	NS	All generated waste to be kept in the specified yard
		All utilities cleaning	Y	D	N	Generation of waste	Waste management	3	4	5	1	2	2	144	S	The disposal of liquid waste sell be done threw ETP
		Running of D.G sets	Y	D	A	Emission of smoke & high of D.G stack	Air ambient ,air pollution	2	4	2	1	1	3	48	NS	Testing is done from external source
		Running of D.G sets	Y	D	A	Generation of noise	Noise pollution	3	4	2	1	1	2	48	NS	Testing is done from external source
		Running of D.G sets	Y	D	E	Use of lubricants & diesel	Air pollution & land contaminations	3	3	2	1	1	3	54	NS	Care as taken by maintains
		Running of air compressor	N	D	N	Uses of power	Resource depletion	3	2	3	1	2	3	108	S	Switch off when not in use
		Running of air compressor	Y	D	A	Generation of noise	Noise pollution	3	4	2	1	1	2	48	NS	Major to be taken and ear plugged to be used
		Running of air compressor	Y	D	A	Explosion of air tank	Noise pollution	4	1	4	1	1	2	32	NS	Half yearly inspection is done by external competent person
		Electric panel	N	D	N	Uses of power	Resource depletion	3	2	3	1	2	3	108	S	Switch of when not is use
		Water tank over flow	Y	D	A	Water wastage	Resource wastage	3	4	3	1	1	2	72	NS	Care is taken by maintenances
		Cables	Y	D	A	Fining & smoke	Air pollution	4	1	4	1	2	2	64	NS	Major to be taken by safety team
		Transformer maintains	Y	D	A	Oil spillage & fining	Air pollution	4	1	4	1	2	2	64	NS	Care to be taken by maintenances

Aspect and Impact (STORE)

Document No.

GSU/EHS/2021/01

Date of Issue

16/01/2021

Rev. No.

01

Page No.

1 of 1

Sl. No.	Sub Operations	Activities	Interacts with Env. Y/N	Direct (D)/Indirect (I)	Conditions N/A/E	Environmental Aspects	Environmental Impacts	A	B	C	D	E	F	Total G	S/NS	Remarks
I.	Store	Storage of fresh diesel barrels/ cans	Y	D	N	Oil spillage from damage barrel/ canon concrete yard	DNR	3	3	3	1	1	3	81	NS	Measure to be taken
		Storage of material like machine parts, electrical part, plastics parts etc	Y	D	E	Catch fire	AP	3	2	4	1	2	2	96	NS	Safety team will work as per need & time totime fire mock drill to be conducted
		Storage of grease barrels/ box	Y	D	N	Grease spillage from damaged barrel/ box on concrete floor	DNR	2	2	2	1	2	3	48	NS	
		Storage of grease barrels/ box	Y	D	E	Catch fire	AP	2	2	4	1	2	2	64	NS	
		Unloading of diesel berried cans	Y	D	N	Opening of oil barrels/ cans while unloading and oil falling on the concrete floor	DNR	2	2	2	1	2	3	48	NS	
		Unloading of grease barrels/ box	Y	D	N	Opening of grease barrels/ box while unloading and falling while unloading & falling on the concrete floor	DNR	2	2	2	1	2	3	48	NS	
		Respires of lead acid batteries, glass wool and paints	Y	D	N	Chances of leakage on floor like acid, paint etc	WM	2	2	2	1	2	3	48	NS	
		Receipt of waste/scrap material like Damage glass/ bottles/ used oil glass wood, Plastic	Y	D	N	Chances of leakage used oil scattered glass wood	WM	2	2	2	1	2	3	48	NS	
		Receipt of waste/scrap material like	Y	D	E	Catch fire	AP	3	2	4	1	2	2	96	NS	

Form

Aspect and Impact (STORE)

Document No.

GSL/EHC/2021/01

Date of Issue

16/01/2021

Rev. No.

01

Page No.

2 of 1

Form

		Damage glass/ bottles/ used oil glass wood, Plastic														
		Energy consumption in light , fan, AC, scanner, printer etc	Y	D	N	Consumption of power	DNR	3	2	3	1	2	3	108	NS	Switch off when not in use
		Paper consumption	N	D	N	Consumption of paper	DNR	3	4	3	1	3	1	108	NS	Double side printing to be done & soft date need to be kept

Aspect and Impact (HR, Quality, Marketing, Purchase)

Document No.	GSL/EHS/2021/01
Date of Issue	16/01/2021
Rev. No.	01
Page No.	1 of 1

Sl. No.	Sub Operations	Activities	Interacts with Env. Y/N	Direct (D)/Indirect (I)	Conditions N/A/E	Environmental Aspects	Environmental Impacts	A	B	C	D	E	F	Total G	S/NS	Remarks
1.	Office Activity	Energy consumption in light, fan, AC Scanner Printer etc.	Y	D	N	Consumption of power	DNR	3	2	3	1	2	3	104	S	Wastage to energy to controlled and switch off when not in use
		Paper Consumption	N	D	N	Consumption of paper	DNR	3	4	3	1	3	1	108	S	Double side printing to started and soft data to be used
		Disposable of stationary wastes	N	D	N	Disposable of stationary waste	IC	1	3	1	1	3	2	18	NS	To be sold out the responsible source who use as recycle purpose
							DNR									Care throw maintenance
2.	Housekeeping and premises	Consumption of water	Y	DI	N	Consumption of water	DNR	3	3	3	1	2	1	54	NS	Disposed through drainaged
		Discharge of waste water	N	DI	N	Disposable of waste water	WP	2	4	2	1	3	1	48	NS	Dispose as dumping yard
		Disposable of housekeeping waste	N	DI	N	Disposable of housekeeping waste	LC	2	4	2	1	3	1	48	NS	Mopping water sprinkling done where required
		Dust generation	Y	DI	N	Generation of Dust	AP	1	4	2	1	3	2	48	NS	Mask used spraying done during occupancy hours
		Generation of mist During spraying	N	DI	N	Generation of mist	AP	1	2	2	1	3	2	24	NS	Use as per requirement
3.	Washroom	Consumption of water	Y	D	N	Consumption of water	DNR	2	4	3	1	3	1	72	NS	Care through energy equipments
		Discharge of waste water	Y	D	N	Consumption of water	WP	2	4	2	1	3	1	48	NS	Periodic maintenance
		Water leakage from taps overflow of water tank	N	D	N	Consumption of water	DNR	2	1	3	1	4	2	48	NS	Use as per requirement

Form

Aspect and Impact (HR, Quality, Marketing, Purchase)

Document No.

GSU/EHS/2021/01

Date of Issue

16/01/2021

Rev. No.

01

Page No.

2 of 1

	Guarding And horticulture	Consumption of water	N	DI	N	Consumption of water	DNR	2	3	3	1	3	1	54	NS	Use as per requirement
		Tree plantation	Y	DI	N	If tree plantation is not there	Global warning	4	3	4	1	1	3	144		Care of plants
		Disposable of waters leaves twigs	N	DI	N	Disposable of waste	IC,LP	1	3	2	1	3	3	54	NS	Disposable to dumping yard
		Generation of mist During sparing	N	DI	N	Generation of mist	AP	1	2	2	1	3	3	56	NS	Mask used
5.	Painting and white washing	Use of paint, thinner etc	N	DI	N	Disposable of waste	DNR	3	1	3	1	3	2	54	NS	Use as per requirement
		Disposable of Empty container	N	DI	N	Disposable of waste	WM	1	1	2	1	3	3	18	NS	Taken back by contractor
		Disposal of brusher clothes etc.	N	DI	N	Disposable of waste	IC	1	1	1	3	3	18	NS		Taken back by contractor
		Fire in paint thinner	N	DI	A	Disposable of waste	AP	3	1	5	1	3	1	NS		No smoking area handle carefully

Aspect and Impact

Document No.	GSL/EHS/2021/01
Date of Issue	16/01/2021
Rev. No.	01
Page No.	3 of 1

WORKING
LEGEND TOTAL G=A*B*C*D*E*F

QUANTITY (A)	OCCURENCE (B)	IMPACT (C)	LEGISTATION (D)	DURATION (E)	CONTROL (F)
Excessive (5)	Continuous (5)	Human health effect (5)	Legal non compliance (5)	More then 24hours (5)	Absent or non-effective control (5)
High (4)	Several times a day (4)	Affect flora or fauna and marine life of global issue (4)	Non compliance may happen (4)	With in 24 hours (4)	Mechanism in place but non reliable (4)
Moderate (3)	Several times a week (3)	Recourse depletion (3)	Need monitoring (3)	With in 8 hours (3)	Control need human intervention (3)
Low (2)	Once a month or less (2)	Cause is discomfit or nuisance (2)	Interested party concern (2)	With in one hours (2)	Has in built secondary control (2)
Negligible (1)	Very rare (1)	Negligible visual impact (1)	Not applicable / in compliance (1)	Immediately (1)	Available and effective source (1)

D- Direct, I- indirect
CONDITION- N- Normal, A- abnormal, E- Emergency
IMPACT- AP- Air Pollution, WP- water pollution, LC- land contamination DNR- Depth of natural resource, WM- Waste management, NP- Noise pollution
S-Significant, NS- Non Significant

Issued By : MR

Approved By:

HARYANA ORGANICS
(A Unit of Globus Spirits Ltd.)
4th K. M. Stone, Chulkana Road
SAMALKHA-132101









 Form	Training Conduction Record	Document No.	HO/EHS/T/01
		Date of Issue	01/01/2013
		Rev. No.	0
		Page No.	1 of 1

Name of the program:	Training of Use of fire extinguishers EHS
Trainers name:	Parveen Kumar
Venue	Hos Samalkha
Location	Conference hall
Function	
Target Group	All employees & MOD's in Plant Area.
Date	7-4-25 10:30 AM Monday

S.No.	Employee code	Participant Name	Grade	Function	Signature
1.		Nimish Singh			
2.		Gaurav Kumar	M-5	IMPL-Bottling	
3.		Manoj Kumar		IMPL-Bottling	
4.		Indup Tiwari	Operator	Prod.	
5.		Rashmi Pyari		Bottling	
6.		Anuraj		Bottling	
7.		Abhinaya		Admin	
8.		Devi Singh		Bottling	
9.	002798	Ravinder Kumar		Bottling	
10.		Akhay Katar		Bottling	
11.		R.m. Goyal		Bottling	

Signature of Co-Ordinator

Signature of HR

Signature of Trainer

Haryana Organics (A Unit Of Globus Spirits Ltd.)

Annexure-14 Fire NoC

From Assistant Divisional Fire Officer/Fire Station Officer
Panipat

To **M/s** Haryana Organics A unit of Globus Sprits Ltd
Chulkana Road, Samalkha, District Panipat

Memo No. FS/2023/418 dated : 28/06/2023

Subject: Renewal of Fire Safety Certificate Under 15 mtrs. height from the fire Safety Point of View of the Group G- Industrial Building at Chulkana Road, Samalkha, District Panipat of Haryana Organics, A unit of Globus Sprits Ltd :

Reference to you online No 140842323000559 dated 27/06/2023 on the subject cited above.

Tower Name	Floor Detail	Height	Ground Coverage
Haryana Organics A unit of Globus Sprits Ltd	G+1	10	25757
Basement Level	Basement Area	Remarks	
0	0	OK	

Your site for the Renewal of the Fire Safety Certificate has been inspected by the Team of Fire Station Officers, **Panipat** from fire safety Point of View. The means of escape and Fire Protection system were checked and found as per the National Building Code of India, Part- IV guidelines.

In view of the satisfactory fire protection system / arrangement mentioned as above, this office has no objection for occupation from the Fire Safety point of view, with the following conditions:-

- 1) The owner/occupier shall keep duly trained Fire Staff in all three shifts.
- 2) The Fire Protection System tested during inspection shall be maintained properly & always should be in good working condition.
- 3) If any lapse is found in the fire protection system at the time of inspection or detected during outbreak of fire, action will be taken as per rules against you.
- 4) You are directed to apply for Renewal of Fire Safety Certificate in future before 2 month of expiry of your Fire Safety Certificate.
- 5) The open set back area is not checked at our end as it shall be checked by concerned building department.
- 6) The owner/occupier shall strictly follow the other applicable rules/ regulations/ byelaws laid down regarding fire safety system. If you fail to comply with any of the above terms & conditions you will be liable to be punished as per Section 30,31 & 47 of fire & Emergency Services Act 2022.
- 7) You have to perform quarterly Fire Drill in your building as per NBC with intimation to Fire Department and video graphy evidence to be kept as a record which shall be produced at the time of next Renewal; Officials/Residents/R.W.A. should be mentioned in the drill.
- 8) If the Infringements of Byelaws remains un- noticed the Authority reserves the right to amend the Fire Safety Certificate as and when any such Infringements comes to notice after giving an opportunity of being heard and the Authority shall stand Indemnified against any claim on this account.
- 9) The owner or occupier of the building shall give a self-declaration certificate annually to the effect that the fire fighting system installed in his building is working in good condition and there is no addition/alteration in the building. The Fire Officer may randomly check such building. In case there is any addition/alteration beyond permissible limits under the Haryana Building Code, 2017, the fire safety certificate shall cease to exist and the owner shall apply for approval of revised Fire Fighting Scheme as per the provisions of section 18.

The above Renewal of Fire Safety Certificate is valid for **Three** year from the date of issue of this letter Applying renewal of the same well in time shall be the responsibility of owner/occupier.

Remarks:- OK



FIRE STATION OFFICER
Haryana Fire & Emergency Services
PANIPAT

Fire Station Officer,
Panipat

Exercising the power of Director, Fire Services, Haryana



भारत सरकार
Government of India
वाणिज्य और उद्योग मंत्रालय
Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)
Petroleum & Explosives Safety Organisation (PESO)
हाल संख्या 502 एवं 507, लेवल-5, ब्लॉक II, पुराना सी.जी.ओ. कॉम्प्लेक्स, एन.एच.4
फरीदाबाद- 121001
Hall No. 502 & 507, Level 5, Block B,
Old CGO Complex, NH-4,
Faridabad - 121001

E-mail : jtccefaridabad@explosives.gov.in

Phone/Fax No : 0129 - 2410734, 2410732

संख्या /No. : P/HQ/HN/15/2319 (P429204)

दिनांक /Dated : 03/01/2024

सेवा में
/To,

M/s. M/s. Haryana Organics (A Unit of Globus Spirits Lt,
F-0, Ground Floor, The Mira Corporate Suites,,
Plot No. 1&2, Ishwar Nagar, Mathura Road,,
New Delhi,
Taluka: New Delhi,
District: DELHI,
State: Delhi
PIN: 110065

विषय : Khasra No, 475/439, 501/463, 421/ 394, 420/393, 4 KM, Chulkana Road,, Village, Samalkha,, Samalkha, Samalkha, Taluka:
/Sub : Samalkha, District: PANIPAT, State: Haryana, PIN: 132101 में स्थित विद्यमान पेट्रोलियम वर्ग A अधिष्ठापन में अनुज्ञप्ति सं P/HQ/HN/15/2319
(P429204) के नवीकरण के संदर्भ में ।
Existing Petroleum Class A Installation at Khasra No, 475/439, 501/463, 421/ 394, 420/393, 4 KM, Chulkana Road,, Village,
Samalkha,, Samalkha, Samalkha, Taluka: Samalkha, District: PANIPAT, State: Haryana, PIN: 132101 - Licence No.
P/HQ/HN/15/2319 (P429204) - Renewal regarding.

महोदय
/Sir(s),

कृपया आपके पत्र क्रमांक OIN1554503 दिनांक 24/12/2023 का अवलोकन करें ।

Please refer to your letter No.: OIN1554503, dated 24/12/2023

अनुज्ञप्ति संख्या P/HQ/HN/15/2319 (P429204) दिनांक 24/12/2019 को दिनांक 31/12/2028 तक नवीनीकृत कर इस पत्र के साथ अग्रप्रेषित की जा रही है ।
Licence No. P/HQ/HN/15/2319 (P429204) dated 24/12/2019 is forwarded herewith duly renewed upto 31/12/2028.

कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कड़ाई से पालन करें । अनुज्ञप्ति के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञप्ति की वैधता समाप्त होने की तिथि से कम से कम 30 दिन पूर्व Jt. Chief Controller of Explosives, North Circle, Faridabad कार्यालय को प्रेषित करें ।

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence to Jt. Chief Controller of Explosives, North Circle, Faridabad, so as to reach his office on or before the date on which Licence expires.

कृपया पावती दें।

Please acknowledge the receipt.

भवदीय /Yours faithfully,

((कुंवर पाल सिंह)
(Kunwar Pal Singh)
उप विस्फोटक नियंत्रक
Dy. Controller of Explosives
कृते संयुक्त मुख्य विस्फोटक नियंत्रक
For Jt. Chief Controller of Explosives
फरीदाबाद/Faridabad

Note:-This is system generated document does not require signature.

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट : <http://peso.gov.in> देखें)

(For more information regarding status, fees and other details please visit our website: <http://peso.gov.in>)

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.) : **P/HQ/HN/15/2319(P429204)**

फीस रूपए (Fee Rs.) **50000/-** per year

M/s. M/s. Haryana Organics (A Unit of Globus Spirits Lt, F-0, Ground Floor, The Mira Corporate Suites,, Plot No. 1&2, Ishwar Nagar, Mathura Road,, New Delhi, Taluka: New Delhi, District: DELHI, State: Delhi, PIN: 110065 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम **1900.00 KL** आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या **P/HQ/HN/15/2319(P429204)** तारीख **03/01/2024** जो कि इससे उपाबद्ध हैं, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती है।

Licence is hereby granted to **M/s. M/s. Haryana Organics (A Unit of Globus Spirits Lt, F-0, Ground Floor, The Mira Corporate Suites,, Plot No. 1&2, Ishwar Nagar, Mathura Road,, New Delhi, Taluka: New Delhi, District: DELHI, State: Delhi, PIN: 110065** valid only for the importation and storage of **1900.00 KL** Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No **P/HQ/HN/15/2319(P429204)** dated **03/01/2024** attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December **2028** तक प्रवृत्त रहेगी।

The Licence shall remain in force till the 31st day of December **2028**

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	1900.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C,otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	1900.00 KL

December 24, 2019

For Chief Controller of Explosives
HQ, Nagpur

अनुज्ञप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टां संलग्न अनुमोदित नक्शों में दिखाई गई हैं **Khasra No: 475/439, 501/463, 421/ 394, 420/393, 4 KM, Chulkana Road,, Village, Samalkha,, Samalkha, Samalkha, Taluka: Samalkha, District: PANIPAT, State: Haryana, PIN: 132101** स्थान पर अवस्थित है तथा उसमें निम्नलिखित **5 Above Ground tank(s) for CLASS A**, सम्मिलित हैं।

The licensed premises, the layout, boundaries and other particulars of which are shown in the attached approved plan are situated at **Khasra No: 475/439, 501/463, 421/ 394, 420/393, 4 KM, Chulkana Road,, Village, Samalkha,, Samalkha, Samalkha, Taluka: Samalkha, District: PANIPAT, State: Haryana, PIN: 132101** and consists of **5 Above Ground tank(s) for CLASS A**, together with connected facilities.

Note:-This is system generated document does not require signature.

अनुज्ञप्ति संख्या-(Licence No.) P/HQ/HN/15/2319 (P429204)

नवीनीकरण के पृष्ठांकन के लिए स्थान
SPACE FOR ENDORSEMENT OF RENEWALS

पेट्रोलियम अधिनियम, १९३४ के उपबन्धों या नवीकरण की तारीख उनके अधीन बनाए गए नियमों या इस अनुज्ञप्ति की शर्तों का उल्लंघन न होने की दशा में यह अनुज्ञप्ति फ़िस में बिना किसी छूट के दस वर्ष तक नवीकृत की जा सकेगी।	Date of Renewal	Date of Expiry of license	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature and office stamp of the licencing authority.
---	--------------------	------------------------------	--

This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.

1).	03/01/2024	31/12/2028	Kunwar Pal Singh Dy. Controller of Explosives For Jt. Chief Controller of Explosives Faridabad
-----	------------	------------	--

यदि अनुज्ञप्ति परिसर इसमें उपाबद्ध विवरण और शर्तों के अनुरूप नहीं पाए जाते हैं और जिन नियमों और शर्तों के अधीन यह अनुज्ञप्ति मंजूर की गई है उनमें से किसी का उल्लंघन होने की दशा में यह अनुज्ञप्ति रद्द की जा सकती है और अनुज्ञप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुर्माने से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चातवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुर्माने से, जो पांच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

Note:-This is system generated document does not require signature.







Electrostatic Precipitator





Paved Roads





Greenbelt Development at Plant Site




Dust Suppression System



Conveyor Belt



Covered Truck & Truck Parking area



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

TEST REPORTSample Number: **JME/GSL/FD/01**Name & Address of Unit: **M/s. Haryana Organics (A Division of Globus Spirits Ltd.)
at Village- Chulkana, Teh- Samalkha,
District- Panipat, Haryana-132101**Report No.: **JME/FD/250317012**Format No.: **7.5 F-02**Party Reference No.: **Nil**Reporting Date: **21/03/2025**Analysis Completion Date: **21/03/2025**Analysis Start Date: **17/03/2025**Receipt Date: **17/03/2025**Sample Description: **FUGITIVE DUST EMISSION****General Information**

Client Representative (Name & Designation) : **Mr. Akhil Kumar (GM.HR & ADMIN)**

Sample collected by : **JMELPL Team**

Sampling Location : **Main Gate**

Latitude : **29°13'10.92" N**

Longitude : **76°59'46.05" E**

Date of Monitoring : **14/03/2025**

Time of Monitoring : **09:15 to 13:15 Hrs.**

Instrument used : **HVS**

Instrument code : **JME/HVS/01/02**

Instrument calibration status : **Calibrated**

Meteorological condition during monitoring : **Clear Sky**

Ambient Temperature (°C) : **24°C**

Surrounding activity : **Human & Vehicular Activities**

Purpose of Monitoring : **Regulatory Requirement**

Control measure if Any : **--**

Sampling & Analysis Protocol : **IS-5182**

Sampling Duration : **240.0**

Parameter Required : **SPM**

TEST RESULTS

S. No.	Test Parameters	Test Method	Results	Units
1.	SPM	JMPLPL/STOP/03 (Issue Date-21/09/2022)	158.0	µg/m ³

****End of Report****

Ritika Saini
Ritika Saini
Tested by

Deepak Singh
Deepak Singh
Checked by

Sita Ram Yadav
Sita Ram Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

TEST REPORT

Sample Number: **JME/GSL/FD/02**
 Name & Address of Unit: **M/s. Haryana Organics (A Division of Globus Spirits Ltd.)
 at Village- Chulkana, Teh- Samalkha,
 District- Panipat, Haryana-132101**

Report No.: **JME/FD/250317013**
 Format No.: **7.5 F-02**
 Party Reference No.: **Nil**
 Reporting Date: **21/03/2025**
 Analysis Completion Date: **21/03/2025**
 Analysis Start Date: **17/03/2025**
 Receipt Date: **17/03/2025**

Sample Description: **FUGITIVE DUST EMISSION****General Information**

Client Representative (Name & Designation) : **Mr. Akhil Kumar (GM.HR & ADMIN)**
 Sample collected by : **JMELPL Team**
 Sampling Location : **Plant Area**
 Latitude : **29°13'04.30" N**
 Longitude : **76°59'51.21" E**
 Date of Monitoring : **14/03/2025**
 Time of Monitoring : **14:00 to 18:00 Hrs.**
 Instrument used : **HVS**
 Instrument code : **JME/HVS/01/02**
 Instrument calibration status : **Calibrated**
 Meteorological condition during monitoring : **Clear Sky**
 Ambient Temperature (°C) : **36°C**
 Surrounding activity : **Near Boiler Area & Vehicular Activities**
 Purpose of Monitoring : **Regulatory Requirement**
 Control measure if Any : **--**
 Sampling & Analysis Protocol : **IS- 5182**
 Sampling Duration : **240.0**
 Parameter Required : **SPM**

TEST RESULTS

S. No.	Test Parameters	Test Method	Results	Units
1.	SPM	JMPLPL/STOP/03 (Issue Date-21/09/2022)	150.0	µg/m ³

****End of Report****

Ritika Saini
 Tested by

Deepak Singh
 Checked by

Sita Ram Yadav
 Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TEST REPORT

Sample Number: **JME/GSL/FD/03** Report No.: **JME/FD/250317014**
 Name & Address of Unit: **M/s. Haryana Organics (A Division of Globus Spirits Ltd.)** Format No.: **7.5 F-02**
at Village- Chulkana, Teh- Samalkha, Party Reference No. **Nil**
District- Panipat, Haryana-132101
 Reporting Date: **21/03/2025**
 Analysis Completion Date: **21/03/2025**
 Analysis Start Date: **17/03/2025**
 Receipt Date: **17/03/2025**

Sample Description: **FUGITIVE DUST EMISSION**

General Information

Client Representative (Name & Designation) : **Mr. Akhil Kumar (GM.HR & ADMIN)**
 Sample collected by : **JMELPL Team**
 Sampling Location : **Near IMF Botling**
 Latitude : **29°13'06.93" N**
 Longitude : **76°59'49.70" E**
 Date of Monitoring : **15/03/2025**
 Time of Monitoring : **08:35 to 12:35 Hrs.**
 Instrument used : **HVS**
 Instrument code : **JME/HVS/01/02**
 Instrument calibration status : **Calibrated**
 Meteorological condition during monitoring : **Clear Sky**
 Ambient Temperature (°C) : **25°C**
 Surrounding activity : **Plant Operation & Vehicular Activities**
 Purpose of Monitoring : **Regulatory Requirement**
 Control measure if Any : **--**
 Sampling & Analysis Protocol : **IS- 5182**
 Sampling Duration : **240.0**
 Parameter Required : **SPM**

TEST RESULTS

S. No.	Test Parameters	Test Method	Results	Units
1.	SPM	JMPLPL/STOP/03 (Issue Date-21/09/2022)	138.0	µg/m ³

****End of Report****

Ritika Saini
Ritika Saini
 Tested by

Deepak Singh
Deepak Singh
 Checked by

Sita Ram Yadav
Sita Ram Yadav
 Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

TEST REPORT

Sample Number: **JME/GSL/FD/04** Report No.: **JME/FD/250317015**
 Name & Address of Unit: **M/s. Haryana Organics (A Division of Globus Spirits Ltd.)** Format No.: **7.5 F-02**
at Village- Chulkana, Teh- Samalkha, Party Reference No.: **Nil**
District- Panipat, Haryana-132101

Reporting Date: **21/03/2025**
 Analysis Completion Date: **21/03/2025**
 Analysis Start Date: **17/03/2025**
 Receipt Date: **17/03/2025**

Sample Description: **FUGITIVE DUST EMISSION**

General Information

Client Representative (Name & Designation) : **Mr. Akhil Kumar (GM.HR & ADMIN)**
 Sample collected by : **JMELPL Team**
 Sampling Location : **Near Admin Office**
 Latitude : **29°13'04.36" N**
 Longitude : **76°59'48.48" E**
 Date of Monitoring : **15/03/2025**
 Time of Monitoring : **13:30 to 17:30 Hrs.**
 Instrument used : **HVS**
 Instrument code : **JME/HVS/01/02**
 Instrument calibration status : **Calibrated**
 Meteorological condition during monitoring : **Clear Sky**
 Ambient Temperature (°C) : **31°C**
 Surrounding activity : **Plant Operation**
 Purpose of Monitoring : **Regulatory Requirement**
 Control measure if Any : **--**
 Sampling & Analysis Protocol : **IS- 5182**
 Sampling Duration : **240.0**
 Parameter Required : **SPM**

TEST RESULTS

S. No.	Test Parameters	Test Method	Results	Units
1.	SPM	JMPLPL/STOP/03 (Issue Date-21/09/2022)	126.0	µg/m ³

End of Report

Ritika Saini
Ritika Saini
 Tested by

Deepak Singh
Deepak Singh
 Checked by

Sita Ram Yadav
Sita Ram Yadav
 Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)

Pollution Under Control Certificate

Authorised By :
Government of Haryana

Date : 29/10/2024
Time : 13:40:14 PM
Validity upto : 28/10/2025



Certificate SL. No. : HR06700930002543
Registration No. : HR60K4803
Date of Registration : 09/Mar/2020
Month & Year of Manufacturing : January-2020
Valid Mobile Number : *****0000
Emission Norms : BHARAT STAGE VI
Fuel : DIESEL
PUC Code : HR0670083
GSTIN :
MIL observation : No

Vehicle Photo with Registration plate
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda		1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	0.7	0.57

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorised Signature with stamp of PUC Operator
60mm x 20 mm

JOGINDER PUC
HLRDC PUMP

Screenshot of continuous online monitoring & Nigh Vision Camera Installed


Annexure 20







Organization Chart Haryana Organics Samalkha (A Unit Of Globus Spirits Ltd.)
--





30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

TEST REPORT

Sample Number: **JME/GSL/AN/01**
 Name & Address of Unit: **M/s. Haryana Organics (A Division of Globus Spirits Ltd.)**
at Village- Chulkana, Teh- Samalkha,
District- Panipat, Haryana-132101

Report No.: **JME/AN/250317007**
 Format No.: **7.5 F-04**
 Party Ref. No.: **Nil**
 Reporting Date: **21/03/2024**
 Analysis Completion Date: **21/03/2024**
 Analysis Start Date: **17/03/2024**
 Receipt Date: **17/03/2024**

Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Client Representative (Name & Designation) : **Mr. Akhil Kumar (GM.HR & ADMIN)**
 Sample collected by : **JMEPL Team**
 Sampling Location : **Main Gate**
 Latitude : **29° 13' 11.34" N**
 Longitude : **76° 59' 46.24" E**
 Instrument used : **Sound Level Meter**
 Instrument code : **JME/SLM/01/04**
 Instrument calibration status : **Calibrated**
 Meteorological condition during monitoring : **Clear Sky**
 Date of Monitoring : **13/03/2025 to 14/03/2025**
 Time of Monitoring : **06:00 AM to 06:00 AM**
 Sampling Duration : **24 Hrs.**
 Ambient Temperature (°C) : **Max 32°C, Min 20°C**
 Surrounding activity : **Human & Vehicular Activities**
 Sampling & Analysis Protocol : **IS 9989**
 Parameter Required : **As per work order**

TEST RESULTS

S. No.	Parameters	Test Method	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	IS-9989	72.6	64.1	dB(A)
2.	Lmin	IS-9989	52.4	46.8	dB(A)
3.	Leq	IS-9989	62.3	52.8	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

End of Report

Ritika Saini
 Tested by

Deepak Singh
 Checked by

Sita Ram Yadav
 Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT



TC-6821

Sample Number: **JME/GSL/AN/02**

Name & Address of Unit: **M/s. Haryana Organics (A Division of Globus Spirits Ltd.)
at Village- Chulkana, Teh- Samalkha,
District- Panipat, Haryana-132101**

Report No.: **JME/AN/250317008**

Format No.: **7.5 F-04**

Party Ref. No.: **Nil**

Reporting Date: **21/03/2024**

Analysis Completion Date: **21/03/2024**

Analysis Start Date: **17/03/2024**

Receipt Date: **17/03/2024**

Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Client Representative (Name & Designation)	: Mr. Akhil Kumar (GM.HR & ADMIN)
Sample collected by	: JMEPL Team
Sampling Location	: Admin Office
Latitude	: 29° 13' 04.55" N
Longitude	: 76° 59' 48.34" E
Instrument used	: Sound Level Meter
Instrument code	: JME/SLM/01/12
Instrument calibration status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 14/03/2025 to 15/03/2025
Time of Monitoring	: 06:00 AM to 06:00 AM
Sampling Duration	: 24 Hrs.
Ambient Temperature (°C)	: Max 34°C, Min 18°C
Surrounding activity	: Plant Operation
Sampling & Analysis Protocol	: IS 9989
Parameter Required	: As per work order

TEST RESULTS

S. No.	Parameters	Test Method	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	IS-9989	65.8	58.2	dB(A)
2.	Lmin	IS-9989	52.1	41.6	dB(A)
3.	Leq	IS-9989	55.6	45.8	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

End of Report

Ritika Saini
Ritika Saini
Tested by

Deepak Singh
Deepak Singh
Checked by

Sita Ram Yadav
Sita Ram Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT



TC-6821

Sample Number: **JME/GSL/AN/03** Report No.: **JME/AN/250317009**
 Name & Address of Unit: **M/s. Haryana Organics (A Division of Globus Spirits Ltd.)** Format No.: **7.5 F-04**
at Village- Chulkana, Teh- Samalkha, Party Ref. No.: **Nil**
District- Panipat, Haryana-132101 Reporting Date: **21/03/2024**
 Analysis Completion Date: **21/03/2024**
 Analysis Start Date: **17/03/2024**
 Receipt Date: **17/03/2024**

Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Client Representative (Name & Designation) : **Mr. Akhil Kumar (GM.HR & ADMIN)**
 Sample collected by : **JMEPL Team**
 Sampling Location : **IMFL Bottling**
 Latitude : **29° 13' 06.96" N**
 Longitude : **76° 59' 49.55" E**
 Instrument used : **Sound Level Meter**
 Instrument code : **JME/SLM/01/04**
 Instrument calibration status : **Calibrated**
 Meteorological condition during monitoring : **Clear Sky**
 Date of Monitoring : **13/03/2025 to 14/03/2025**
 Time of Monitoring : **06:00 AM to 06:00 AM**
 Sampling Duration : **24 Hrs.**
 Ambient Temperature (°C) : **Max 32°C, Min 20°C**
 Surrounding activity : **Plant Operation & Vehicular Activities**
 Sampling & Analysis Protocol : **IS 9989**
 Parameter Required : **As per work order**

TEST RESULTS

S. No.	Parameters	Test Method	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	IS-9989	76.8	69.5	dB(A)
2.	Lmin	IS-9989	66.7	57.6	dB(A)
3.	Leq	IS-9989	71.5	62.4	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

End of Report

Ritika Saini
Ritika Saini
 Tested by

Deepak Singh
Deepak Singh
 Checked by

Sita Ram Yadav
Sita Ram Yadav
 Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
 Phase-IV, Gurugram-122015 (Haryana)
 E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
 Golf Course Ext. Road, Sector-61,
 Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

TEST REPORT

CIN No.: U74220HR2011PTC085756



TC-6821

Sample Number: **JME/GSL/AN/04**
Name & Address of Unit: **M/s. Haryana Organics (A Division of Globus Spirits Ltd.)
at Village- Chulkana, Teh- Samalkha,
District- Panipat, Haryana-132101**

Report No.: **JME/AN/240229010**
Format No.: **7.5 F-04**
Party Ref. No.: **Nil**
Reporting Date: **21/03/2024**
Analysis Completion Date: **21/03/2024**
Analysis Start Date: **17/03/2024**
Receipt Date: **17/03/2024**

Sample Description: **AMBIENT NOISE LEVEL MONITORING**

Client Representative (Name & Designation)	: Mr. Akhil Kumar (GM.HR & ADMIN)
Sample collected by	: JMEPL Team
Sampling Location	: Plant Area
Latitude	: 29° 13' 04.51" N
Longitude	: 76° 59' 51.56" E
Instrument used	: Sound Level Meter
Instrument code	: JME/SLM/01/12
Instrument calibration status	: Calibrated
Meteorological condition during monitoring	: Clear Sky
Date of Monitoring	: 14/03/2025 to 15/03/2025
Time of Monitoring	: 06:00 AM to 06:00 AM
Sampling Duration	: 24 Hrs.
Ambient Temperature (°C)	: Max 34°C, Min 18°C
Surrounding activity	: Plant Operation & Vehicular Activities
Sampling & Analysis Protocol	: IS 9989
Parameter Required	: As per work order

TEST RESULTS

S. No.	Parameters	Test Method	Test Results dB (A)		Unit
			Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
1.	Lmax	IS-9989	70.5	65.2	dB(A)
2.	Lmin	IS-9989	53.8	43.7	dB(A)
3.	Leq	IS-9989	60.8	54.2	dB(A)
4.	CPCB Limits in dB(A) Leq (Industrial area)	--	75	70	dB(A)
5.	CPCB Limits in dB(A) Leq (Commercial area)	--	65	55	dB(A)
6.	CPCB Limits in dB(A) Leq (Residential area)	--	55	45	dB(A)
7.	CPCB Limits in dB(A) Leq (Silence area)	--	50	40	dB(A)

End of Report

Ritika Saini
Tested by

Deepak Singh
Checked by

Sita Ram Yadav
Authorized Signatory

Note:


1. This test report has been at your request and test results pertain to the tested sample received.
2. This report is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduced except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)



30 years of success

J.M. ENVIROLAB PVT. LTD.

Approved from MoEF&CC & Certified - ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



TC-6821

TEST REPORT

Sample Number: JME/GSL/PS/01

Name & Address of Unit: M/s. Haryana Organics (A Division of Globus Spirits Ltd.)
at Village- Chulkana, Teh- Samalkha,
District- Panipat, Haryana-132101

Report No.: JME/PS/250317011

Format No.: 7.5 F-04

Party Ref. No.: Nil

Reporting Date: 21/03/2024

Analysis Completion Date: 21/03/2024

Analysis Start Date: 17/03/2024

Receipt Date: 17/03/2024

Sample Description: SOURCE NOISE LEVEL- DG Set

Client Representative (Name & Designation) : Mr. Akhil Kumar (GM.HR & ADMIN)

Sample collected by : JMEPL Team

Sampling Location : DG Set 380 KVA

Latitude : 29°13'03.78" N

Longitude : 76°59'51.34" E

Date of Monitoring : 14/09/2024

Time of Monitoring : 10:15 hrs to 10:45 hrs

Instrument used : Sound Level Meter

Instrument code : JME/SLM/01/31

Instrument calibration status : Calibrated

Meteorological condition during monitoring : Clear Sky

Ambient Temperature (°C) : Max 34°C, Min 18°C

Surrounding activity : DG Set Operation

Purpose of Monitoring : Regulatory Requirement

Control Measure if any : Acoustic Enclosure

Sampling & Analysis Protocol : IS 4758

Actual duration of Monitoring, (minutes) : 30 minutes

Parameter Required : As per work order

TEST RESULTS

S. No.	Parameters	Test Method	Results	Units
1.	Leq (Open Acoustic Enclosure)	IS-4758	98.7	dB(A)
2.	Leq (Close Acoustic Enclosure)	IS-4758	70.8	dB(A)
3.	Insertion Loss	--	27.9	dB(A)

Note: Acoustic enclosure shall be designed for minimum 25 db (A) insertion loss under Environment (Protection) act, 1986

End of Report

Ritika Saini
Tested by

Deepak Singh
Checked by

Sita Ram Yadav
Authorized Signatory

Note:

1. This test report has been at your request and test results pertain to the tested sample received.
2. This reports is for your reference only and not to be used for any legal purpose.
3. Any discrepancy in the test report or any remarks regarding the test results shall be brought to our knowledge within 7 days of the issue of this report.
4. Total liability or any claim in case of dispute is limited to the invoice raised by the laboratory.
5. The sample will be destroyed after retention time unless otherwise specified specially.
6. Endorsement of the product tested by the laboratory is neither inferred nor implied.
7. Report shall not be reproduce except in full without approval of the laboratory.
8. All disputes are subject to exclusive jurisdiction of Jaipur court only.

Reg. Office & Lab.

424, Ground Floor, Udyog Vihar,
Phase-IV, Gurugram-122015 (Haryana)
E-mail: jmenvirolab@hotmail.com | www.jmenvironet.org

Corporate Office

Emaar Digital Greens, Tower-B, Unit No.1517,
Golf Course Ext. Road, Sector-61,
Gurugram-122011(Haryana)

The photographs showing CER Activities:



Eye checkup camp in Chulkana



Digital Literacy Training in Chulkana and Kiwana



Sanitary Pad Awareness



Soft Skills and Computer Training in Chulakan School







चुलकाना विद्यालय में कंप्यूटर लैब का शुभारंभ

जागरण संवाददाता, समालखा : शक्ति फाउंडेशन और हरियाणा आर्गेनिक्स, चुलकाना रोड के सौजन्य से चुलकाना के राजकीय कन्या वरिष्ठ माध्यमिक विद्यालय में कंप्यूटर लैब की शुरुआत हुई। लैब में स्कूल की 250 छात्राओं को बेसिक कंप्यूटर स्किल की चालू सत्र में ट्रेनिंग दी जाएगी। एसडीएम अमित भारद्वाज और चुलकाना के सरपंच सतीश छीवकर ने लैब का शुभारंभ किया।

एसडीएम ने कंपनी के कार्यों की सराहना की। सरपंच ने बताया कि गांव के लोगों की सुरक्षा के लिए विभिन्न जगहों पर कंपनी के सौजन्य से 24 सीसीटीवी कैमरे भी लगाए गए हैं। एसडीएम ने कंप्यूटर शिक्षा के महत्व और डिजिटल के महत्व



कंप्यूटर लैब का शुभारंभ करते मुख्यातिथि। • विज्ञप्ति.

और उपयोग पर प्रकाश डाला।

कंपनी के मैनेजर के अनुसार गांव की 20 महिलाओं को मिठाई के डब्बे बनाने की निशुल्क ट्रेनिंग देकर आत्मनिर्भर बनाया जा रहा है। महिलाओं ने डब्बे बनाने शुरू कर दिए हैं। उन्हें आसपास के दुकानों से

आर्डर भी मिलने शुरू हो गए हैं।

इस अवसर पर खंड विकास अधिकारी नीलम कुंडू, कंपनी के मैनेजर विनय कुमार, शक्ति फाउंडेशन से कुमारी फिलजा खान, प्राचार्य जोगिंदर सिंह, रोशन लाल आदि उपस्थित रहे।

Your (**Half Yearly Compliance Report**) has been **Submitted** with following details

Proposal No	IA/HR/IND2/408610/2022
Compliance ID	112410347
Compliance Number(For Tracking)	EC/COMPLIANCE/112410347/2025
Reporting Year	2024
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	01-02-2025
RO/SRO Name	Santosh Tiwari
RO/SRO Email	bh158@ifs.nic.in
State	HARYANA
RO/SRO Office Address	Integrated Regional Offices, Chandigarh
Note:- SMS and E-Mail has been sent to Santosh Tiwari, HARYANA with Notification to Project Proponent.	



Annexure 26 ESR Submission Reciept

HO- Samalkha <hosamalkha@globusgroup.in>

Submission of Environmental Statement Report (Form-V) for FY 2023-24.

2 messages

HO- Samalkha <hosamalkha@globusgroup.in>
To: Member Secretary <hspcbms@gmail.com>

Sat, Sep 28, 2024 at 5:34 PM

Respected Sir,

With reference to the above-mentioned subject and the Environmental Clearance letter obtained (EC23A022HR195384, F. NO. J-11011/714/2009 – IA II (I) dated 03/04/2023) for our project, M/s Haryana Organics (A Division of Globus Spirits Ltd.) Distillery (Molasses/Grain/Yeast-based) Plant located in Village Chulkana, Tehsil Samalkha, District Panipat, Haryana, we are pleased to submit the Environmental Statement Report in Form-V for the financial year April 2023 to March 2024, in compliance with the statutory requirements.

Thank you for your kind consideration.

Yours sincerely,

For M/s Haryana Organics (A Division of Globus Spirits Ltd.)



Abhimanyu

Haryana Organics,

A Unit of Globus Spirits Limited

4 K.M. Chulkana Road, Samalkha-132101

Panipat, Haryana

0180-2570122

Cell: 9992600869

E: hosamalkha@globusgroup.inW: <http://www.globusspirits.com>

 **ESR FY 2023-24_Haryana Organics, Samalkha.pdf**
826K

HO- Samalkha <hosamalkha@globusgroup.in>

Sat, Sep 28, 2024 at 5:38 PM

To: Mahendra Pratap Singh <mpsingh@globusgroup.in>

Cc: Akhil Kumar <akhilk@globusgroup.in>, Hariraj Singh <hariraj@globusgroup.in>

R/Sir.

Please see the Environment Statement Report in Form-V for the FY 2023-24 sent to The Member Secretary, HSPCB.

Regards,



Haryana Organics,
A Unit of Globus Spirits Limited
4 K.M. Chulkana Road, Samalkha-132101
Panipat, Haryana
0180-2570122
Cell: 9992600869
E: hosamalkha@globusgroup.in
W: <http://www.globusspirits.com>

[Quoted text hidden]



ESR FY 2023-24_Haryana Organics, Samalkha.pdf
826K