

TEST REPORT

Issued to: Globus Spirits Limited
 Village- Shyampur,
 Tehsil- Behror Distt. Alwar (Raj.) 301701

J.O. No: FL/W/21062019-024
 ULR Code: TC5503 19 2 00004585 P
 Report Date: 26/06/2019
 Sample Receipt Date: 21/06/2019
 Account Manager: Omkar Nath
 Credit Manager: Gulab Singh

Sample Particulars:

Nature of the Sample & No. of Samples
 Location
 Sample Quantity & Packaging
 Test started on
 Test Completed
 Method of Sampling
 Date of Sampling
 Sample Collected by

: **Borewell Water** (One Sample)
 : B-1
 : 1 Litre X 10 Pet Bottle, 500ml Sterilized Bottle
 : 21/06/2019
 : 26/06/2019
 : FL/SOP/B/D-1
 : 21/06/2019
 : Mr. Ajay Kumar (FARE LABS Representative)



Certificate No. TC-5503

Physical Description: Water is clear without any sediments, suspended particles & extraneous matter

S. No.	Parameter	Test Result	Specifications as per IS-10500:2012		Protocol
			Acceptable Limit	Permissible Limit	
Chemical Analysis:					
1	Colour, Hazen	5	5 Max.	15	IS:3025 (P-4)
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P-5)
3	Taste	Agreeable	Agreeable	Agreeable	IS:3025 (P-7&8)
4	Turbidity, NTU	0.36	1.0 Max.	5	IS:3025 (P-10)
5	pH Value	7.26	6.5 – 8.5	No Relaxation	IS:3025 (P-11)
6	Total Dissolved Solids, mg/L	764	500 Max.	2000	IS:3025 (P-16)
7	Ammonia, mg/L	ND, [LOQ - 0.01]	0.5 Max.	No Relaxation	APHA 23 rd Ed.
8	Anionic detergents (as MBAS), mg/L	ND, [LOQ - 0.01]	0.2 Max.	1.0	APHA 23 rd Ed.
9	Chloride (as Cl), mg/L	284.91	250 Max.	1000	IS:3025 (P-32)
10	Calcium (as Ca), mg/L	102.4	75 Max.	200	IS:3025 (P-40)
11	Cyanide (as CN), mg/L	ND, [LOQ - 0.03]	0.05 Max.	No Relaxation	APHA 23 rd Ed.
12	Chloramines (as Cl ₂), mg/L	ND, [LOQ - 0.05]	4 Max.	No Relaxation	APHA 23 rd Ed.
13	Fluoride (as F), mg/L	0.14	1.0 Max.	1.5	APHA 23 rd Ed.
14	Magnesium (as Mg), mg/L	40.82	30 Max.	100	APHA 23 rd Ed.
15	Nitrate (as NO ₃), mg/L	2.41	45 Max.	No Relaxation	APHA 23 rd Ed.
16	Phenolic substances (as C ₆ H ₅ OH), mg/L	ND, [LOQ - 0.0005]	0.001 Max.	0.002	IS:3025 (P-43)
17	Residual free Chlorine, mg/L	ND, [LOQ - 0.1]	0.2 Min.	1	APHA 23 rd Ed.
18	Sulphate (as SO ₄), mg/L	33.08	200 Max.	400	APHA 23 rd Ed.
19	Sulphide (as H ₂ S), mg/L	ND, [LOQ - 0.005]	0.05 Max.	No Relaxation	APHA 23 rd Ed.
20	Total Alkalinity (as CaCO ₃), mg/L	270	200 Max.	600	IS:3025 (P-23)
21	Total Hardness (as CaCO ₃), mg/L	424	200 Max.	600	IS:3025 (P-21)

Testing Section

Prepared By
 Nayla Tazeen

Checked By
 Satish Kumar Singh

(AUTHORISED SIGNATORY)
 D. Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only.

If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email to...



FARELABS

FOOD ANALYSIS & RESEARCH LABORATORY

TESTING, CALIBRATION, PROFICIENCY TESTING, R&D & TRAINING SERVICES

FARE LABS Private Limited

L-17/3, DLF Phase-II, IFFCO Chowk, M.G. Road,
Gurgaon-122002, Haryana, INDIA
Phone : +91-124-4223207, 4034205
Fax : +91-124-4036038, Cell : +91-95992 21227
E-mail : farelabs@farelabs.com
Website : www.farelabs.com

TEST REPORT

Issued to: Globus Spirits Limited

Villagge- Shyampur,
Tehsil- Behror Distt. Alwar (Raj.) 301701

J.O. No: FL/W/21062019-025

ULR Code: TC5503 19 2 00004586 P

Report Date: 26/06/2019

Sample Receipt Date: 21/06/2019

Account Manager: Omkar Nath

Credit Manager: Gulab Singh

Sample Particulars:

Nature of the Sample & No. of Samples
Location
Sample Quantity & Packaging
Test started on
Test Completed
Method of Sampling
Date of Sampling
Sample Collected by

: **Borewell Water** (One Sample)
: B-2
: 1LitreX10 Pet Bottle, 500ml Sterilized Bottle
: 21/06/2019
: 26/06/2019
: FL/SOP/B/D-1
: 21/06/2019
: Mr. Ajay Kumar (FARE LABS Representative)



Certificate No. TC-5503

Physical Description: Water is clear without any sediments, suspended particles & extraneous matter

Analysis Report

S. No.	Parameter	Test Result	Specifications as per IS-10500:2012		Protocol
			Acceptable Limit	Permissible Limit	
Chemical Analysis:					
1	Colour, Hazen	5	5 Max.	15	IS:3025 (P-4)
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P-5)
3	Taste	Agreeable	Agreeable	Agreeable	IS:3025 (P-7&8)
4	Turbidity, NTU	0.44	1.0 Max.	5	IS:3025 (P-10)
5	pH Value	7.41	6.5 – 8.5	No Relaxation	IS:3025 (P-11)
6	Total Dissolved Solids, mg/L	783	500 Max.	2000	IS:3025 (P-16)
7	Ammonia, mg/L	ND, [LOQ - 0.01]	0.5 Max.	No Relaxation	APHA 23 rd Ed.
8	Anionic detergents (as MBAS), mg/L	ND, [LOQ - 0.01]	0.2 Max.	1.0	APHA 23 rd Ed.
9	Chloride (as Cl), mg/L	314.90	250 Max.	1000	IS:3025 (P-32)
10	Calcium (as Ca), mg/L	92.8	75 Max.	200	IS:3025 (P-40)
11	Cyanide (as CN), mg/L	ND, [LOQ - 0.03]	0.05 Max.	No Relaxation	APHA 23 rd Ed.
12	Chloramines (as Cl ₂), mg/L	ND, [LOQ - 0.05]	4 Max.	No Relaxation	APHA 23 rd Ed.
13	Fluoride (as F), mg/L	0.13	1.0 Max.	1.5	APHA 23 rd Ed.
14	Magnesium (as Mg), mg/L	56.37	30 Max.	100	APHA 23 rd Ed.
15	Nitrate (as NO ₃), mg/L	6.35	45 Max.	No Relaxation	APHA 23 rd Ed.
16	Phenolic substances (as C ₆ H ₅ OH), mg/L	ND, [LOQ - 0.0005]	0.001 Max.	0.002	IS:3025 (P-43)
17	Residual free Chlorine, mg/L	ND, [LOQ - 0.1]	0.2 Min.	1	APHA 23 rd Ed.
18	Sulphate (as SO ₄), mg/L	43.88	200 Max.	400	APHA 23 rd Ed.
19	Sulphide (as H ₂ S), mg/L	ND, [LOQ - 0.005]	0.05 Max.	No Relaxation	APHA 23 rd Ed.
20	Total Alkalinity (as CaCO ₃), mg/L	280	200 Max.	600	IS:3025 (P-23)
21	Total Hardness (as CaCO ₃), mg/L	464	200 Max.	600	IS:3025 (P-21)

Testing Section

Prepared By
Nayla Tazeen

Checked By
Satish Kumar Singh

(AUTHORISED SIGNATORY)

D. Nath, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only.

If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at feedback@farelabs.com and call at +91 9599221227

TEST REPORT

Issued to: Globus Spirits Limited


Village- Shyampur,
 Tehsil- Behror Distt. Alwar (Raj.) 301701

J.O. No: FL/W/21062019-026
 ULR Code: TC5503 19 2 00004587 P
 Report Date: 26/06/2019
 Sample Receipt Date: 21/06/2019
 Account Manager: Omkar Nath
 Credit Manager: Gulab Singh

Sample Particulars:

Nature of the Sample & No. of Samples
 Location
 Sample Quantity & Packaging
 Test started on
 Test Completed
 Method of Sampling
 Date of Sampling
 Sample Collected by

: **Borewell Water** (One Sample)
 : B-3
 : 1LitreX10 Pet Bottle, 500ml Sterilized Bottle
 : 21/06/2019
 : 26/06/2019
 : FL/SOP/B/D-1
 : 21/06/2019
 : Mr. Ajay Kumar (FARE LABS Representative)



Analysis Report

Physical Description: Water is clear without any sediments, suspended particles & extraneous matter

Certificate No. TC-5503

S. No.	Parameter	Test Result	Specifications as per IS-10500:2012		Protocol
			Acceptable Limit	Permissible Limit	
Chemical Analysis:					
1	Colour, Hazen	5	5 Max.	15	IS:3025 (P-4)
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P-5)
3	Taste	Agreeable	Agreeable	Agreeable	IS:3025 (P-7&8)
4	Turbidity, NTU	0.75	1.0 Max.	5	IS:3025 (P-10)
5	pH Value	7.31	6.5 – 8.5	No Relaxation	IS:3025 (P-11)
6	Total Dissolved Solids, mg/L	710	500 Max.	2000	IS:3025 (P-16)
7	Ammonia, mg/L	ND, [LOQ - 0.01]	0.5 Max.	No Relaxation	APHA 23 rd Ed.
8	Anionic detergents (as MBAS), mg/L	ND, [LOQ - 0.01]	0.2 Max.	1.0	APHA 23 rd Ed.
9	Chloride (as Cl), mg/L	314.90	250 Max.	1000	IS:3025 (P-32)
10	Calcium (as Ca), mg/L	65.6	75 Max.	200	IS:3025 (P-40)
11	Cyanide (as CN), mg/L	ND, [LOQ - 0.03]	0.05 Max.	No Relaxation	APHA 23 rd Ed.
12	Chloramines (as Cl ₂), mg/L	ND, [LOQ - 0.05]	4 Max.	No Relaxation	APHA 23 rd Ed.
13	Fluoride (as F), mg/L	0.15	1.0 Max.	1.5	APHA 23 rd Ed.
14	Magnesium (as Mg), mg/L	57.83	30 Max.	100	APHA 23 rd Ed.
15	Nitrate (as NO ₃), mg/L	6.35	45 Max.	No Relaxation	APHA 23 rd Ed.
16	Phenolic substances (as C ₆ H ₅ OH), mg/L	ND, [LOQ - 0.0005]	0.001 Max.	0.002	IS:3025 (P-43)
17	Residual free Chlorine, mg/L	ND, [LOQ - 0.1]	0.2 Min.	1	APHA 23 rd Ed.
18	Sulphate (as SO ₄), mg/L	43.88	200 Max.	400	APHA 23 rd Ed.
19	Sulphide (as H ₂ S), mg/L	ND, [LOQ - 0.005]	0.05 Max.	No Relaxation	APHA 23 rd Ed.
20	Total Alkalinity (as CaCO ₃), mg/L	280	200 Max.	600	IS:3025 (P-23)
21	Total Hardness (as CaCO ₃), mg/L	402	200 Max.	600	IS:3025 (P-21)

Testing Section

Prepared By
 Nayla Tazeen

Checked By
 Satish Kumar Singh

(AUTHORISED SIGNATORY)
 D. Mathur, Director

NOTE: The laboratory accepts the responsibility for content of report. The results contained in this test report pertain only to the sample tested. Test report shall not be reproduced except in full, without written approval of the laboratory. This report is intended only for your guidance and not for legal purpose or for advertisement. Samples will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. Any complaint about this report should be communicated in writing within 7 days of issue of this report. Total liability at FARELABS Pvt. Ltd. is limited to invoiced amount only.

If you have any complaint/feedback regarding the sample collection/testing/test report, please send an email at
 feedback@farelabs.com and call at +91 9599221227